

L.B./2001/99/02 / 1000

THE INFLUENCE OF STRUCTURAL TIMBER ON ARCHITECTURAL FORM AND SPACE.
- AN ILLUSTRATIVE STUDY.

A DISSERTATION PRESENTED TO
THE FACULTY OF ARCHITECTURE
UNIVERSITY OF MORATUWA, SRI LANKA,
FOR THE M.Sc. [ARCHITECTURE], EXAMINATION.
LIBRARY
UNIVERSITY OF MORATUWA, SRI LANKA
MORATUWA

72 " 01 "
72.01:624.011.1

TH


University of Moratuwa



D.S.Lokuliyana.
Faculty of Architecture,
University of Moratuwa, Sri Lanka.
June, 2001.

76205

76205



ACKNOWLEDGEMENTS.

This study owes to the much, to the assistance and guidance given by all the following, whom I wish to extend my heartfelt gratitude.

Archt: Vjitha Basnayake, Archt: Chris de Sarem, Archt: Dr. Ranjith Perera, and Archt: Ravin Gunarathne of our academic staff for their inspiration and guidance.

Mr. Dayananda Kanyawasam and staff members of the Forest Department who have helped me in the process of collecting information.

I also thanks to my mother, my wife, my uncle, my colleagues and all others especially for the library staff at the University of Moratuwa who gave me a helping hand.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk



CONTENTS.

	PG.NO.
ACKNOWLEDGMENTS.	i
CONTENTS.	ii
LIST OF ILLUSTRATIONS.	iv
INTRODUCTION.	i
A: - TOPIC EXPLANATION.	1
B: - NEED OF THE STUDY.	2
C: - INTENTION AND THE SCOPE OF THE STUDY.	3
D: - METHODOLOGY.	3

CHAPTER ONE – ARCHITECTURE AND THE EMOTION – THE AMALGAM OF TECHNOLOGY AND ART.

1.1	ARCHITECTURE AS A BACKGROUND TO HUMAN EMOTIONS.	6
1.2	MATERIALS AND THEIR PLACE IN ARCHITECTURE.	8
1.3	TIMBER AS A STRUCTURAL MATERIAL.	11
	1.3.1 The Northern Wood Belt.	11
	1.3.2 The Equatorial Forest.	12
	1.3.3 The Lashed Construction.	13
1.4	ARCHITECTURAL EMOTIONS AND THE MATERIAL TIMBER.	14

CHAPTER TWO - FORM & SPACE IN ARCHITECTURE AND ITS DETERMINANTS.

2.1	ARCHITECTURAL FORM-HARMONY IN SPACE, STRUCTURE AND ENCLOSURE.	17
	2.1.1 Form in Architecture.	17
	2.1.2 Space in Architecture.	17
	2.1.3 Synthesis of Form and Space in Architecture.	18
	2.1.4 The Evolvement of Form to Design Spaces.	19
2.2	DETERMINANTS OF ARCHITECTURAL FORM AND SPACE.	20
2.3	TIMBER AS A DETERMINANT OF ARCHITECTURAL FORM AND SPACE.	23

CHAPTER THREE – HISTORY OF TIMBER AS A STRUCTURAL MATERIAL.

3.1	HISTORICAL EVOLUTION OF FORMS OF TIMBER AND ITS EARLY DEVELOPMENT.	27
3.2	TIMBER IN ITS MODERN FORM.	31

CHAPTER FOUR – THE CONTEMPORARY USAGE OF STRUCTURAL TIMBER TO MAKE ARCHITECTURAL FORM & SPACE.

4.1	THE MINIMAL AESTHETIC.	37
	• MUSEUM OF WOOD.	
4.2	STRUCTURAL POSSIBILITIES.	41
	• TOROIDAL DOME / FORESTRY CENTRE.	
	• IZUMO DOME.	

4.3	TIMBER IN GREEN BUILDINGS. • OLIVIER THEATRE.	48
4.4	NATURE BASED. • SKYROSE CHAPEL.	52
4.5	MODERN VERNACULAR. • JAPANESE PAVILION AT EXPO '92	55
	CONCLUSION.	59
	BIBLIOGRAPHY.	62



LIST OF ILLUSTRATIONS.

- fig. 1 -Line defining the boundary between form & space.
- fig.2 -Masonry form rendered as figure.
- fig.3 -Space rendered as figure.
- fig.4 &
fig.5 -The STEKO timber construction method is one of the many examples of the highly innovative character of the timber industry today. Those timber units are similar to traditional bricks.
- fig.6 -View to Propylaea and Temple of Athena Nike.
- fig.7 -Colonnade of Propylaea.
- fig.8 -Screen formed by outer row of columns.
- fig.9 -Open or closed, depending on the position of the observer.
- fig. 10 -Map of the World showing the two major forest zones, "the timber belt" and "rain forest."
- fig. 11 -Post & Beam construction.
- fig. 12 -Frame construction.
- fig. 13 -Section of Bamikele store house.
- fig. 14 -Plan of the above house.
- fig. 15 -Detail of the structure of Bamikele house.
- fig. 16 -Entrance facade of the Roman Catholic church, Paks 1987.
- fig. 17 -The exterior of the church.
- fig. 18 -Plan of Hammond house, Queensland, Australia.
- fig. 19 -The main living room with its bracing fin walls and exposed gang trusses.
- fig.20 -Structure of Olympic Hall at Hammar, Norway.
- fig.21 -Interior space & 3-D view of the building.
- fig.22 -Ties, Struts, Columns, Supports and Foundations, [a&c], [b-d]- Plane, membranes and walls.
- fig.23 -Timber columns and wall panels in Forestry outpost at Turbenthal, Switzerland.
- fig.24 -Partially obscured window in Family house at Berg, Switzerland.
- fig.25 -Timber wall facade in Family house at Rheinau, Switzerland.
- fig.26 -Catenaries and arches. [f&], [g-i]-singly curved membranes and vaults.
- fig.27 -Interior of the dome at Forestry centre in Belgium.
- fig.28 -Long section of the building.
- fig.29 -Doubly curved membranes, vaults and shells.
- fig.30 -The semi clad dome being erected at Izumo Dome in Japan.
- fig.31 -The Izumo Dome being jacked into place.
- fig.32 -Shell and vaults structures.
- fig.33 -Concrete cladding over the bamboo shell structure of Nain community centre and Nursery school in Japan.
- fig.34 -View inside the structure looking up.

- fig.35 -Beams, slabs [ribbed].
- fig.36 -Posts beams that raise the building of the ground of Westminster Lodge in UK.
- fig.37 -The post and beam construction of Le Gallais house in Canada.
- fig.38 -Typical stress strain relationships for common structural materials.
- fig.39 -Approximate ranges of strengths, density and stiffness for common structural materials.
- fig.40 -This large meeting house bears a monumental timber roof, but ignores walls.
- fig.41 -Methodist Church, Haverhill, Suffolk, UK. A series of laminated timber portal frames.
- fig.42 -Sports Dome, Perth, UK. Laminated timber built up sections.
- fig.43 -David Lloyd Tennis centre, London, UK. The primary structural elements are laminated timber arches which span 35m.
- fig.44 -A-selected timber connectors are used to reduce the concentration of stress in bolted connections.
- fig.45 -Horizontal timber elements resting on loadbearing walls.
- fig.46 -The all timber house.
- fig.47 -[a] The laminated beam, [b] Plywood board, [c] Plywood box beam- these examples are manufactured timber products and normally have better technical properties than plain sawn timber elements.
- fig.48 -Finger joints.
- fig.49 -Built-up beams.
- fig.50 -Sports Stadium at Lahderanta, Sweden.
- fig.51 -Aerial view showing the building's doughnut shaped plan and the approach through the forest.
- fig.52 -One of the project's main objective was to preserve the area's hitonic forests.
- fig.53 -Site plan.
- fig.54 -Plan and Section superimposed.
- fig.55 -The ramp along which visitors approach the building slices right through the museum, ensuring views through to the forest beyond.
- fig.56 -View of one of the main exhibition spaces sandwiched between the building's inner and outer skins.
- fig.57 -Although not structural, the post and beam construction dramatically illustrates traditional timber building hneques.
- fig.58 -View from inside the inner courtyard.
- fig.59 -Site plan.
- fig.60 -View down the side of the building.
- fig.61 -Plans shows how the functional spaces have located either side of the dome to enhance its magnificent space.
- fig.62 -Longitudinal section showing the spatial quality of the space.
- fig.63 -Apex of the dome where the structure is at its most complex.
- fig.64 -Close-up of the tempered glass panels which clad the building.
- fig.65 -Part of the longitudinal section.
- fig.66 -Détail of the interior of the dome.

- fig.67 -The front facade of the dome.
- fig.68 -The erect dome.
- fig.69 -Site plan.
- fig.70 -The interior timbered space with the daylight penetrates through the Teflon-coated skin of the dome.
- fig.71 -Detail of a section through an arch as it meets the concrete sub-structure.
- fig.72 -Section through the building shows the scale and the space.
- fig.73 -The semi-clad dome being erected.
- fig.74 -The dome being jacked into place.
- fig.75 -Close-up of the completed structure.
- fig.76 -Short section through the foyer.
- fig.77 -The main foyer of the building.
- fig.78 -Balcony level in the auditorium shows the double height space.
- fig.79 -The left side of the long section through the building shows the back-stage facilities.
- fig.80 -View of the auditorium showing the green oak corner posts and roof trusses.
- fig.81 -Front facade showing the main entrance, foyer in the ground with the large volume of the auditorium behind and the lantern on the top of the building.
- fig.82 #
- fig.83 -Various jointing methods that are used to detailed the building.
- fig.84 #
- fig.85 -How timber meets the steel rods, the gib & cotter joints in the main auditorium truss.
- fig.86 -Timber Dovetail tension.
- fig.87 -Timber head to post.
- fig.88 -West elevation shows the height of the chapel.
- fig.89 -West elevation showing the Church soaring up in the landscape.
- fig.90 -View of the nave looking East towards the alter.
- fig.91 -The gallery level looking West. The nave is in the left.
- fig.92 -View from the nave looking up at the highly Gothic roof structure an intricate lattice of timber and glass.
- fig.93 -Long cross section.
- fig.94 -Short cross section showing the Mausoleum below ground level.
- fig.95 -South elevation, showing roof lights and side windows that illuminate the interior.
- fig.96 -Ground floor plan.
- fig.97 -Ground floor plan.
- fig.98 -Entrance level plan.
- fig.99 -View up through one of the structural posts.
- fig.100 -Cross section through the pavilion.
- fig.101 -Main entrance to the pavilion with a pair of columns.

fig. 102 -Front and side elevation of the pavilion.

fig. 103 -The building merge with the natural environment.

fig. 104 ‡

fig. 105 -The location of the building within the natural context and for the main structural columns it uses the timber trunks.

fig. 106 ‡

fig. 107 -The interiors of the building that uses mud and timber branches.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

