


References

- [1] Kurt W. Roth, John Dieckmann and William Goetzler, "Energy Savings Potential," in Energy Consumption Characteristics of Commercial Building HVAC Systems, Vol. III: TIAX LLC, 2002.
- [2] A. Bhatia, HVAC Variable Refrigerant Flow Systems, Continuing Education and Development, Inc.
- [3] JRAIA, Estimate of World Demand for Air Conditioners 2000–2008. http://www.jraia.or.jp/frameset_english.html, December 2012.
- [4] Times India -23, December 2009. ACs eat up 40% of city's total power consumption <http://timesofindia.indiatimes.com/city/mumbai/>
- [5] <http://chathamhouse.org>, December 2012
- [6] Morna Isaac and Detlef van Vuuren, Modeling global residential sector energy demand for heating and air conditioning in the context of climate change, Science Direct, February 2009.  www.lib.mrt.ac.lk
- [7] R.M. Lazzarin, "Introduction of a simple diagram-based method for analyzing evaporative cooling," in Applied Thermal Engineering, University of Padova, Italy, January 2007..
- [8] ASHRAE, Chapter 51: "evaporative cooling applications," in: Fundamentals Handbook: HVAC Applications. American Society of Heating, Refrigerating and Air Conditioning Engineers, Atlanta, USA, 2003.
- [9] B. Costelloe, D. Finn, Indirect evaporative cooling potential in air–water systems in temperate climates, Elsevier, Ireland, June 2002.
- [10] B. Costelloe, D. Finn, "Thermal effectiveness characteristics of low approach indirect evaporative cooling systems in buildings," Passive and Low Energy Cooling for the Built Environment, Ireland, May 2005.

- [11] M.J. Holmes, J.N. Hacker, "Climate change, thermal comfort and energy: meeting the design challenges of the 21st century," in *Energy and Buildings*, Vol. 39, Elsevier, July 2007.
- [12] Tolga N. Aynur, "Variable refrigerant flow systems: A review," Original Research Article *Energy and Buildings*, Volume 42, Elsevier, July 2010, pp 1106-1112.
- [13] S.C. Hu, R.H. Yang, "Development and testing of a multi-type air conditioner without using AC inverters," in *Energy Conversion and Management* Vol. 46, Elsevier, 2005.
- [14] T.N. Aynur, Y. Hwang, R. Radermacher, "Field performance measurements of a VRV AC/HP system," in: 11th International Refrigeration and Air Conditioning Conference at Purdue, West Lafayette, University of Maryland, USA, (2006), pp. 1–8.
- [15] Y.C. Park, Y.C. Kim, M.K. Min, "Performance analysis on a multi-type inverter air conditioner," in *Energy Conversion and Management*, Vol. 42, Elsevier, September 2001, pp. 1607–1621.
- [16] Y.P. Zhou, J.Y. Wu, R.Z. Wang, S. Siddhi, "Energy simulation in the variable refrigerant flow air-conditioning system under cooling conditions," in *Energy and Buildings*, Vol. 39, Elsevier, February 2007..
- [17] T.N. Aynur, "Evaluation of a multi-split type air conditioning system under steady state and transient conditions," Ph.D. thesis. Department of Mechanical Engineering, Istanbul Technical University, 2008.
- [18] D.H.W. Li, J.C. Lam, S.L. Wong, "Daylighting and its implications to overall thermal transfer value (OTTV) determinations," *Energy* Vol. 27, Elsevier, November 2002.
- [19] H. Chen, G.B. Tu, T.H. Zou, Y. Francis, et al., "Energy analysis of VAV air-conditioning systems of office buildings in Hong Kong," *HV & AC*, Vol. 34 April 2004.
- [20] S.C. Sekhar, "A critical evaluation of variable air volume system in hot and humid climates," *Energy and Buildings*, Vol. 26, February 1997.

- [21] Cornelius Herstatt , Eric von Hippel, Developing new product concepts via the lead user method: A case study in a “low-tech” field, Elsevier , September 1992.
- [22] Louis M. Rea, Richard A. Parker, Designing and Conducting Survey Research: A comprehensive Guide, USA, July 2005.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk