

## REFERENCES

Ajami, N.K., Gupta, H., Wagener, T. & Sorooshian, S. (2004). Calibration of a semi-distributed hydrologic model for streamflow estimation along a river system. *Journal of Hydrology*. 298, pp.112-135.

Alaghamand, S., Abdullah, R. B. & Abustan, I. (2010). Selecting the best set value in Calibration process for validation of hydrological modeling : A case study on Kayu Ara River Basin, Malaysia.

Arumugam, S. (1969). *Water Resources of Ceylon its utilization and Development*. Water Resource Board, Sri Lanka.

Bakir, M. & Xingnan, Z. (2008). GIS Based Hydrological modeling : A comparative study of HEC HMS and the Xinanjiang model. *Proceedings of the Twelfth International Water Technology Conference, IWTC12 2008*, Alexandria, Egypt.

Bronstert, V. K.A. & Wohlfeil, D.I.M. ((1999). Modeling river discharge for large drainage basins : From lumped to distributed approach. *Journal of Hydrological Science*, 44(2).

Central Environmental Authority, Sri Lanka. *Environmental Atlas* (2005).

Chow, V.T., Maidment, D.R., & Mays, L.W. (1988). *Applied Hydrology*. McGraw- Hill, New York.



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

Chow, V.T., Maidment, D.R. & Mays, L.W. (2010). *Applied Hydrology*. Tata MacGraw Hill, New Delhi, India.

Costa, S.D. (1995). Response characteristics of the Kalu ganga catchment and lumped system model for flood forecasting. *Journal of Engineer, Institution of Engineers*, Sri Lanka, December, 1995.

CropWat, (1998). User's Guide. University of Southampton, United Kingdom.

Cunderlik, J. & Simonovic, S.P. (2004). Calibration, Verification and Sensitivity analysis of the HEC HMS Hydrological model: Assessment of water resources risk and vulnerability to changing climatic condition. CFCAS, *Water Resources Research Project Report 048*, August 2004.

Department of Irrigation, Sri Lanka. Retrieved from [www.irrigation.gov.lk](http://www.irrigation.gov.lk).

Department of Irrigation, Sri Lanka (2006, October). *Feasibility Report on Proposed Heda Oya Reservoir Project* (Main Report Volume I).

Department of Irrigation, Sri Lanka (2014, February). *Pre-Feasibility Study on Mundeni Aru basin*.

Department of Irrigation, Sri Lanka (2013, August). *Feasibility Study on proposed Kumbukkan Oya Reservoir Project*.

Department of Meteorology, Sri Lanka. Retrieved from [www.meteo.gov.lk](http://www.meteo.gov.lk).


Dharmasena G.T. (1997). Application of Mathematical models for flood forecasting in Sri Lanka, Destructive water : Water caused natural disasters, their abatement and control. *Proceedings of the conference held at Anaheim, California, June 1996*. IAHS publ.No.239:225.

Disaster Management Centre, Sri Lanka. Retrieved from [www.dmc.gov.lk](http://www.dmc.gov.lk).

Disaster and Risk profile, Sri Lanka (2015). Retrieved from <http://www.preventionweb.net/countries/lka/data/>

El-Kafagee, M. & Rahman, A. (2011). 19<sup>th</sup> International Congress on Modeling and simulation, Perth, Australia, 12-16 December 2011.

Giang, N.T., & Phuong, T.A . (2010). Calibration and verification of a hydrological model using event data. *VNU Journal of Science, Earth Sciences, (26), 64-74*.

Green, I.R.A. & Stephenson, D. (2009). Criteria for comparison of single event models. *Journal of Hydrological Sciences, 31(3), pp. 395-411*.  
  
University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

Hafezparast, M., Araghinejad, S., Fatemi, S. E. & Bressers, H. (2013). A conceptual Rainfall-Runoff model using the auto calibrated NAM models I the Sarisoo River. *Hydrology Current Research, 4, pp.148*.

Halwatura, D. & Najim, M.M.M. (2013). Application of the HEC HMS model for runoff simulation in a tropical catchment. *Environmental Modelling & Software, 46(2013), pp.155-162*.

Khakbaz, B., Imam, B., Hsu, K. & Sorooshian, S. (2012). From Lumped to Distributed via Semi-Distributed : Calibration strategies for semi-distributed hydrologic models. *Journal of Hydrology, 418-419, pp. 61-77*.

Krysanova, V. & Bronstert, A. (1999). Modelling river discharge for larger drainage basins : from lumped to distributed approach. *Hydrological Sciences, 44(2), pp. 313-331*.

Liechti, T.C., Matos, J.P., Boillat, J. L., Portela, M.M. & Schleiss, A. J. (2014). Hydraulic-Hydrologic model for water resources management of the Zambezi basin. *Journal of Applied Water Engineering and Research, 2(2), pp. 105-117*.

Loucks et al., (2005). Water Resources Planning and Management. An Introduction to methods, models and applications. *Studies and Reports in Hydrology*.

Madsen, H. (2000). Automatic calibration of a conceptual rainfall-runoff model using multiple objectives. *Journal of Hydrology*, 235, pp. 276-288.

Madsen, H., Wilson, G. & Ammentorp, H.C. (2002). Comparison of different automated strategies for calibration of rainfall – runoff models. *Journal of Hydrology*. 261(1-4), pp.48-59.

Majidi, A. & Vagharfard, H. (2013). Surface Runoff simulation with two methods using HEC HMS model. *Current Advances in Environmental Scienc*, 1(1), pp.7-11.

Manchanayake, P., Sumanaweera, S., & Jayaratne, J. A. (1985). Some Preliminary Studies on Loss Rates of Few Sri Lankan Catchments. *Engineers*, vol (XIII), No.02, 7-12.

McEnroe, B.M. (2010). Guidelines for continuous simulation of streamflow in Johnson County, Kansas with HEC-HMS. *Johnson County Public works and Infrastructure stormwater Management Programme*.

McColl, C & Aggett, G. (2006). Land use forecasting and hydrologic model integration for improved land use decision support. *Journal of Environmental Managemen*, 84(2007), pp. 494-512.

MIKE BASIN (2012). User's Guide. Danish Hydraulic Institute.  University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations. www.lib.mrt.ac.lk

Mohammad, A., Khan, S.J., Aslam, I. & Khan, Z. (2011). Simulation of the impacts of land use change on surface runoff of Lai Nullah basin in Islamabad, Pakistan. *Landscape and Urban Planning*, 102(2011), pp. 271-279.

Nandalal, H.K. & Ratnayake, U.R. (2010). Event based Modeling of a Watershed using HEC HMS. *Engineer*, 43(2), pp. 28-37.

Orellana, B., Pechlivanidis, I.D., McIntyre, N., Weater, S.H. & Wagener, T. (2008). A toolbox for the identification of parsimonious semi-distributed rainfall-runoff models : Application to the upper Lee catchment. *International Congress on Environmental Modeling and Software*, 1, 670-677, 7-10 July, Barcelona, Spain.

Pechlivanidis I.G., Jackson, B.M., McIntyre, N.R. & wheater, H.S. (2001). Catchment scale hydrological modeling : A review of model types, calibration approaches and uncertainty analysis methods in the context of recent developments in technology and applications. *Journal of Global NEST*, 13(3), pp. 193-214.

Ren, L., Huang, Q., Yuan, F., Wang, J., Xu, J., Yu, Z. & Liu, X. (2006). Evaluation of the Xinanjiang model structure by observed discharge and gauged soil moisture data in the HUBEX/GAME Project : Predictions in ungauged basins, *Proceedings of Symposium S7 held during the seventh IASH Scientific Assembly at Foz do Iguacu, Brasil, 2005*. IASH publ. 303, 2006.

Roy, D., Begam, S., Ghosh, S. & Jana, S. (2013). Calibration and Validation of HEC HMS Model for a river basin in eastern India. *Journal of Engineering and Applied Science*, 891.

Samarasinghe, S.M.J.S., Nandalal, H.K., Weliwitiya, D. P., Fowze, J.S.M., Hazarika, M.K. & Samarakoon, L. (2010). Application of remote sensing and GIS for flood risk analysis : A case study at Kalu ganga river, Sri Lanka. *International Archives for the Photogrammetry, Remote Sensing and Spatial Information Science*, 38(8), Kyrato, Japan, 2010.

SCS. (1987). *Hydrology National Engineering Handbook*, Supplement A, Section 4. Soil Conservation Service. US Department of Agriculture: Washington DC; Chapter 10.

Skahill, B. E. (2006). Potential Improvements for HEC HMS automated parameter estimation. *Coastal and Hydraulics Laboratory, Engineering Research and Development Centre*, U.S. Army Corps of Engineers.

Sudheer, K.P., Chaubey, I., Garg, V. & Migliaccio, K.W. (2006). Impact of time scale of the calibration objective function on the performance of watershed models. *Journal of Hydrological Processes*, DOI:10.1002/hyp. 6555.

Theresa, M.C, and Konstantine, P.G. (2006). Inter-comparison of lumped versus distributed hydrologic model ensemble simulations on operational forecast scales. *Journal of Hydrology*, 329(1-2), pp. 174-185.



University of Moratuwa, Sri Lanka  
Electronic Theses & Dissertations  
www.lib.mrt.ac.lk

United States Army Corps of Engineers, Hydrologic Engineering Centre (USACE 2000), *Technical Reference Manual*, Davis, California.

United States Army Corps of Engineers, Hydrologic Engineering Centre (USACE 1998), *User's Manual*, Davis, California.

Vanderkimpen, P., Melger, E. & Peeters, P. (2009). Flood modeling for risk evaluation – A MIKE FLOOD vs. SOBEK 1D2D benchmark study. *Flood Risk Management: Research and Practice*, Taylor & Francis group, London.

Wijsekera, N.T.S.(2010). Surface Water Resources and Climate Change. *Proceedings of the National Forum on Water Research “Identification of Gaps and Priorities“*. National Science Foundation, Sri Lanka.

Wijsekera, N.T.S. & Musiake, (1990a). Streamflow Modeling of Sri Lankan catchments (1)- Mahaweli River catchment at Peradeniya, Seisan-Kenkyu, *Journal of the Institute of Industrial Science*, University of Tokyo,Japan, 42(11), November 1990.

Wijsekera, N.T.S. & Musiake, (1990b). Streamflow Modeling of Sri Lankan catchments(2)- Kalu River catchment at Putupaula, Seisan-Kenkyu, *Journal of the Institute of Industrial Science*, University of Tokyo,Japan, 42(11), November 1999.

Wijesekera, N. T. S. (2010). Climate Change Impacts On Water Resources in Sri Lanka and Recommendations for Adaptation Measures. *Regional Workshop on “Climate Change and Water Resources”*, Bangladesh Centre for Advanced Studies, Dhaka, Bangladesh.

Wijesekera N.T.S. & Abeynayake J.C. (2003). Watershed similarity conditions for peak flow transition. A study of river basins in the wet zone of Sri Lanka, *Engineer Journal of the Institution of Engineers*, Sri Lanka, 2003.

World Meteorological Organization. (1975). *Intercomparison of conceptual models used in operational hydrological forecasting*. (Operational hydrology report no.7/WMO-No 429). Geneva, Switzerland.

Wu, C.L., Chau, K. W. & Fan, C. (2010). Prediction of Rainfall time series using Modular Artificial Neural Networks coupled with Data-Preprocessing techniques. *Journal of Hydrology*, 389(1-2), pp. 146-167.

Xuefeng Chu, A.M.ASCE and Steinman, A. (2009). Event and Continuous Hydrologic modeling with HEC HMS. *Journal of Irrigation and Drainage Engineering*, ASCE.



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)