INVESTIGATION OF ACCIDENTS IN COLOMBO KATUNAYAKE EXPRESSWAY

WRGM Bandara

(138304D)

Degree of Master of Engineering in Highway and Traffic Engineering

Department of Civil Engineering

University of Moratuwa

Sri Lanka

June 2018

INVESTIGATION OF ACCIDENTS IN COLOMBO KATUNAYAKE EXPRESSWAY

Weligama Rajapaksha Gedara Manjula Bandara

(138304D)

Dissertation submitted in partial fulfillment of the requirements for the degree of Master of Engineering in Highway and Traffic Engineering

Department of Civil Engineering

University of Moratuwa

Sri Lanka

June 2018

Declaration of the candidate & Supervisor

"I declare that this is my own work and this thesis/dissertation does not incorporate without acknowledgement any material previously submitted for a Degree or Diploma in any other University or institute of higher learning and to the best of my knowledge and belief, it does not contain any material previously published or written by another person except where the acknowledgement is made in the text.

Also, I hereby grant to University of Moratuwa the non-exclusive right to reproduce and distribute my thesis/dissertation, in whole or in part in print, electronic or other medium. I retain the right to use this content in whole or part in future works (such as articles or books).

Signature:		Date:	
The above candidate has carried out under my supervision.	research for the Masters	Dissertation	
Signature of the supervisor:	Date		

Abstract

Expressways are developed to provide high mobility link between major cities in a country. Colombo Katunayake Expressway is 26 km expressway connect Colombo to Katunayake where major airport located. Since expressways are designed for high speed traffic flows ensuring safety is important in the future.

The objective of this study is to identify road accident causing factors related to road, user and environment factors in expressways. CKE is used as a case study for the research.

It is identified that majority of accidents 66.4% of total accidents cause due to road user (driver) behavior and vehicle related problems. Severity of accident has increased when there is a combination of the above factors (road, user and environment).

This would suggest the average accident rate 1.3 per million vehicle kilometer. Only one fatal accident has recorded during the period which is a motorbike entry and crash with a car.

Since this is a partially open expressway there is an issue relates to vehicle road worthiness. Therefore, we can expect to significantly reduce the accident rate through improving road user awareness and education on safe practices. Significant issue related to road characteristics is surface water accumulation on the expressway at reverse curves due to the problem of change of super elevation and cross fall. Therefore, need to add design improvement such as groves or use of porous pavement to improve drainage on such sections or by installing variable speed sign on such sections to notify drivers.

Key words:

Mobility — safety— accidents — user — environment— expressways— behavior— crash

ACKNOWLEDGEMENT

I would like to thank Dr. H. R. Pasindu, Senior Lecturer, Transportation Engineering Division, Department of Civil Engineering, University of Moratuwa, for his guidance, continuous encouragement and supervision throughout the course of the present work.

I express my sincere gratitude to Prof W. Mampearachi, Course Coordinator, Senior Lecturer, Highway Engineering Division, Department of Civil Engineering, University of Moratuwa, for his stimulating guidance, continuous encouragement and supervision throughout the course.

I am extremely thankful to Prof. J.M.S.J Bandara, Senior Lecturer, and Mr. Loshaka Perera, Senior Lecturers, Transportation Engineering Division, Department of Civil Engineering, University of Moratuwa, and all the staff of the University of Moratuwa highway and transportation engineering division for all instructions given to me throughout my M. in the course and research period.

My special thanks to TRF 2016 organizers those who created international forum in Sri Lanka to present our research finding.

Also, I am deeply indebted to Mr. R. W. R. Premasiri, Former Secretary, Ministry of Highways, Ports and Shipping, Mr. D.K.R. Swarna, Director General, Mr S. Opanayake, Director EOM&M, Mr T.K. Ranathunga former Director of EOM&M, Mr R.A.D. Kahatapitiya, Deputy Director EOM&M, Road Development Authority and all the Expressway Operation, Maintenance and Management Division staff members, Road Development Authority, for collecting useful accident and traffic data in Colombo Katunayake Expressway.

Last but certainly not least, I would like to thank to my family members for their help to successfully complete my research.

W.R.G.M. Bandara (138304D)

Contents

1		INT	TRO:	DUCTION	1
	1.1	1	Bac	kground	1
	1.2	2	Pro	blem Definition	5
	1.3	3	Obj	ectives	5
	1.4	4	Sco	pe	5
2		LIT	'RA'	ΓURE REVIEW	6
	2.1	1	Acc	ident analysis of southern expressway	6
	2.2	2	Acc	ident trends in developing countries.	9
		2.2.	1	Mumbai – Pune Expressway Road Accident Study	9
	2.3	3	Roa	d safety in developed countries	. 10
	2.4	4	Met	hods and examples of road accident data analysis	. 11
		2.4.	.1	Aim of data analysis	. 11
		2.4.	.2	Theoretical definition of risk	. 11
	2.5	5	Roa	ad accident investigation guidelines for road engineers	. 11
		2.5.	.1	Accident rates	. 12
2.5.2		.2	The relationship between traffic volume and accidents	. 12	
		2.5.	.3	Preliminary information required for accident investigation	. 13
	2.6	5	Tra	ffic accident application using geographic information system	. 13
	2.7	7	Mea	asures to reduce accident risks	. 14
3		ME	ТНС	DDOLOGY	. 15
		3.1.	1	Road infrastructure related issues.	. 15
		3.1.	.2	Road user and the vehicle related issues.	. 15
		3.1.	.3	Weather and other environmental factors.	. 16
	3.2	2	Dat	a collection	. 16
		3 2	1	Responsibility of data collection	16

4 DAT	TA ANALYSIS
4.1 I	Data analysis
4.2	Traffic volume calculation for accident analysis
4.3	Accident rate distribution
4.4	Sectional accident rates
4.5	Category wise accident distribution
4.5.1	User related category accident distribution
4.5.2	2 Road related accident distribution
4.5.3	Accident over the weather condition
4.5.4	Other specially identified accident prone low speed areas and reasons. 29
4.6	Accident reducing factors compared to Southern Expressway
4.7	CKE accident rates compared to the other Sothern Expressway 34
5 CON	NCLUSION & RECOMMENDATIONS
6 BIBI	LIOGRAPHY

List of tables

Table 1-1 Design speeds	2
Table 1-2 Horizontal alignment design values	2
Table 1-3 Vertical alignment design values	3
Table 1-4 CKE pavement frictional characteristics	3
Table 1-5 Road features	4
Table 1-6 Average daily traffic	4
Table 2-1 Accident causing factors in Southern expressway	6
Table 2-2 Accident rates based on vehicle kilometer travelled in Sothern express	sway
	7
Table 2-3 Southern expressway sectional accident rates	7
Table 2-4 Annual accident data from 2006 to 2016 on A2 road	8
Table 2-5 Population based accident rates in developed countries	10
Table 3-1 Accident data collection for the period	16
Table 4-1 Vehicle km travelled in CKE for the selected period	18
Table 4-2 Accident rate distributions	19
Table 4-3 Sectional accident rates	20
Table 4-4 Accident rate per km length	20
Table 4-5 Summary of research	34
Table 5-1 Automatic rain detector	35

List of figures

Figure 1-1 Road map of CKE	1
Figure 2-1Distribution of 155 accidents by contributing factors influencing	the
occurrence of accidents	9
Figure 4-1 Accident distribution	21
Figure 4-2 User related category accidents redistribution	22
Figure 4-3 Road related accident redistribution	24
Figure 4-4 Water stagnation point and accident severity	25
Figure 4-5 Tire condition of an accident vehicle	26
Figure 4-6 Water stagnation after a rain in 7.3 km KD	26
Figure 4-4-7 Stone hits over the expressway	27
Figure 4-8 Animal hits over the expressway	28
Figure 4-9 Accident over the weather condition	29
4-10 Accident distribution on both directions	30
Figure 4-11 Number of accident distributions in low speed road sections	32

List of Abbreviations

GDP - Gross Domestic Product

EOMM&D - Expressway Operation Maintenance and Management Division

RDA - Road Development Authority

CKE - Colombo Katunayake expressway

RoW - Right of Way

LHS - Left Hand Side

RHS - Right Hand Side

RAI - Road accident investigation

VKT - Vehicle kilometer travelled

MFNSV - Multi function network survey vehicle