

REFERENCES

- [1] L. Prandtl, “Induced Drag of Multiplanes,” *NACA TN*, vol. 182, Mar. 1924.
- [2] J.M. Moschetta and C. Theodopoulos, “Aerodynamic Performance of a Biplane Micro Air Vehicle,” *J. Aircr.*, vol. 44, no. 1, pp. 291–299, 2007.
- [3] J. Wolkovitch, “Subsonic VSTOL Aircraft Configurations with Tandem Wings,” *J. Aircr.*, vol. 16, no. 9, pp. 605–611, 1979.
- [4] M. D. Rhodes and B. P. Selberg, “Benefits of dual wings over single wings for high-performance business airplanes,” *J. Aircr.*, vol. 21, no. 2, pp. 116–127, 1984.
- [5] M. Kaya, I. H. Tuncer, K. D. Jones, and M. F. Platzer, “Optimization of Flapping Motion Parameters for Two Airfoils in a Biplane Configuration,” *J. Aircr.*, vol. 46, no. 2, pp. 583–592, 2009.
- [6] P. G. Ifju, D. A. Jenkins, S. Ettinger, Y. Lian, W. Shyy, and M. R. Waszak, “Flexible-Wing-Based Micro Air Vehicles,” *Am. Inst. Aeronaut. Astronaut.*, vol. 705, pp. 1–11, 2002.
- [7] W. Shyy, Y. Lian, J. Tang, D. Viieru, and H. Liu, *Aerodynamics of Low Reynolds Number Flyers*. Cambridge University Press, 2007.
- [8] G. K. Taylor, R. L. Nudds, and A. L. R. Thomas, “Flying and swimming animals cruise at a Strouhal number tuned for high power efficiency,” *Nature*, vol. 425, no. 6959, pp. 707–711, Oct. 2003.
- [9] A. A. Tchieu, D. Crowdy, and A. Leonard, “Fluid-structure interaction of two bodies in an inviscid fluid,” *Phys. Fluids 1994-Present*, vol. 22, no. 10, p. 107101, Oct. 2010.
- [10] R. I. Lewis, *Vortex Element Methods for Fluid Dynamic Analysis of Engineering Systems*. Cambridge University Press, 2005.
- [11] P. Ramachandran, M. Ramakrishna, and S. C. Rajan, “Efficient random walks in the presence of complex two-dimensional geometries,” *Comput. Math. Appl.*, vol. 53, no. 2, pp. 329–344, Jan. 2007.

- [12] M. E. Klonowska and W. J. Prosnak, "On an effective method for conformal mapping of multiply connected domains," *Acta Mech.*, vol. 119, no. 1–4, pp. 35–52, Mar. 1996.
- [13] D. Crowdy, "A new calculus for two-dimensional vortex dynamics," *Theor. Comput. Fluid Dyn.*, vol. 24, no. 1–4, pp. 9–24, Apr. 2009.
- [14] L. M. Milne-Thomson, *Theoretical Hydrodynamics*. Courier Corporation, 1968.
- [15] D. J. Acheson, *Elementary Fluid Dynamics*. Clarendon Press, 1990.
- [16] K. K. M. N. P. Samaraweera, M. A. C. K. Gunarathna, and K. A. L. Kollure, "An inviscid model for unsteady flow in multiply connected domains," *Eur. J. Mech. - BFluids*, vol. 41, pp. 123–132, Sep. 2013.
- [17] D. F. Scharpf and T. J. Mueller, "Experimental study of a low Reynolds number tandem airfoil configuration," *J. Aircr.*, vol. 29, no. 2, pp. 231–236, 1992.
- [18] R. Knoller, "Die Gesetze des Luftwiderstandes," *Flug- Mot. Wein*, vol. 03, no. 21, pp. 1–7.
- [19] A. Betz, "Ein Beitrag zur Erklärung des Segeluges," *Z. Flugtech. Mot.*, pp. 269–272, Jan. 1912.
- [20] R. Katzmayr, "Effect of periodic changes of angle of attack on behavior of airfoils," Oct. 1922.
- [21] K. D. Jones, C. M. Dohring, and M. F. Platzer, "Experimental and Computational Investigation of the Knoller-Betz Effect," *AIAA J.*, vol. 36, no. 7, pp. 1240–1246, 1998.
- [22] *Aerodynamic Theory: General aerodynamic theory : Perfect fluids / [By] Th. von Kármán ; J. M. Burgers*. J. Springer, 1935.
- [23] I. E. Garrick, "Propulsion of a flapping and oscillating airfoil," Jan. 1937.
- [24] Z. YAO, P. GARCIA-FOGEDA, D. LIU, and G. SHEN, "Vortex/wake flow studies for airfoils in unsteady motions," in *7th Applied Aerodynamics Conference*, American Institute of Aeronautics and Astronautics.
- [25] H. Aziz and R. Mukherjee, "Unsteady Aerodynamics of Multiple Airfoils in Configuration," *Am. Inst. Aeronaut. Astronaut.*

- [26] W. Hicks, "On the motion of two cylinders in a fluid," *Q. J. Pure Appl. Math.*, vol. 16, pp. 113–140, 193–219, 1879.
- [27] A. Greenhill, "Functional images in Cartesians," *Q. J. Pure Appl. Math.*, vol. 18, pp. 356–362, 1882.
- [28] L. H. Carpenter, "On the Motion of Two Cylinders in an Ideal Fluid around Two Moving Bodies," *J. Res. Natl. Bur. Stand.*, vol. 61, pp. 83–87, 1958.
- [29] M. Kawaguti, "The Flow of a Perfect Fluid around Two Moving Bodies," *J. Phys. Soc. Jpn.*, vol. 19, no. 8, pp. 1409–1415, Aug. 1964.
- [30] M. Lagally, "Die reibungslose Strömung im Außengebiet zweier Kreise .," *ZAMM - J. Appl. Math. Mech. Z. Für Angew. Math. Mech.*, vol. 9, no. 4, pp. 299–305, Jan. 1929.
- [31] C. Ferrari, "Sulla trasformazione conforme di due cerchi in due profili alari," *Memoire Della R. Accad Della Sci. Torino*, 1930.
- [32] E. T. Whittaker and G. N. Watson, *A Course of Modern Analysis*, 4 edition. Cambridge University Press, 1927.
- [33] I. E. Garrick, "Potential flow about arbitrary biplane wing sections," Jan. 1937.
- [34] Q. X. Wang, "Interaction of two circular cylinders in inviscid fluid," *Phys. Fluids 1994-Present*, vol. 16, no. 12, pp. 4412–4425, Dec. 2004.
- [35] D. G. Crowdy, "Analytical solutions for uniform potential flow past multiple cylinders," *Eur. J. Mech. - BFluids*, vol. 25, no. 4, pp. 459–470, Jul. 2006.
- [36] H. F. Baker and I. Krichever, *Abelian Functions: Abel's Theorem and the Allied Theory of Theta Functions*. Cambridge, Eng. ; New York: Cambridge University Press, 1996.
- [37] D. A. Hejhal, *Theta functions, kernel functions, and Abelian integrals*. American Mathematical Society, 1972.
- [38] E. J. Routh, "Some applications of conjugate functions," *Proc. Lond. Math. Soc.*, vol. 12, pp. 73–89, 1881.

- [39] C. C. Lin, “On the Motion of Vortices in Two Dimensions: I. Existence of the Kirchhoff-Routh Function,” *Proc. Natl. Acad. Sci. U. S. A.*, vol. 27, no. 12, pp. 570–575, Dec. 1941.
- [40] C. C. Lin, “On the Motion of Vortices in Two Dimensions: II. Some Further Investigations on the Kirchhoff-Routh Function,” *Proc. Natl. Acad. Sci. U. S. A.*, vol. 27, no. 12, pp. 575–577, Dec. 1941.
- [41] E. R. Johnson and N. R. McDonald, “The motion of a vortex near two circular cylinders,” *Proc. R. Soc. Lond. Math. Phys. Eng. Sci.*, vol. 460, no. 2044, pp. 939–954, Apr. 2004.
- [42] L. Zannetti, F. Gallizio, and G. M. Ottino, “Vortex motion in doubly connected domains,” *J. Fluid Mech.*, vol. 612, pp. 143–152, Oct. 2008.
- [43] D. G. Crowdy and J. S. Marshall, “The motion of a point vortex around multiple circular islands,” *Phys. Fluids 1994-Present*, vol. 17, no. 5, p. 056602, May 2005.
- [44] D. G. Crowdy and J. S. Marshall, “Analytical formulae for the Kirchhoff–Routh path function in multiply connected domains,” *Proc. R. Soc. Lond. Math. Phys. Eng. Sci.*, vol. 461, pp. 2477–2501, 2005.
- [45] D. Gaier, *Konstruktive Methoden der konformen Abbildung*. Springer-Verlag, 2013.
- [46] D. Crowdy, “Calculating the lift on a finite stack of cylindrical aerofoils,” *Proc. R. Soc. Lond. Math. Phys. Eng. Sci.*, vol. 462, no. 2069, pp. 1387–1407, May 2006.
- [47] R. R. Clements, “An inviscid model of two-dimensional vortex shedding,” *J. Fluid Mech.*, vol. 57, no. 02, pp. 321–336, Feb. 1973.