

References

- Andrews, R.G. (1954). *The use of relative infiltration indices in computing runoff*. Unpublished manuscript. Soil conservation service, Fort Worth, Texas.
- Appleby, V.C. (1970). Recession and the baseflow problem. *Water Resources Research*, 6(5), 1398–1403.
- Azmat, M., Qamar, M.U., Ahmed, S., Hussain, E., & Umair, M. (2017). Application of HEC-HMS for the event and continuous simulation in high altitude scarcely-gauged catchment under changing climate. *European Water*, 57, 77-84.
- Bales, J., & Betson, R.P. (1981). The curve number as a hydrologic index. In V.P. Singh (Ed.), *Proceedings of the International Symposium on Rainfall–Runoff Modelling* (pp. 371–386). Littleton, CO: Water Resources Publications.
- Banasik, K., & Woodward, D. (2010, June). *Empirical determination of runoff curve number for a small agricultural watershed in Poland*. Paper presented at 2nd Joint Federal Interagency Conference. Retrieved from https://acwi.gov/sos/pubs/2ndJFIC/Contents/10E_Banasik_28_02_10.pdf
- Bandara, I.B.J., DeSilva, R.P., and Singh, R.K. (2003). Remote sensing and GIS based methodology for curve number estimation in rainfall - runoff modelling. *Tropical Agricultural Research*, 307(31S).
- Brodie, R. S., & Hostetler, S. (2005). A review of techniques for analysing baseflow from stream hydrographs. In I. Acworth, G. Macky, & N. Merrick (Eds.), *Where Waters Meet: Proceedings of the NZHS-IAH-NZSSS 2005 Conference* (pp. 5). Auckland, New Zealand: New Zealand Hydrological Society.
- Chen, C.L. (1981). An evaluation of the mathematics and physical significance of the soil conservation service curve number procedure for estimating runoff volume. In V.P. Singh (Ed.), *Proceedings of the International Symposium on Rainfall–Runoff Modelling* (pp. 387–418). Littleton, CO: Water Resources Publications.
- Chin, D. A. (2000). *Water-Resources Engineering* (2nd ed.). Upper Saddle River, NJ: Pearson Prentice Hall.
- Chow, V.T., Maidment, D.R., & Mays, L.W. (2010). *Applied Hydrology*. New Delhi, India: Tata MacGraw Hill.
- Chow, V.T., Maidment, D.R., Mays, L.W. (1988). *Applied hydrology*. Manhattan, NY: McGraw-Hill Education.
- Cohen, W.J., Ollington, R.B., & Linga, F.L.N. (2013). *Hydrological Model Parameter Optimization*. Paper presented at 20th International Congress on Modelling Simulation. Retrieved from <https://www.mssanz.org.au/modsim2013/C2/cohen.pdf>

- Corbitt, R. A. (1999). *Standard Handbook of Environmental Engineering* (2nd ed.). Manhattan, NY: McGraw-Hill Education.
- Dan'azumi, S., & Shamsudin, S. (2011). Modeling the Distribution of Inter-event Dry Spell for Peninsular Malaysia. *Journal of Applied Sciences Research*, 7(3), 333-339, 2011 ISSN 1819-544X
- Dunkerley, D. (2008). Identifying individual rain events from pluviograph records: a review with analysis data from an Australian dry site. *Hydrological Processes*, 22(26), 5024-5036. Retrieved from <https://doi.org/10.1002/hyp.7122>.
- Evans, R., & Neal, B. (2005). *Baseflow Analysis as a Tool for Groundwater-Surface Water Interaction Assessment*. Victoria, Australia: Sinclair Knight Merz.
- Garen, D., & Moore, D. (2005). Curve Number Hydrology in Water Quality Modelling: Uses, Abuses, and Future Directions. *Journal of the American Water Resources Association*, 41, 377-388. Retrieved from <http://dx.doi.org/10.1111/j.1752-1688.2005.tb03742.x>
- Geetha, K., Mishra, S.K., Eldho, T.I., Rastogi, A. K., & Pandey, R.P. (2008). SCS-CN-based continuous simulation model for hydrologic forecasting, *Water Resources Management*, 22(2), 165-190.
- Gray, D., Katz, P.G., DeMonsabert, S.M., & Cogo, N.P. (1982). Antecedent moisture condition probabilities. *Journal of Irrigation and Drainage Division-ASCE*, 108(IR2), 107-114.
- Guru, B.G. (2015). Critical Evaluation of MS (Mishra and Singh) Model for Runoff Estimation. *Journal of Civil Engineering and Environmental Technology*, 2(10), 11-14. doi: ISSN: 2349-879X
- Halwatura, D., & Najim, M.M.M. (2012). Runoff Modeling of a Wet Zone Watershed in Sri Lanka Using HEC-HMS Model. *Proceedings of the 18th sessions of the Sri Lanka Association for Fisheries and Aquatic Resources*. Colombo, Sri Lanka: Sri Lanka Association for Fisheries and Aquatic Resources.
- Hawkins, R.H. (1975). The importance of accurate curve numbers in the estimation of storm runoff. *Water Resources Bulletin*, 11(5), 887-891.
- Hawkins, R.H. (1993). Asymptotic determination of curve numbers from data. *Journal of Irrigation and Drainage Division- ASCE*, 119(2), 334-345.
- Hawkins, R.H., Hjelmfelt, Jr. A.T., & Zevenbergen, A.W. (1985). Runoff probability, storm depth and curve numbers. *Journal of Irrigation and Drainage Division, ASCE* 111(4), 330-340.
- Hewlett, J.D., & Hibbert, A.R. (1967). Factors affecting the response of small watersheds to precipitation in humid areas. In W.E. Sopper, & H.W. Lull (Eds.),

- Proceedings of the International Symposium on Forest Hydrology* (pp. 275-290). New York: Pergamon, NY: Pennsylvania State University.
- Hjelmfelt, A.T. Jr. (1982). Closure to Empirical investigation of curve number technique. *Journal of Hydraulic Division-ASCE*, 108(HY4), 614–616.
- Hjelmfelt, A.T., Kramer, L.A., & Burwell, R.E. (1981). Curve number as random variable. In V.P. Singh (Ed.), *Proceedings of the International Symposium on Rainfall–Runoff Modelling* (pp. 365–370). Littleton, CO: Water Resources Publications.
- Hoes, O., & Nelen, F. (2005). Continuous simulation or event based modelling to estimate flood probabilities? In M. de Conceicao Cunha, & C.A. Brebbia (Eds.), *Water Resources Management III, WIT transactions on ecology and the environment Vol. 80* (pp. 3-10). Southampton, UK: WIT Press.
- Ivkovic, K., Letcher, R., Croke, B., Evans, W. R., & Stauffacher, M. (2005). *A framework for characterising groundwater and river water interactions: a case study for the Naomi Catchment, NSW*. Paper presented at the 29th Hydrology and Water Resources Symposium: Water Capital. Canberra: Engineers Australia.
- Jain, M.K., Mishra, S.K., Singh, V.P. (2006). Evaluation of AMC-dependent SCS-CN-based models using watershed characteristics. *Journal of Water Resources Management*, 20(4), 531-552. doi:10.1007/s11269-006-3086-1
- Knighton, A.D., & Nanson, G.C. (2011). An event based approach to the hydrology of arid zone rivers in the Channel Country of Australia. *Journal of Hydrology*, 254(2001), 102-123.
- Knisel, W.G., & Davis, F.M. (2000). *GLEAMS: Groundwater Loading Effects of Agricultural Management Systems: User manual, Version 3.0* (Publication No. SEWRL-WGK/FMD-050199). (pp. 191). Tifton, GA: Author.
- Kowalik, T., & Walega, A. (2015). Estimation of CN Parameter for Small Agricultural Watersheds Using Asymptotic Functions. *Water*, 2015(7), 939-955. doi:10.3390/w7030939
- Linsley, R.K. (1982). Rainfall-runoff models-an overview. In V.P. Singh (Ed.), *Proceedings of the International Symposium on Rainfall–Runoff Modelling* (pp. 3-22). Littleton, CO: Water Resources Publications.
- Linsley, R.K., Kohler, M.A., & Paulhus, J. L. H. (1975). *Hydrology for Engineers*. New Delhi, India: Tata MacGraw Hill.
- Madsen, H., Wilson, G., & Ammentorp, H. C. (2002). Comparison of different automated strategies for calibration of rainfall-runoff models. *Journal of Hydrology*, 261(1-4), 48–59. doi:10.1016/s0022-1694(01)00619-9
- McCuen, R.H. (1998). *Hydrologic Analysis and Design* (2nd Ed.). Upper Saddle River, NJ: Pearson Education.

- Merritt, W.S., Letcher, R.A., & Jakeman, A.J. (2003). A review of erosion and sediment transport models. *Environmental Modelling and Software*, 18: 761–799. doi:10.1016/S1364-8152(03)00078-1
- Mishra, S.K., Babu, P.S., & Singh, V.P. (2007). SCS-CN method revisited. In V.P. Singh (Ed.), *Advances in hydraulics and hydrology* (pp. 36). Littleton, CO: Water Resources Publication.
- Mishra, S. K., Jain M. K., Babu, P.S., Venugopal, K., & Kaliappan, S. (2008). Comparison of AMC-dependent CN-conversion Formulae. *Water Resources Management*, 22(10), 1409–1420. doi:10.1007/s11269-007-9233-5.
- Mishra, S.K., & Singh, V.P. (1999). Another look at SCS-CN method. *Journal of Hydrologic Engineering, ASCE*, 4(3), 257–264.
- Mishra, S.K., & Singh, V.P. (2003). Soil conservation service curve number (SCS-CN) methodology. Dordrecht, The Netherlands: Kluwer Academic Publishers.
- Mockus, V. (1949). *Estimation of total (and peak rates of) surface runoff for individual storms, Exhibit A in Appendix B* (Interim Survey Report Grand (Neosho) River Watershed). Washington, D.C.: United States Department of Agriculture.
- Molini, L., Parodi, A., Rebora, N., & Craig, G.C. (2011). Classifying severe rainfall events over Italy by hydrometeorological and dynamical criteria. *Quarterly Journal of the Royal Meteorological Society*, 137(654), 148–154. doi: 10.1002/qj.741
- Moradkhani, H., & Sorooshian, S. (2008). General review of rainfall-runoff modelling: model calibration, data assimilation, and uncertainty analysis. In Sorooshian, S., Hsu, K.-l., Coppola, E., Tomassetti, B., Verdecchia, M., Visconti, G. (Eds.), *Hydrological Modelling and the Water Cycle* (pp. 1-24). Berlin, Germany: Springer-Verlag Berlin Heidelberg.
- Musiaka, K., & Wijesekera, N.T.S. (1990). Streamflow Modelling of a Sri Lankan Catchment Considering Spatial Variation of Rainfall. *Proceedings of the 45th Annual Conference of the Association of Civil Engineers* (pp. 128-129). Japan: Japan Society of Hydrology and Water Resources.
- Neitsch, S.L., Arnold, J.G., Kiniry, J.R., Williams, J.R., & King, K.W. (2002). *Soil and water assessment tool (SWAT): theoretical documentation, Version 2000* (TWRI Report TR-191). College Station, TX: Texas Water Resources Institute.
- Olmsted, F.H., & Hely, A.G. (1962). *Relation between ground water and surface water in Brandywine Creek basin, Pennsylvania:U.S.* (Geological Survey Professional Paper 417-A) (pp. 21). Washington, D.C. : Author.
- Over, T.M., & Gupta, V.K. (1996). A space-time theory of mesoscale rainfall using random cascades. *Journal of Geophysical Research*, 101(26), 319-331.

- Perera, K.R.J., & Wijesekera, N.T.S. (2011). Identification of the Spatial Variability of Runoff Coefficients of Three Wet Zones Watersheds of Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*. 44(3), 1-10.
doi: <http://doi.org/10.4038/engineer.v44i3.6960>
- Pettyjohn, W.A., & Henning, R. (1979). *Preliminary estimate of groundwater recharge rates, related streamflow and water quality in Ohio* (Ohio State University Water Resources Center Project Completion Report Number 552). Columbus, OH: Author.
- Ponce, V.M., & Hawkins, R.H. (1996). Runoff curve number: Has it reached maturity? *Journal of Hydrologic Engineering-ASCE* 1(1), 11–19.
- Rallison, R.E., & Miller, N. (1981). Past, present, and future SCS runoff procedure. In V.P. Singh (Ed.), *Proceedings of the International Symposium on Rainfall–Runoff Modelling* (pp. 353-364). Littleton, CO: Water Resources Publications.
- Ranjan, P., Kazama, S., & Masaki, S. (2006). Effects of climate change on coastal fresh groundwater resources. *Global Environmental Change*, 16(4), 388-399.
- Riggs, H.C. (1963). The base-flow recession curve as an indicator of ground water. *International Association of Scientific Hydrology Publication*, 63, 352-363.
- Rorabaugh, M.I. (1963). Estimating changes in bank storage and ground-water contribution to streamflow. *International Association of Scientific Hydrology Publication*, 63, 432-441.
- Sahu, R.K., Mishra, S. K., & Eldho, T. I. (2010). An improved AMC-coupled runoff curve number model. *Hydrological Process*, 24(10), 2834–2839. doi: 10.1002/hyp.7695
- Sherman, L. K. (1932). Streamflow from Rainfall by Unit-Graph Method. *Engineering News Record*, 108, 501-505.
- Sherman, L.K. (1949). The unit hydrograph method. In O.E. Menizer (Ed.), *Physics of the Earth* (pp. 514-525). Mineola, NY: Dover Publications Inc.
- Singh, V.P. (1992). *Elementary Hydrology*. Harlow, United Kingdom: Pearson Education Limited Publication.
- Sobhani, G. (1975) *A review of selected small watershed design methods for possible adoption to Iranian conditions*. (Unpublished master's thesis). Utah State University, Logan, UT.
- Soil Conservation Service. (1956). *National Engineering Handbook Section 4-Hydrology*. Washington, D.C: United States Department of Agriculture.
- Soil Conservation Service. (1964). *National Engineering Handbook Section 4-Hydrology*. Washington, D.C: United States Department of Agriculture.

- Soil Conservation Service. (1971). *National Engineering Handbook Section 4-Hydrology*. Washington, D.C: United States Department of Agriculture.
- Soil Conservation Service. (1985). *National Engineering Handbook Section 4-Hydrology*. Washington, D.C: United States Department of Agriculture.
- Soil Conservation Service. (1986). *Urban hydrology for small watersheds* (Tech. Release No. 55). Washington, D.C: United States Department of Agriculture.
- Soil Conservation Service. (1993). *National Engineering Handbook Section 4-Hydrology*. Washington, D.C: United States Department of Agriculture.
- Soulis, K., & Valiantzas, J. (2012). SCS-CN parameter determination using rainfall-runoff data in heterogeneous watersheds – the two-CN system approach. *Hydrology and Earth System Sciences*, 16(3), 1001–1015. doi:10.5194/hess-16-1001-2012
- Stewart, D., Canfield, E., & Hawkins, R. (2012). Curve Number Determination Methods and Uncertainty in Hydrologic Soil Groups from Semiarid Watershed Data. *American Society of Civil Engineers*. doi: 10.1061/(ASCE)HE.1943-5584.0000452
- Thapa, G. (2014). *Event based modelling of streamflow for reliable flood mitigation and drainage infrastructure designs using Snyder's synthetic unit hydrograph method- A case study of Karsanagala watershed in the Attanagalu Oya of Sri Lanka*. (Unpublished master's thesis). University of Moratuwa, Colombo, Sri Lanka
- Thapa, G., & Wijesekera, N. T. S. (2017). Computation and Optimization of Snyder's Synthetic Unit Hydrograph Parameters. *UMCSAWM Water Conference on Demonstrating the Strength of Water Engineering and Management Capability through Case Study Applications* (pp. 83-88). Colombo, Sri Lanka: University of Moratuwa.
- Thiessen, A. H. (1911). Precipitation Averages for Large Areas. *Monthly Weather Review*, 39(7), 1082-1084. Retrieved from [http://dx.doi.org/10.1175/1520-0493\(1911\)39<1082b:PAFLA>2.0.CO;2](http://dx.doi.org/10.1175/1520-0493(1911)39<1082b:PAFLA>2.0.CO;2)
- Tobgay, S. (2014). *Evaluation of runoff estimation using SCS method for infrastructure design- A case study of Attanagalu Oya basin- Karsanagala, Sri Lanka*. (Unpublished master's thesis). University of Moratuwa, Colombo, Sri Lanka.
- U.S. Environmental Protection Agency. (2007). *An Approach for Using Load Duration Curves in the Development of TMDLs* (EPA 841-B-07-006). Retrieved from https://www.epa.gov/sites/production/files/2015-07/documents/2007_08_23_tmdl_duration_curve_guide_aug2007.pdf

- Viessman, W., Lewis, G.L., & Knapp, J.W. (1989). *Introduction to Hydrology-Third Edition*. New York, NY: Harper & Row.
- Wanniarachchi, S. S. (2013). Mathematical Modelling of Watershed Runoff Coefficient for Reliable Estimations to meet the Future Challenges of Water Resources Development in Sri Lanka. *Journal of the Institution of Engineers, Sri Lanka*, XXXV(02), 59–68.
- Wijsekera, N.T.S., & Ghanapala, P.P. (2003). Modelling of two low lying urban watersheds in Greater Colombo Area for Drainage and Environment Improvement. *Journal of the Institute of Engineers, Sri Lanka*, XXXVI(1), 30-45.
- Wijsekera, N. T. S., & Rajapakse, R. L. H. L. (2013). Mathematical modelling of watershed wetland crossings for flood mitigation and groundwater enhancement – case of the Attanagalu Oya river basin. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 46(3). Retrieved from <http://doi.org/10.4038/engineer.v46i3.6785>
- World Meteorological Organization. (2008). *Guide to Hydrological Practices* (WMO-No. 168). Geneva, Switzerland: Author.