

8 REFERENCES

- Akhondi, E. (2001). Analyzing curve number model in estimating flood by using geographical information systems. *MA dissertation*. (T.-e.-M. U. The Faculty of Natural Resources and Maritime Sciences, Compiler)
- Alaghemand, S., Abdullah, R. B., & Abustan, I. (2010). Selecting the best set value in calibration process for validation of hydrological modeling: A case study on Kayu Ara river basin, Malaysia.
- Alahcoon, N., Pani, P., Matheswaran, K., Samansiri, S., & Amarnath, G. (2016). Rapid Emergency Response Mapping for the 2016 floods in Kelani River Basin, Sri Lanka . *International Eater management Institide (IWMI)*. Battaramulla, Sri Lanka.
- Arduino, G., Reggiani, P., & Todini, E. (2005). Recent advances in floodforecasting and flood risk assessment. *Hydrology and Earth Sciences*, 115–123.doi:10.1061/(ASCE)1084-0699(2000)5:2(115).
- Asadi, A., & Boostani, F. (2013, September). Application of HEC-HMS for Flood Forecasting in Kabkian Basin and Delibajak Sub-basin in Iran. *IOSR Journal of Engineering (IOSRJEN)*, e-ISSN: 2250-3021, p-ISSN: 2278-8719.
- Benedini, M., & Tsakiris, G. (2013). Model Calibration and Verification. In: Water Quality Modelling for Rivers and Streams. *Springer*, 223-229.
- Bogardi, J. (2004). *The news letter of the United Nations University and its international network of research and training centers/programmes*. Retrieved from <https://www.researchgate.net/deref/http%3A%2F%2Fupdate.unu.edu%2Farchive%2Fissue32.htm>
- Brocca, L., Melone, F., & Moramarco, T. (2004). Soil water content monitoring in an experimental basin in central Italy, Proceedings of International Conference ERB2004. *Euromediterranean Conference*, (pp. 18 - 21). Torino.
- Brocca, L., Melone, F., & Moramarco, T. (2005). *Empirical and conceptual approaches for soil moisture estimation in view of event-based rainfall-runoff modeling*. UNESCO: Paris: Edited by: Maraga, F and Arattano, M., IHP-VI, Technical Documents in Hydrology, No. 77.
- Central Environment Authority (CEA), International Union for the Conservation of Nature (IUCN) Sri Lanka office country and United Nations Children's Fund (UNICEF). (2016). *Natural resources Profile of the Kelani river basin*. Retrieved from file:///E:/MSc%20Sri%20Lanka/MSc/RESEARCH/LITERATURE/About%20K%20Basin/03_Natural_Resource_Profile_of_the_Kelani_River_Basin.pdf

- Chow, V. T., Maidment, D. R., & Mays, L. w. (1988). *Applied Hydrology*. McGraw Hill, 572p.
- Chow, V. T., Maidment, D. R., & Mays, L. W. (2010). *Applied Hydrology*. New Delhi, India: Tata MacGraw Hill.
- Cunderlik, J., & Simonovic, S. P. (2004). *Calibration, verification and sensitivity analysis of the HEC-HMS hydrologic model*. CFCAS project: Assessment of Water Resources Risk and Vulnerability to Changing Climatic Conditions.
- Daly, E., & Porporato, A. (2005). A Review of Soil Moisture Dynamics: From RainfallInfiltration to Ecosystem Response. *ENVIRONMENTAL ENGINEERING SCIENCE*, 22, 1.
- Davis, C. (2000). *USACE, HEC-HMS hydrologic modeling system user's manual*. Hydrologic Engineering Center.
- De Silva, M. G., Weerakoon, S. B., & Herath, S. (2014). Modeling of Event and Continuous Flow Hrdrographs with HEC-HMS: Case Study in the Kelani River Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 800 - 806. doi:10.1061/(ASCE)HE.1943-5584.0000846
- Devi, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015). A review on hydrological models. *ELSEVIER*, 1001-1007.
- Diskin, M. H., & Simon, E. (1977). The procedure for selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34(1), 129-149.
- Feldman, D. A. (2000). *Hydrologic Modeling System HEC-HMS Technical Reference Manual*. Davis, CA: USACE.
- Giang, N. T., & Phuong, T. A. (2010). Calibration and verification of a hydrological model using event data. *Journal of Science, Earth Sciences*, (26), 64-74.
- Gupta, P. P., S. P., S, S., & Parihar, J. S. (2012). Runoff Modeling in an Agro-Forested Watershed Using Remote Sensing and GIS. *Journal of Hydrologic Engineering*, 1255-1267.
- Gyathri, K. D., Ganasri, B. P., & Dwarakish, G. S. (2015). A Review on Hydrological Models. *International Conference on Water Resources, Coastal and Ocean Engineering (ICWRCOW 2015)* (p. 1002). Karnataka, India: Department of Applied Mechanics and Hydraulics, National Institute of Technology.
- Halwatura, D., & Najim, M. M. (2013). Application of the HEC-HMS model for runoff simulation in a tropical catchment . *Environmental Modelling and Software*, 155-162.

- Hawkins, R. H. (1993). Asymptotic determination of curve numbers from data. *Journal of Irrigation and Drainage Division- ASCE*, 119(2), 334-345.
- Hawkins, R. H., Hjelmfelt, J. T., & Zevenbergen, A. W. (1985). Runoff probability, storm depth and curve numbers. *Journal of Irrigation and Drainage Division*, 330-340.
- International Centre for Water Hazard and Risk Managemnet (ICHARM) Report. (2009). *Gobal trends in water related disasters: an insight for policymakers*. Sukuba, Japan: International Cetre for Water Hazard and Risk Management (UNESCO). Retrieved from <https://www.researchgate.net/deref/http%3A%2F%2Fwww.icharm.pwri.go.jp>
- Jain, M. K., Mishra, S. K., & Singh, V. P. (2006). Evaluation of AMC dependent SCS - CN based models using watershed characteristics. *Journal of Water Resources Management*, 20(4), 531-555.
- Jain, S. K., Mani, P., Jain, S. K., Prakash, P., Singh, V. P., & Tullos, D. (2018). A Brief review of flood forecasting techniques and their applications. *Taylor & Francis*. Retrieved from <https://doi.org/10.1080/15715124.2017.1411920>
- JICA. (2017). *Data collection survey on disaster risk reduction sector in Sri Lanka*. Earth System Science Co., Ltd & CTI Engineering International Co., Ltd.
- Kabiri, R., Chan, A., & Ramani, B. (2013). Comparison of SCS and Green-Ampt Methods in Surface Runoff-Flooding Simulation for Klang Watershed in Malaysia. *Open Journal of Modern Hydrology*, 3, 102-114.
- Kumar, A., & Rajput, P. S. (2013). Assessment of hydro-environmental loss as surface runoff using CN method of Pahuj River Basin Datia, India. *Proceedings of the International Academy of Ecology and Environmental Sciences*, 3(4), 324-329.
- Kumar, S. S., Venkateswaran, S., & Kannan, R. (2017, April). Rainfall-runoff estimation using SCS-CN and GIS approach in the Pappireddipatti watershed of the Vaniyar sub basin, South India. *Modeling Earth Systems and Environment*, 3, 1.
- Li, Z.-J. (2010). Application of HEC-HMS for flood forcasting in Misai and Wan'an catchments in China. *Water Journal*, 14-22. doi:10.3882/j
- Linsley, R. K. (1982). Rainfall-runoff models- an overview. *Proceedingd of the International Symposium on Rainfall-Runoff Modelling* (pp. 3-22). Water Resources Publications .
- Linsley, R. K., Kohler, M. A., & Paulhus, J. H. (1975). *Hydrology for Engineers*.

- Manchanayake, P., Sumanaweera, S., & Jayaratne, J. A. (1985). Preliminary Studies on Loss Rate of Few Sri Lankan Catchments . *Engineers*, vol(XIII), No.02, 7-12.
- Mata, L. (2011). Evaluation of the objective functions to improve production histroy matching performance based on fluid flow behaviour in reservoirs. *Journal of Petroleum Science and Engineering*, 78(1), 42-53.
- Merwade, V. (2016, October). HEC HMS: Model Calibration. Indiana, US: Purde University.
- Ministry of Disaster Mangement, Sri Lanka. (2016). Retrieved from <http://www.disastermin.gov.lk/web/>
- Mishra, K. S., & Singh, V. P. (1999). Another Look at SCS-CN Method. *Journal of Hudrologic Engineering*, Volume 4 issue 3.
- Mishra, S. K., & Singh, V. P. (1999). Another look at SCS-CN method. *Journal of Hydrologic Engineering*, ASCE, 4(3), 257 - 264.
- Mishra, S. K., & Singh, V. P. (2003). *Soil Conservation Service (SCS-CN) Methodology*. Baton Rouge, USA: Kluwer Academic Publisers.
- Mishra, S. K., Babu, P. S., Venugopal, K., & Kaliappan, S. (2008). *Comparison of AMC - dependent CN - conversion Formulae*. Water Resources Management, 22(10), 1409 - 1420. DOI: 10.1007/s11269-007-9233-5.
- Mishra, S. K., Jain, M. K., & Singh, V. P. (2004). Evaluation of the SCS-CN-Based Model Incorporating Antecedent Moisture. *Water Resources Management*, 567-589.
- Mishra, S. K., Sahu, R. K., & Jain, M. K. (2006). An improved Ia - S Relation Incorporating Antecedent Moisture in SCS - CN Methodology. *Springer*, Water Resources Management 20: 634 - 660.
- Mockus, V., McKeever, V., Owen, W., & Rallison, R. (1972). *National Engineering Handbook*.
- Moore, R. J., Bell, V. A., & Jones, D. A. (2005). Forecasting for floodwarning. *Comptes Rendus Geosciences*, 337 (1), 203–217.
doi:10.1016/j.crte.2004.10.017.
- Nandalal, H. K., & Ratnayake, U. R. (2010). Event based modeling of a watershed using HEC-HMS. *Engineers*, 43(2), 271-279.
- Nash, J. E., & Sutcliffe, J. V. (1970). River flow forcasting through conceptual models part I- A discussion of principles. *Journal of Hydrology*, 10(3), 282-290.

- Neitsch, S. L., Arnold, J. G., Kiniry, J. R., Williams, J. R., & King, K. W. (2002). *Soil and Water Assessment Tool (SWAT): theoretical documentation*. Texas: Water Resources Institute, College Station.
- Nelder, J. A., & Mead, R. (1965). A simplex method for function minimization. *Computer Journal*, 308-313.
- Nockus, V. (1965). *National engineering Handbook*.
- Patry, G. G., & Marino, M. A. (1983). Nonlinear runoff modelling: parameter identification. *ASCE*, 865-880.
- Ponce, V. M., & Hawkins, R. H. (1996). Runoff curve number: Has it reached maturity? *Journal of Hydrologic Engineering- ASCE* 1(1), 11-19.
- Ray, K. (1975). Hydrology for Engineers. *McGraw Hill Kogakusha*.
- Razi, M. M., Ariffin, J., Tahir, W., & Arish, N. M. (2010). Flood Estimation Studies using Hydrologic Modeling System (HEC-HMS) for Johor River, Malaysia. *Journal of Applied Sciences, Volume 10 (11)*: 930-939, 2010, 930-939. doi:DOI: 10.3923/jas.2010.930.939
- Reshma, T. K., P, S. B., M.J, R., & Kumar, K. S. (2010). Simulation of Runoff in Watersheds using SCS-CN AND Muskingum-Cunge Methods using Remote Sensing and Geographical Information Systems. *International Journal of Advanced Science and Technology*, 31-42.
- Sardouii, R. E., Rostami, N., Sigaroudi, K. S., & Taheri, S. (2012). Calibration of loss estimation methods in HEC-HMS for simulation of surface runoff (Case Study: Amirkabir Dam Watershed, Iran) . *Advances in Environmental Biology*, 6(1): 343-348.
- Simon, P. N., & Hashemi, M. R. (2018). Ocean Modelling for Resource Characterization. *Science Direct*.
- Singh, V. P. (1989). Hydrologic Systems: Volume 2-Watershed modeling. *Pretice hall*.
- Singh, V. P., & Frevert, D. K. (2002). *Mathematical Models for Small Watershed Hydrology and Applications*. Denver, Colorado, USA: Water Resources Publication, LLC.
- Singh, V. P., & Frevert, D. K. (2006). Watershed Models. *CRC Press*.
- Skahill, B. E. (2006). *Potential Improvements for HEC-HMS Automated Parameter Estimation* . Washington, DC: US Army Corps of Engineers, Enginner Research and development Center.

- Sobhani, G. (1975). A review of selected small watershed design methods for possible adoption to Iranian conditions. (*unpublished master's thesis*). Utah State University, Logan, UT.
- Soil Conservation Service . (1986). *Urban hydrology for small watersheds*. Washington D.C, United States : Department of Agriculture.
- Sorooshian, S., & Moradkhani, H. (2008). *General review of rainfall-runoff modeling: model calibration, data assimilation, and uncertainty analysis. Hydrological modeling and the water cycle*. Springer. 291 p. ISBN 978-3-540-77842-4.
- Soulis, K. X., Valiantzas, J. D., Dercas, N., & Londra, P. A. (2009). Analysis of the runoff generation mechanism for the investigation of the SCS-CN method applicability to a partial area experimental watershed. *Hydrology and Earth System Sciences Discussion*, 373-400.
- Sudheer, K. P., Chaubey, I., Garg, V., & Migliaccio, K. W. (2006). Impact of time scale of the calibration objective function on the performance of watershed models. *Journal of Hydrological Processes*. doi:10.1002/hyp.6555
- Survey Department of Sri Lanka. (2007). *Sri Lanka Survey Department*. Retrieved from <https://www.survey.gov.lk/sdweb/home.php>
- Swanidass, P. M. (2000). Encyclopedia of Production and Manufacturing Management. *Springer*. doi:<https://doi.org/10.1007/1-4020-0612-8>
- Tedela, N. M., S, C. R., T, C. H., R, H. S., Campbell, J. A., M, B. J., . . . Tollner, E. W. (2012). Runoff Curve Numbers for 10 Small Forested Watersheds in the Mountains of the Eastern United States. *Journal of Hydrologic Engineering*, 17(11), 1188-1198.
- Thiessen, A. H., & Alter, J. C. (1911). Climatological data for July, 1911: District No. 10, Great Basin. *Monthly weather review*, 1082-1089.
- United States Army Corps of Engineers (USACE). (1998). *Hydrologic Modeling System HEC-HMS User's Manual*. U.S Army Corps of Engineers, Hydrologic Engineering Center. Retrieved from https://www.hec.usace.army.mil/software/hec-hms/documentation/HEC-HMS_Users_Manual_4.0.pdf
- United States Army Corps of Engineers, Hydrologic Enginnering centre (USACE), technical Reference Manual*. (2000). Davis, California: USACE.
- USACE. (1992). *US Army Corps of Engineers*. Retrieved from Hydrologic Engineering Centre: <https://www.hec.usace.army.mil>

- Vogel, R. M., Yaindl, C., & Walter, M. (2011). Nonstationarity: floodmagnification and recurrence reduction factors in the UnitedStates. *Journal of the American Water Resources Association*, 47 (3), 464–474.
- Walker, J. P., Wang, Q. J., Robertson, D. E., & Shahrbani, M. (2018). On the importance of soil moisture in calibration of the rainfall-runoff models: two case studies. *Hydrological Sciences Journal*, 1292 - 1312.
- Western, A. W., Bloschl, G., & Grayson, R. B. (1998). The Tarrawarra data set: soil moisture patterns, soil characteristics, and hydrology flux measurements. *Water Resour. Res.*, 34, 2765 - 2768.
- Wheater, H., Sorooshian, S., & Sharma, K. D. (2007). *Hydrological Modelling in Arid and Semi-Arid Area*. New York: Cambridge University Press.
- Wijesekera, N. S., & Ghnanapala, P. P. (2003). *Modelling of two low lying urban watersheds in the greater Colombo area for drainage and environment improvement*. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/8582>
- Wijesekera, N. S., & Perera, K. J. (2010). Potential on the Use of GIS Watershed Modeling for River Basin Planning – Case Study of Attanagal Oya Basin, Sri Lanka. *ENGINEER*, 13-22.
- Wijesekera, N. S., & Perera, L. H. (2012). Key issues of data and data checking for hydrological analysis- case study of rainfall data in the Attanagal Oya basin of Sri Lanka. *Journal of the institute of engineers*, 1-12.
- WMO. (September 2011). Workshop on Intercomparison of Flood Forecasting Models., (pp. 14 - 16). Koblenz, Germany.
- Yu, B. (1998). Theoretical justification of SCS method for runoff estimation. *Journal of Irrigation and Drainage Engineering*, 17(11), 234-238.
- Zeiger, S., & Hubbart, J. (2017). An assessment of mean areal precipitation methods on simulated stream flow: A SWAT model performance assessment). *Water*. doi:10.3390/w9070459
- Zhang, Y., Wei, H., & Nearing, M. A. (2011). Effect of antecedent soil moisture on runoff modeling in small semiarid watersheds of southeastern Arizona. *Hydrology and Earth System Sciences*, 3172 - 3179.