

REFERENCES

- [1] R. Nallapati, F. Zhai, and B. Zhou, “SummaRuNNer: A Recurrent Neural Network based Sequence Model for Extractive Summarization of Documents,” *ArXiv161104230 Cs*, Nov. 2016.
- [2] Marta Vlainić and Nives Mikelić Preradović, “A Comparative Study of Automatic Text Summarization System Performance,” *Recent Adv. Inf. Sci.*, no. 13, Jun. 2013.
- [3] A. M. Rush, S. Chopra, and J. Weston, “A Neural Attention Model for Abstractive Sentence Summarization,” *ArXiv150900685 Cs*, Sep. 2015.
- [4] J. Carbonell and J. Goldstein, “The Use of MMR, Diversity-based Reranking for Reordering Documents and Producing Summaries,” in *Proceedings of the 21st Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, New York, NY, USA, 1998, pp. 335–336.
- [5] G. Erkan and D. R. Radev, “LexRank: Graph-based Lexical Centrality As Saliency in Text Summarization,” *J Artif Int Res*, vol. 22, no. 1, pp. 457–479, Dec. 2004.
- [6] R. McDonald, “A Study of Global Inference Algorithms in Multi-document Summarization,” in *Proceedings of the 29th European Conference on IR Research*, Berlin, Heidelberg, 2007, pp. 557–564.
- [7] M. Kågebäck, O. Mogren, N. Tahmasebi, and D. Dubhashi, “Extractive Summarization using Continuous Vector Space Models,” in *Proceedings of the 2nd Workshop on Continuous Vector Space Models and their Compositionality (CVSC)*, Gothenburg, Sweden, 2014, pp. 31–39.
- [8] M. Banu, C. Karthika, P. Sudarmani, and T. V. Geetha, “Tamil Document Summarization Using Semantic Graph Method,” in *International Conference on Computational Intelligence and Multimedia Applications (ICCIMA 2007)*, 2007, vol. 2, pp. 128–134.
- [9] A. Taherkhani, G. Cosma, and T. M. McGinnity, “Deep-FS: A feature selection algorithm for Deep Boltzmann Machines,” *Neurocomputing*, vol. 322, pp. 22–37, Dec. 2018.

- [10] H. P. Luhn, "The Automatic Creation of Literature Abstracts," *IBM J. Res. Dev.*, vol. 2, no. 2, pp. 159–165, Apr. 1958.
- [11] K. Spärck Jones, "Automatic summarising: The state of the art," *Inf. Process. Manag.*, vol. 43, no. 6, pp. 1449–1481, Nov. 2007.
- [12] J. Goldstein, V. Mittal, J. Carbonell, and M. Kantrowitz, "Multi-document Summarization by Sentence Extraction," in *Proceedings of the 2000 NAACL-ANLP Workshop on Automatic Summarization*, Stroudsburg, PA, USA, 2000, pp. 40–48.
- [13] M. A. Fattah and F. Ren, "GA, MR, FFNN, PNN and GMM based models for automatic text summarization," *Comput. Speech Lang.*, vol. 23, no. 1, pp. 126–144, Jan. 2009.
- [14] Y. Gong and X. Liu, "Generic Text Summarization Using Relevance Measure and Latent Semantic Analysis," in *Proceedings of the 24th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, New York, NY, USA, 2001, pp. 19–25.
- [15] K. Riedhammer, B. Favre, and D. Hakkani-Tür, "Long Story Short - Global Unsupervised Models for Keyphrase Based Meeting Summarization," *Speech Commun.*, vol. 52, no. 10, pp. 801–815, Oct. 2010.
- [16] M. Gambhir and V. Gupta, "Recent automatic text summarization techniques: a survey," *Artif. Intell. Rev.*, vol. 47, no. 1, pp. 1–66, Mar. 2016.
- [17] D. R. Radev, W. Zhang, and Z. Zhang, *WebInEssence: A Personalized Web-Based Multi-Document Summarization and Recommendation System*. 2001.
- [18] Y. Ko and J. Seo, "An Effective Sentence-extraction Technique Using Contextual Information and Statistical Approaches for Text Summarization," *Pattern Recogn Lett*, vol. 29, no. 9, pp. 1366–1371, Jul. 2008.
- [19] D. Parveen and M. Strube, "Integrating Importance, Non-Redundancy and Coherence in Graph-Based Extractive Summarization," in *Twenty-Fourth International Joint Conference on Artificial Intelligence*, 2015.
- [20] M. Patil, M. S. Bewoor, and S. H. Patil, "A Hybrid Approach for Extractive Document Summarization Using Machine Learning and Clustering Technique," 2014.

- [21] C. Yao, J. Shen, and G. Chen, “Automatic Document Summarization via Deep Neural Networks,” *2015 8th Int. Symp. Comput. Intell. Des. ISCID*, vol. 1, pp. 291–296, 2015.
- [22] R. M. Alguliev, R. M. Aliguliyev, and N. R. Isazade, “Multiple documents summarization based on evolutionary optimization algorithm,” *Expert Syst. Appl.*, vol. 40, no. 5, pp. 1675–1689, Apr. 2013.
- [23] M. Mendoza, S. Bonilla, C. Noguera, C. Cobos, and E. León, “Extractive single-document summarization based on genetic operators and guided local search,” *Expert Syst. Appl.*, vol. 41, no. 9, pp. 4158–4169, Jul. 2014.
- [24] J. Yao, X. Wan, and J. Xiao, “Phrase-based Compressive Cross-Language Summarization,” in *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing*, Lisbon, Portugal, 2015, pp. 118–127.
- [25] K. Ganesan, C. Zhai, and J. Han, “Opinosis: a graphbased approach to abstractive summarization of highly redundant opinions,” in *In COLING*, 2010.
- [26] S. W. K. Chan, “Beyond keyword and cue-phrase matching: A sentence-based abstraction technique for information extraction,” *Decis. Support Syst.*, vol. 42, no. 2, pp. 759–777, Nov. 2006.
- [27] S. Banerjee, P. Mitra, and K. Sugiyama, “Multi-document abstractive summarization using ILP based multi-sentence compression,” *ArXiv160907034 Cs*, Sep. 2016.
- [28] M. Welling, M. Rosen-Zvi, and G. Hinton, “Exponential Family Harmoniums with an Application to Information Retrieval,” in *Proceedings of the 17th International Conference on Neural Information Processing Systems*, Cambridge, MA, USA, 2004, pp. 1481–1488.
- [29] Geoffrey Hinton, “To Recognize Shapes, First Learn to Generate Images,” *Comput. Neurosci. Theor. Insights Brain Funct. Elsevier*, Oct. 2006.
- [30] R. Salakhutdinov, A. Mnih, and G. Hinton, “Restricted Boltzmann Machines for Collaborative Filtering,” in *Proceedings of the 24th International Conference on Machine Learning*, New York, NY, USA, 2007, pp. 791–798.
- [31] G. W. Taylor, G. E. Hinton, and S. Roweis, “Modeling Human Motion Using Binary Latent Variables,” in *Proceedings of the 19th International Conference*

on *Neural Information Processing Systems*, Cambridge, MA, USA, 2006, pp. 1345–1352.

- [32] I. Sutskever and G. Hinton, “Learning Multilevel Distributed Representations for High-Dimensional Sequences,” in *Artificial Intelligence and Statistics*, 2007, pp. 548–555.
- [33] P. V. Gehler, A. D. Holub, and M. Welling, “The Rate Adapting Poisson Model for Information Retrieval and Object Recognition,” in *Proceedings of the 23rd International Conference on Machine Learning*, New York, NY, USA, 2006, pp. 337–344.
- [34] H. Larochelle and Y. Bengio, “Classification using discriminative restricted Boltzmann machines,” in *Proceedings of the 25th international conference on Machine learning - ICML '08*, Helsinki, Finland, 2008, pp. 536–543.
- [35] Jenny Rose Finkel, Trond Grenager, and Christopher Manning, “Incorporating Non-local Information into Information Extraction Systems by Gibbs Sampling,” *Proc. 43rd Annu. Meet. Assoc. Comput. Linguist. ACL 2005*, pp. 363–370, 2005.
- [36] Sobha Lalitha Devi, Sindhuja Gopalan, L Gracy, N Padmapriya, A Gnanapriya and N H Parimala. (2016) “ AUKBC Tamil Part-of Speech Corpus(AUKBC-TamilPOSCorpus2016v1)”.Web Download. Computational Linguistics Research Group, AU-KBC Research Centre, Chennai, India, May 2016.