

BIBLIOGRAPHY

- [1] H. F. Wedde, M. Farooq, T. Pannenbaecker, B. Vogel, C. Mueller, J. Meth, and R. Jeruschkat, “BeeAdHoc: An energy efficient routing algorithm for mobile ad hoc networks inspired by bee behavior,” in *Proc. Genetic and Evolutionary Computation Conference*, Washington, DC, USA, Jun. 2005, pp. 153–160.
- [2] K. Viswanath and K. Obraczka, “Modeling the performance of flooding in wireless multi-hop ad hoc networks,” *Computer Communications*, vol. 29, no. 8, pp. 949–956, 2006.
- [3] M. Conti and S. Giordano, “Multihop ad hoc networking: The theory,” *IEEE Communications Magazine*, vol. 45, no. 4, pp. 78–86, 2007.
- [4] Y. C. Tseng, S. Y. Ni, Y. S. Chen, and J. P. Sheu, “The broadcast storm problem in a mobile ad hoc network,” *Wireless networks*, vol. 8, no. 2-3, pp. 153–167, 2002.
- [5] B. Williams and T. Camp, “Comparison of broadcasting techniques for mobile ad hoc networks,” in *3rd ACM international symposium on Mobile ad hoc networking and computing*, Jun. 2002, pp. 194–205.
- [6] N. Abramson, “Development of the ALOHANET,” *IEEE Transactions On Information Theory*, vol. IT-31, no. 2, pp. 119–123, Mar. 1985.
- [7] V. A. Dubendorf, *Wireless Data Technologies*. John Wiley and Sons Ltd, 2003, ch. 1.

- [8] G. R. Hiertz, D. Denteneer, S. Max, R. Taori, J. Cardona, L. Berlemann, and B. Walke, "Ieee 802.11s: The wlan mesh standard," *IEEE Wireless Communications*, vol. 17, no. 1, pp. 104–111, Feb. 2010.
- [9] M. Abolhasan, T. Wysocki, and E. Dutkiewicz, "A review of routing protocols for mobile ad hoc networks," *Ad hoc networks*, vol. 2, no. 1, pp. 1–22, 2004.
- [10] P. Sholander, A. Yankopolus, P. Coccoli, and S. S. Tabrizi, "Experimental comparison of hybrid and proactive manet routing protocols," in *MILCOM 2002*, vol. 1, 2002, pp. 513–518.
- [11] C. Santivanez, "Asymptotic behavior of mobile ad hoc routing protocols with respect to traffic, mobility, and size," Northeastern University, CDSP Technical Report TRCDSP-00-52., 2000.
- [12] J. Blum, M. Ding, A. Thaeler, and X. Cheng, "Connected dominating set in sensor networks and MANETs," *Handbook of combinatorial optimization*, pp. 329–369, 2004.
- [13] J. Gao, L. Guibas, J. Hershberger, L. Zhang, and A. Zhu, "Discrete mobile centers," in *The seventeenth annual ACM symposium on Computational geometry*, 2001, pp. 188–196.
- [14] L. Jia, R. Rajaraman, and T. Suel, "An efficient distributed algorithm for constructing small dominating sets," *Distributed Computing*, vol. 15, no. 4, pp. 193–205, 2002.
- [15] F. Kuhn, T. Nieberg, T. Moscibroda, and R. Wattenhofer, "Local approximation schemes for ad hoc and sensor networks," in *The ACM joint workshop on Foundations of mobile computing*, 2005, pp. 97–103.
- [16] F. Kuhn and R. Wattenhofer, "Constant-time distributed dominating set approximation," *Distributed Computing*, vol. 17, no. 4, pp. 303–310, 2005.

- [17] K. M. Alzoubi, P. J. Wan, and O. Frieder, "Message-optimal connected dominating sets in mobile ad hoc networks," in *The 3rd ACM international symposium on Mobile ad hoc networking and computing*, 2002, pp. 157–164.
- [18] R. Sivakumar, B. Das, and V. Bharghavan, "An improved spine-based infrastructure for routing in ad hoc networks," in *IEEE Symposium on Computers and Communications*, 1998.
- [19] B. Das, R. Sivakumar, and V. Bharghavan, "Routing in ad hoc networks using a spine," in *The Sixth IEEE International Conference on Computer Communications and Networks*, 1997, pp. 34–39.
- [20] B. Das and V. Bharghavan, "Routing in ad-hoc networks using minimum connected dominating sets," in *IEEE International Conference on Communications (ICC'97) Towards the Knowledge Millennium*, 1997, pp. 376–380.
- [21] R. Sivakumar, B. Das, and V. Bharghavan, "An improved spine-based infrastructure for routing in ad hoc networks," in *IEEE Symposium on Computers and Communications*, 1998.
- [22] I. Stojmenovic, M. Seddigh, and J. Zunic, "Dominating sets and neighbor elimination-based broadcasting algorithms in wireless networks," *IEEE Transactions on Parallel and Distributed Systems*, vol. 13, no. 1, pp. 14–25, 2002.
- [23] K. M. Alzoubi, P. J. Wan, and O. Frieder, "Distributed heuristics for connected dominating sets in wireless ad hoc networks," *Journal of Communications and Networks*, vol. 4, no. 1, pp. 22–29, 2002.
- [24] P. J. Wan, K. M. Alzoubi, and O. Friede, "Distributed construction of connected dominating set in wireless ad hoc networks," in *IEEE INFOCOM 2002*, vol. 3, 2002, pp. 1597–1604.
- [25] C. Ho, K. Obraczka, G. Tsudik, and K. Viswanath, "Flooding for reliable multicast in multi-hop ad hoc networks," in *The 3rd ACM international workshop*

- on discrete algorithms and methods for mobile computing and communications*, 1999, pp. 64–71.
- [26] A. Rahman, W. Olesinski, and P. Gburzynski, “Controlled flooding in wireless ad-hoc networks,” in *IEEE International Workshop on in Wireless Ad-Hoc Networks*, 2004, pp. 73–78.
- [27] M. Gunes, U. Sorges, and I. Bouazizi, “ARA the ant-colony based routing algorithm for manets,” in *Proc. International Workshop on Ad Hoc Networking (IWAHN 2002)*, Vancouver, British Columbia, Canada, Aug. 2002.
- [28] R. Schoonderwoerd, J. L. Bruten, O. E. Holland, and L. J. M. Rothkrantz, “Ant-based load balancing in telecommunications networks,” *Adapt. Behav.*, vol. 5, no. 2, pp. 169–195, 1996.
- [29] G. D. Caro, F. Ducatelle, and L. M. Gambardella, “AntHocNet: an adaptive nature-inspired algorithm for routing in mobile ad hoc networks,” *European Transactions on Telecommunications*, vol. 16, no. 5, pp. 443–455, Sep. 2005.
- [30] Jean-yves and L. Boudec, “An artificial immune system for misbehavior detection in mobile ad-hoc networks with virtual thymus, clustering, danger signal and memory detectors,” in *International Journal of Unconventional Computing*, 2004, p. 2005.
- [31] P. Kefalas, G. Eleftherakis, M. Holcombe, and I. Stamatopoulou, *Formal Modelling of the Dynamic Behaviour of Biology-Inspired, Agent-Based Systems*. Idea Group Inc., 2005, pp. 243–244.
- [32] J. E. Bell and P. R. McMullen, “Ant colony optimization techniques for the vehicle routing problem,” *Advanced Engineering Informatics*, vol. 18, no. 1, pp. 41–48, 2004.
- [33] M. Farooq, *Bee-inspired protocol engineering: from nature to networks*. Springer Science and Business Media, 2008.

- [34] A. Giagkos and M. S. Wilson, “BeeIP: Bee-inspired protocol for routing in mobile ad-hoc networks,” *Springer SAB*, pp. 263–272, 2010.
- [35] M. Roth and S. Wicker, “Termite: Ad-hoc networking with stigmergy,” in *IEEE Global Telecommunications Conference (GLOBECOM 2003)*, 2003, pp. 2937–2941.
- [36] A. M. Zungeru, L. M. Ang, and K. P. Seng, “Termite-hill: Performance optimized swarm intelligence based routing algorithm for wireless sensor networks,” *Journal of Network and Computer Applications*, vol. 35, no. 6, pp. 1901–1917, 2012.
- [37] S. S. Iyengar, H. C. Wu, N. Balakrishnan, and S. Y. Chang, “Biologically inspired cooperative routing for wireless mobile sensor networks,” *IEEE Systems Journal*, vol. 1, no. 1, pp. 29–37, 2007.
- [38] S. Marwaha, C. K. Tham, and D. Srinivasan, “Mobile agents based routing protocol for mobile ad hoc networks,” in *IEEE Global Telecommunications Conference (GLOBECOM 2002)*, 2002, pp. 163–167.
- [39] K. Nishimura and K. Takahashi, “A multi-agent routing protocol with congestion control for manet,” in *European Conference on Modelling and Simulation*, 2007, pp. 1–6.
- [40] S. S. Manvi and M. S. Kakkasageri, “Multicast routing in mobile ad hoc networks by using a multiagent system,” *Information Sciences*, vol. 178, no. 6, pp. 1611–1628, 2008.
- [41] R. R. Choudhury, K. Paul, and S. Bandyopadhyay, “MARP: a multi-agent routing protocol for mobile wireless ad hoc networks,” *Autonomous Agents and Multi-Agent Systems*, vol. 8, no. 1, pp. 47–68, 2004.
- [42] N. Mazhar and M. Farooq, “A hybrid artificial immune system (AIS) model for power aware secure mobile ad hoc networks (MANETs) routing protocols,” *Applied Soft Computing*, vol. 11, no. 8, pp. 5695–5714, 2011.

- [43] J. Y. L. Boudec and S. Sarafijanovic, "An artificial immune system approach to misbehavior detection in mobile ad hoc networks," *Biologically Inspired Approaches to Advanced Information Technology*, pp. 396–411, 2004.
- [44] R. Pradhan, M. R. Kabat, and S. P. Sahoo, "A bacteria foraging-particle swarm optimization algorithm for qos multicast routing," *Swarm, Evolutionary, and Memetic Computing*, pp. 590–600, 2013.
- [45] B. Niu, H. Wang, L. J. Tan, L. Li, and J. W. Wang, "Vehicle routing problem with time windows based on adaptive bacterial foraging optimization," *Intelligent Computing Theories and Applications*, pp. 672–679, 2012.
- [46] L. Tan, F. Lin, and H. Wang, "Adaptive comprehensive learning bacterial foraging optimization and its application on vehicle routing problem with time windows," *Neurocomputing*, vol. 151, pp. 1208–1215, 2015.
- [47] C. Roadknight and I. Marshall, "Communications network," Jan. 13 2009, US Patent 7,478,162. [Online]. Available: <https://www.google.com/patents/US7478162>
- [48] T. Wokoma, L. L. Shum, L. Sacks, and I. Marshall, "A biologically-inspired clustering algorithm dependent on spatial data in sensor networks," in *The Second European Workshop on Wireless Sensor Networks*, 2005, pp. 386–390.
- [49] A. Einolghozati, M. Sardari, A. Beirami, and F. Fekri, "Consensus problem under diffusion-based molecular communication," in *45th Annual Conference on Information Sciences and Systems (CISS)*, 2011, pp. 1–6.
- [50] M. Pierobon and I. F. Akyildiz, "A physical end-to-end model for molecular communication in nanonetworks," *IEEE Journal on Selected Areas in Communications*, vol. 28, no. 4, pp. 602–611, 2010.
- [51] A. Khelil, C. Becker, J. Tian, and K. Rothermel, "An epidemic model for information diffusion in manets," in *5th ACM international workshop on Modeling analysis and simulation of wireless and mobile systems*, 2002, pp. 54–60.

- [52] P. De, Y. Liu, and S. K. Das, "An epidemic theoretic framework for evaluating broadcast protocols in wireless sensor networks," in *IEEE International Conference on Mobile Adhoc and Sensor Systems (MASS 2007)*, 2007, pp. 1–9.
- [53] J. C. Lui and J. Baron, "Mechanisms limiting body growth in mammals," *Endocrine Reviews*, vol. 32, no. 3, pp. 422–440, Jun. 2011.
- [54] N. B. Chang and M. Liu, "Controlled flooding search in a large network," *IEEE/ACM Transactions on Networking*, vol. 15, no. 2, pp. 436–449, 2007.
- [55] K. A. Harras, K. C. Almeroth, and E. M. Belding-Royer, "Delay tolerant mobile networks (DTMNS): Controlled flooding in sparse mobile networks," *Networking*, pp. 1180–1192, 2005.
- [56] B. Wang, K. I. Pedersen, T. E. Kolding, and P. E. Mogensen, "Performance of voip on hsdpa," in *The 61st IEEE Vehicular Technology Conference (VTC 2005)*, vol. 4, 2005, pp. 2335–2339.
- [57] P. Ameigeiras, J. Wigard, and P. Mogensen, "Performance of the M-LWDF scheduling algorithm for streaming services in HSDPA," in *The 60th IEEE Vehicular Technology Conference (VTC 2004)*, vol. 2, 2004, pp. 999–1003.
- [58] M. Assaad and D. Zeghlache, *TCP performance over UMTS-HSDPA systems*. CRC Press, 2006.
- [59] J. Gao, L. Guibas, N. Milosavljevic, and J. Hershberger, "Sparse data aggregation in sensor networks," in *The 6th ACM international conference on Information processing in sensor networks*, 2007, pp. 430–439.
- [60] Y. Yi, M. Gerla, and T. J. Kwon, "Efficient flooding in ad hoc networks: a comparative performance study," in *IEEE International Conference on Communications (ICC 2003)*, vol. 2, 2003, pp. 1059–1063.
- [61] M. B. Yassein, S. F. Nimer, and A. Y. Al-Dubai, "A new dynamic counter-based broadcasting scheme for mobile ad hoc networks," *Simulation Modelling Practice and Theory*, vol. 19, no. 1, pp. 553–563, 2011.

- [62] D. G. Reina, S. L. Toral, P. Johnson, and F. Barrero, "A survey on probabilistic broadcast schemes for wireless ad hoc networks," *Ad hoc Networks*, vol. 25, pp. 263–292, 2015.
- [63] S. Pleisch, M. Balakrishnan, K. Birman, and R. V. Renesse, "MISTRAL: efficient flooding in mobile ad-hoc networks," in *The 7th ACM international symposium on mobile ad hoc networking and computing*, 2006, pp. 1–12.
- [64] J. Wu and W. Lou, "Forward node set based broadcast in clustered mobile ad hoc networks," *Wireless Communications and Mobile Computing*, vol. 3, no. 2, pp. 155–173, 2003.
- [65] H. Liu, P. J. Wan, X. Jia, X. Liu, and F. F. Yao, "Efficient flooding scheme based on 1-hop information in mobile ad hoc networks," in *IEEE INFOCOM*, 2006.
- [66] Y. Cai, K. A. Hua, and A. Phillips, "Leveraging 1-hop neighborhood knowledge for efficient flooding in wireless ad hoc networks," in *IEEE International Performance, Computing, and Communications Conference (IPCCC 2005)*, 2005, pp. 347–354.
- [67] S. Butenko, X. Cheng, D. Z. Du, and P. M. Pardalos, "On the construction of virtual backbone for ad hoc wireless network," *Cooperative control: Models, applications and algorithms*, pp. 43–54, 2003.
- [68] A. Mohammed, M. Ould-Khaoua, and L. Mackenzie, "An efficient counter-based broadcast scheme for mobile ad hoc networks," *Formal Methods and Stochastic Models for Performance Evaluation*, pp. 275–283, 2007.
- [69] Y. C. Tseng, S. Y. Ni, and E. Y. Shih, "Adaptive approaches to relieving broadcast storms in a wireless multihop mobile ad hoc network," *IEEE Transactions on Computers*, vol. 52, no. 5, pp. 545–557, 2003.
- [70] A. Keshavarz-Haddad, V. Ribeiro, and R. Riedi, "Color-based broadcasting for ad hoc networks," in *The 4th IEEE International Symposium on Modeling and*

- Optimization in Mobile, Ad Hoc and Wireless Networks (WiOpt 2006)*, 2006, pp. 1–10.
- [71] C. Chen, C. K. Hsu, and H. K. Wang, “A distance-aware counter-based broadcast scheme for wireless ad hoc networks,” in *IEEE Military Communications Conference (MILCOM 2005)*, 2005, pp. 1052–1058.
- [72] M. Cornils, M. Bahr, and T. Gamer, “Simulative analysis of the hybrid wireless mesh protocol (HWMP),” in *European Wireless Conference (EW)*, Apr. 2010, pp. 536–543.
- [73] M. Ikeda, T. Honda, T. Oda, S. Sakamoto, and L. Barolli, “Analysis of WMN-GA simulation results: WMN performance considering stationary and mobile scenarios,” in *IEEE 28th International Conference on Advanced Information Networking and Applications*, 2014, pp. 337–342.
- [74] A. H. Mozumder, T. Acharjee, and S. Roy, “Scalability performance analysis of BATMAN and HWMP protocols in wireless mesh networks using ns-3,” in *IEEE Green Computing Communication and Electrical Engineering (ICGC-CEE)*, Mar. 2014, pp. 1–5.
- [75] I. Ibrahim, N. M. Latiff, S. K. Yusof, N. N. Malik, and S. H. Ariffin, “Performance comparison of AODV and HWMP routing protocols in wireless mesh networks,” in *IEEE RF and Microwave Conference (RFM)*, Dec. 2013, pp. 116–120.
- [76] F. Maan and N. Mazhar, “MANET routing protocols vs mobility models: A performance evaluation,” in *Ubiquitous and Future Networks (ICUFN)*, Jun. 2011, pp. 179–184.
- [77] B. Nassereddine, A. Maach, and S. Bennani, “The scalability of the hybrid protocol in wireless mesh network 802.11s,” in *Mediterranean Microwave Symposium (MMS)*, Nov. 2009, pp. 1–7.

- [78] S. Bari, F. Anwar, and M. Masud, "Performance study of hybrid wireless mesh protocol (HWMP) for IEEE 802.11s wlan mesh networks," in *International Conference on Computer and Communication Engineering (ICCCCE)*, Jul. 2012, pp. 712–716.
- [79] H. Zhang and Z. P. Jiang, "Performance analysis of broadcasting schemes in mobile ad hoc networks," *IEEE Communications Letters*, vol. 8, no. 12, pp. 718–720, 2004.
- [80] J. Cartigny and D. Simplot, "Border node retransmission based probabilistic broadcast protocols in ad-hoc networks," in *36th Annual Hawaii International Conference on System Sciences*, 2003, pp. 10–19.
- [81] M. Bani-Yassein, M. Ould-Khaoua, L. M. Mackenzie, and S. Papanastasiou, "Performance analysis of adjusted probabilistic broadcasting in mobile ad hoc networks," *International Journal of Wireless Information Networks*, vol. 13, no. 2, pp. 127–140, 2006.
- [82] I. A. Khan, A. Javaid, and H. L. Qian, "Coverage-based dynamically adjusted probabilistic forwarding for wireless mobile ad hoc networks," in *ACM international workshop on Heterogeneous sensor and actor networks*, 2008, pp. 81–88.
- [83] S. Busanelli, G. Ferrari, and S. Panichpapiboon, "Efficient broadcasting in IEEE 802.11 networks through irresponsible forwarding," in *IEEE Global Telecommunications Conference (GLOBECOM 2009)*, 2009, pp. 1–6.
- [84] O. M. H. Rehman, H. Bourdouce, and M. Ould-Khaoua, "Forward link quality estimation in VANETS for sender-oriented alert messages broadcast," *Journal of Network and Computer Applications*, vol. 58, pp. 23–41, 2015.
- [85] G. S. Li, W. L. Wang, and X. W. Yao, "An adaptive and opportunistic broadcast protocol for vehicular ad hoc networks," *International Journal of Automation and Computing*, vol. 9, no. 4, pp. 378–387, 2012.

- [86] C. Bettstetter, "On the minimum node degree and connectivity of a wireless multihop network," in *The 3rd ACM international symposium on Mobile ad hoc networking and computing*, 2002, pp. 80–91.
- [87] H. Menouar, F. Filali, and M. Lenardi, "A survey and qualitative analysis of MAC protocols for vehicular ad hoc networks," *IEEE Wireless Communications*, vol. 13, no. 5, pp. 30–35, 2006.
- [88] S. S. Lara, "An analysis of the reservation-ALOHA protocol for satellite packet switching," 1978.
- [89] H. Takagi and L. Kleinrock, "Optimal transmission ranges for randomly distributed packet radio terminals," *IEEE Transactions on Communications*, vol. 32, no. 3, pp. 246–257, 1984.
- [90] I. Demirkol, C. Ersoy, and F. Alagoz, "MAC protocols for wireless sensor networks: a survey," *IEEE Communications Magazine*, vol. 44, no. 4, pp. 115–121, 2006.
- [91] F. Borgonovo, A. Capone, M. Cesana, and L. Fratta, "ADHOC MAC: new MAC architecture for ad hoc networks providing efficient and reliable point-to-point and broadcast services," *Wireless Networks*, vol. 10, no. 4, pp. 359–366, 2004.
- [92] L. Wu and P. K. Varshney, "Performance analysis of csma and btma protocols in multihop networks (i) - single channel case," *Information Sciences*, vol. 120, no. 1, pp. 159–177, 1999.
- [93] W. Ye, J. Heidemann, and D. Estrin, "An energy-efficient MAC protocol for wireless sensor networks," in *Twenty-First Annual Joint Conference of the IEEE Computer and Communications Societies INFOCOM 2002*, vol. 3, 2002, pp. 1567–1576.
- [94] C. Bettstetter, "Mobility modeling in wireless networks: categorization, smooth movement, and border effects," *ACM SIGMOBILE Mobile Computing and Communications Review*, vol. 5, no. 3, pp. 55–66, 2001.

- [95] S. Cho and J. P. Hayes, "Impact of mobility on connection in ad hoc networks," in *IEEE Wireless Communications and Networking Conference*, vol. 3, 2005, pp. 1650–1656.
- [96] N. Sabah and A. Hocanin, "Gamma random waypoint mobility model for wireless ad hoc networks," *International Journal of Communication Systems*, vol. 26, no. 11, pp. 1433–1445, 2013.
- [97] O. Younes and N. Thomas, "Analysis of the expected number of hops in mobile ad hoc networks with random waypoint mobility," *Electronic notes in theoretical computer science*, vol. 275, pp. 143–158, 2011.
- [98] F. Bai, N. Sadagopan, and A. Helmy, "IMPORTANT: a framework to systematically analyze the impact of mobility on performance of routing protocols for adhoc networks," in *Twenty-Second Annual Joint Conference of the IEEE Computer and Communications Societies INFOCOM 2003*, vol. 2, 2003, pp. 825–835.
- [99] F. Kuhn, R. Wattenhofer, and A. Zollinger, "Ad hoc networks beyond unit disk graphs," *Wireless Networks*, vol. 14, no. 5, pp. 715–729, 2008.
- [100] R. Rajaraman, "Topology control and routing in ad hoc networks: A survey," *ACM SIGACT News*, vol. 33, no. 2, pp. 60–73, 2002.
- [101] A. Ferreira, "Building a reference combinatorial model for manets," *IEEE Network*, vol. 18, no. 5, pp. 24–29, 2004.
- [102] A. Ferreira, A. Goldman, and J. Monteiro, "Performance evaluation of routing protocols for manets with known connectivity patterns using evolving graphs," *Wireless Networks*, vol. 16, no. 3, pp. 627–640, 2010.
- [103] J. S. Baras and T. Jiang, "Cooperative games, phase transitions on graphs and distributed trust in MANET," in *43rd IEEE Conference on Decision and Control*, 2004, pp. 93–98.

- [104] Y. Sasson, D. Cavin, and A. Schiper, "Probabilistic broadcast for flooding in wireless mobile ad hoc networks," *IEEE Wireless Communications and Networking*, vol. 2, pp. 1124–1130, 2003.
- [105] P. Erdos and A. Renyi, "On random graphs. i," *Publ. Math.*, p. 290297, 1959.
- [106] M. Penrose, *Random geometric graphs*. Oxford: Oxford University Press, 2003, vol. 5.
- [107] H. Wang, H. He, J. Yang, P. S. Yu, and J. X. Yu, "Dual labeling: Answering graph reachability queries in constant time," in *The 22nd International Conference on Data Engineering (ICDE 06)*, 2006, pp. 75–86.
- [108] R. W. Floyd, "Algorithm 97: shortest path," *Communications of the ACM*, vol. 5, no. 6, p. 345, 1962.
- [109] D. B. Johnson, "Efficient algorithms for shortest paths in sparse networks," *Journal of the ACM (JACM)*, vol. 24, no. 1, pp. 1–13, 1977.
- [110] F. B. Zhan and C. E. Noon, "Shortest path algorithms: an evaluation using real road networks," *Transportation Science*, vol. 32, no. 1, pp. 65–73, 1998.
- [111] A. Khelil, "A generalized broadcasting technique for mobile ad hoc networks," PhD thesis, pp. 53–63, Apr. 2007. [Online]. Available: http://elib.uni-stuttgart.de/opus/volltexte/2007/3120/pdf/khelil_diss.pdf
- [112] F. Librino, M. Levorato, and M. Zorzi, "An algorithmic solution for computing circle intersection areas and its applications to wireless communications," *Wireless Communications and Mobile Computing*, vol. 14, no. 18, pp. 1672–1690, 2014.
- [113] S. Srinivasa and M. Haenggi, "Distance distributions in finite uniformly random networks: Theory and applications," *IEEE Transactions on Vehicular Technology*, vol. 59, no. 2, pp. 940–949, 2010.
- [114] Y. Zhuang and J. Pan, *A geometrical probability approach to location-critical network performance metrics*. IEEE, 1817-1825.

- [115] G. Finkelstain, P. Forcinito, J. Lui, K. Barnes, R. Marino, S. Makaroun, V. Nguyen, J. Lazarus, O. Nilsson, and J. Baron, "An extensive genetic program occurring during postnatal growth in multiple tissues," *Endocrinology*, vol. 150, no. 4, pp. 1791–1800, Apr. 2009.
- [116] P. J. Bryant and P. Simpson, "Intrinsic and extrinsic control of growth in developing organs," *The Quarterly Review of Biology*, vol. 59, no. 4, pp. 387–415, Dec. 1984.
- [117] P. Forcinito, A. Andrade, G. Finkelstain, J. Baron, O. Nilsson, and J. Lui, "Growth-inhibiting conditions slow growth plate senescence," *Endocrinol*, vol. 208, no. 1, pp. 59–67, Jan. 2011.
- [118] W. S. Bullough, "Mitotic and functional homeostasis:a speculative review," *Cancer Research*, vol. 25, no. 10, pp. 1683–1727, Nov. 1965.
- [119] H. Onda, "A new hypothesis on mitotic control mechanism in eukaryotic cells: Cell-specific mitosis-inhibiting protein excretion hypothesis," *Theoretical Biology*, vol. 77, no. 3, pp. 367–377, Apr. 1979.
- [120] S. Lee, "Regulation of muscle mass by myostatin," *Annual Review of Cell and Developmental Biology*, vol. 20, pp. 61–86, 2004.
- [121] K. Elgjo and K. Reichelt, "Chalones: from aqueous extracts to oligopeptides," *Cell Cycle*, vol. 3, no. 9, pp. 1208–1211, Sep. 2004.
- [122] D. Bakthavatsalam, D. Brock, N.N.Nikravan, K. Houston, R. Hatton, and R. Gomer, "Chalones: from aqueous extracts to oligopeptides," *Cell Science*, vol. 121, pp. 2473–2480, Aug. 2008.
- [123] A. Kansal, S. Torquato, G. Harsh, E. Chiocca, and T. Deisboeck, "Simulated brain tumor growth dynamics using a three-dimensional cellular automaton," *Journal of Theoretical Biology*, vol. 203, no. 4, pp. 367–382, Apr. 2000.

- [124] Y. Lee, S. Kouvroutoglou, L. V. McIntire, and K. Zygourakis, "A cellular automaton model for the proliferation of migrating contact-inhibited cells," *Biophysical Journal*, vol. 69, pp. 1284–1298, Oct. 1995.
- [125] T. Alarcna, H. Byrneb, and P. Mainia, "A cellular automaton model for tumour growth in inhomogeneous environment," *Journal of Theoretical Biology*, vol. 225, no. 2, pp. 257–274, Nov. 2003.
- [126] O. Mireira and A. Deutsch, "Cellular automaton models of tumor development: A critical review," *Adv. Complex Syst*, vol. 5, no. 2/3, pp. 247–268, 2002.
- [127] S. Wolfram, "Statistical mechanics of cellular automata," *Reviews of Modern Physics*, vol. 55, no. 3, pp. 601–644, Jul. 1983.
- [128] J. Kari, "Theory of cellular automata: A survey," *Theoretical Computer Science*, vol. 334, pp. 3–33, Nov. 2005.
- [129] J. I. Barredo, M. Kasanko, N. McCormick, and C. Lavalle, "Modelling dynamic spatial processes: simulation of urban future scenarios through cellular automata," *Landscape and Urban Planning*, vol. 64, pp. 145–160, 2003.
- [130] Q.-X. Liu, Z. Jin, and M.-X. Liu, "Spatial organization and evolutionary period of the epidemic model using cellular automata," *Physical Review E*, vol. 74, Nov. 2006.
- [131] X.-B. Li, R. Jiang, and Q.-S. Wu, "Cellular automaton model simulating traffic flow at an uncontrolled t-shaped intersection," *International Journal of Modern Physics B*, vol. 18, no. 17-19, pp. 2703–2707, 2004.
- [132] R. M. Almeida and E. E. N. Macau, "Stochastic cellular automata model for wildland fire spread dynamics," in *9th Brazilian Conference on Dynamics, Control and their Applications (DINCON'10)*, Serra Negra, SP, Jun. 2010, pp. 249–253.

- [133] O. Martin, A. M. Odlyzko, and S. Wolfram, “Algebraic properties of cellular automata,” *Communications in Mathematical Physics*, vol. 93, pp. 219–258, 1984.
- [134] N. H. Packard and S. Wolfram, “Two-dimensional cellular automata,” *Journal of Statistical Physics*, vol. 38, no. 5/6, pp. 901–946, 1985.
- [135] Q. Zhang and D. P. Agrawal, “Dynamic probabilistic broadcasting in manets,” *Journal of parallel and Distributed Computing*, vol. 65, no. 2, pp. 220–233, 2005.
- [136] B. Krishnamachari, S. B. Wicker, and R. Bejar, “Phase transition phenomena in wireless ad hoc networks,” in *IEEE Global Telecommunications Conference GLOBECOM’01*, 2001, pp. 2921–2925.
- [137] A. A. Markov, “Example of a statistical investigation of the text of Eugene Onegin illustrating the dependence between samples in chain,” *publisher not identified*, 1955.
- [138] S. M. Ross, *Introduction to probability models*. Academic press, 2014.
- [139] H. Shah-Mansouri, S. Bahramian, and L. Pakravan, “Performance analysis of flooding over csma in wireless ad-hoc networks,” in *IEEE 19th International Symposium on Personal, Indoor and Mobile Radio Communications (PIMRC)*, 2008, pp. 1–5.
- [140] A. Mohammed, M. Ould-Khaoua, and L. Mackenzie, “An improved rebroadcast probability function for an efficient counter-based broadcast scheme in manets,” in *Formal Methods and Stochastic Models for Performance Evaluation*, K. Wolter, Ed. Springer Berlin Heidelberg, 2007, pp. 275–283.
- [141] M. P. Fewell, “Area of common overlap of three circles,” DEFENCE SCIENCE AND TECHNOLOGY ORGANISATION EDINBURGH (AUSTRALIA) MARITIME OPERATIONS DIVISION, DSTO-TN-0722, 2006.

- [142] G. Bianchi, "Ieee 802.11-saturation throughput analysis," *IEEE Communications Letters*, vol. 2, no. 12, pp. 318–320, 1998.
- [143] F. Cali, M. Conti, and E. Gregori, "IEEE 802.11 protocol: design and performance evaluation of an adaptive backoff mechanism," *IEEE Journal on Selected Areas in Communications*, vol. 18, no. 9, pp. 1774–1786, 2000.
- [144] I. C. Society, "Part 11: Wireless lan medium access control (mac) and physical layer (phy) specifications," IEEE Standards Association, Tech. Rep., 2012.
- [145] F. Cali, M. Conti, and E. Gregori, "Dynamic tuning of the IEEE 802.11 protocol to achieve a theoretical throughput limit," *IEEE/ACM Transactions on Networking (ToN)*, vol. 8, no. 6, pp. 785–799, 2000.