

REFERENCES

- [1] *Deutz TBD 620V16 Main Engine Operation Manual*, Motoren Werke Mannheim AG.
- [2] "www.marindiesels.info," [Online]. Available: http://www.marinediesels.info/2_stroke_engine_parts/liner.htm. [Accessed 15 november 2017].
- [3] J. a. G. H. L. Affenzeller, *Bearings and lubrication of internal combustion engines, storage and lubrication of internal combustion engines*, . Vienna, Austria: Springer-Verlag, 1996.
- [4] J. S. Lenthall, *Cylinder bore surface finish – its evolution and specification*. In: *Lenthall J.S. (ed.). Collected papers from the one-day seminar The Tribology of Internal Combustion Engines*, ,, London, UK,: University of Birmingham, UK, 7 november 1996..
- [5] J. T. A. A. a. L. G. Galligan, *A scuffing test for piston ring/bore combinations: Part. II. Formulated motor lubrication*. *Wear*, 1999.
- [6] R. Ohlsson, *A topographic study of functional surfaces.*, Göteborg, Sweden: Chalmers University of Technology, Department of Production Engineering, 1996.
- [7] K. D. L. & B. Ramamoorthi, "Applied Surface Science," *Applied Surface Science*, vol. 365, pp. 19-30, 01 March 2015.
- [8] f. mogul, "federalmogul," [Online]. Available: http://korihandbook.federalmogul.com/en/section_6.htm. [Accessed 18 november 2017].
- [9] "Piston Ring Museum," Riken, [Online]. Available: www.riken.co.jp/english/pistonring/technology/application.html.
- [10] K. (. mollenhauer, *diesel engines Manual*, Berlin, Germany, 1997.
- [11] K. F. Dufrane, "Wear performance of ceramics in ring/cylinder applications," *Journal of the American ceramic Society*, vol. 72, no. 4, p. pp. 691–695, 1989.

- [12] K. Radil, The influence of honing on the wear of ceramic coated piston rings and cylinder liners. *Lubrication Engineering*, 2001.
- [13] F. a. R. D. E. Rastegar, "Alternative to chrome: HVOF cermet coatings for high horse power diesel engines," in *Surface and Coatings Technology*, 1997, p. pp.156–163.
- [14] Federal-Mogul., "(piston rings / crankcases).reprinted from ATZ/MTZ - Supplement Shell Lexicon combustion motor," in *Federal-Mogul Powertrain System*, Burchheid, Germany, 1998.
- [15] E. F. C. a. B. G. Broszeit, "Deposition, properties and applications of PVD CrxN coatings," in *Surface and Coatings Technology*, 1999, p. pp. 9–16.
- [16] S. P. Z. L. Z. X. X. A. H. a. W. Z. Zhuo, "Multi-layer compound coating cast iron piston ring by multi-arc and magnetron sputtering ion compound plating technique," in *Surface and Coatings Technology*, 2000, p. pp.422–427.
- [17] M. H. a. K. F. A. Haselkorn, "Development of wear resistant ceramic coatings for diesel engines," in *SAE Proceedings of the Annual Automotive Technology Development Contractors Co-ordination Meeting*, 1992.
- [18] D. E. Richardson, "Comparison of measured and theoretical inter-ring gas pressure on a diesel engine," in *SAE Technical Papers*, Society of Automotive Engineers, 1996.
- [19] M. D. Röhrle, "Pistons for internal combustion engines," in *fundamentals of piston technology*, Germany, 1995, p. 70.
- [20] M. A. H. T. T. a. U. A. .. Takiguchi, "Characteristics of friction and lubrication of two-ring piston," in *JSAE Review*, 1996, p. pp. 11–16.
- [21] N. P. J. Bedajangam S. K.a, "Friction losses between piston ring - liner assembly of internal combustion engine : A review," vol. 3, no. 6, June 2013 1.
- [22] Y. S. M. E. Y. H. T. a. K. T. Wakuri, "Studies on friction characteristics of reciprocating engines," in *SAE Technical Paper Series*, Society of Automotive Engineers, Inc, 1995, p. 15.

- [23] P. a. V. M. Reipert, "Simulation of the Piston/Cylinder Behavior for Diesel Engines," in *SAE Technical Paper Series*, Society of Automotive Engineers, Inc, 2001, p. 18.
- [24] P. C. a. A. S. Sui, "Piston ring pack friction and lubrication analysis of an automobile engine using a mixed lubrication model. .," in *SAE Paper 931937*,, Society of Automotive Engineers, Inc, 1993, p. 15.
- [25] A. K. Y. a. E. I. s. :. F. F. B. W. a. P. A. (. Ronen, "Different approaches for analysis of friction in surface textured reciprocating component," in *2nd World Tribology Congress*, Vienna, Austria,.
- [26] R. I. Taylor, "Engine friction: the influence of lubricant rheology," *Journal of Engineering Tribology*, p. pp. 235–246, 1997.
- [27] V. R. N. B. B. A. C. H. A. a. K. D. M. Durga, "influence of surface characteristics and oil viscosity on friction behaviour of rubbing surfaces in reciprocating engine," in *Fall Technical Conference ASME-ICE*, 1998.
- [28] R. Munro, "Diesel engine ring scuff - is there a major problem?," in *Piston ring scuffing*, London, UK, Mechanical Engineering Publications Limited, 1976, p. pp. 9–14..
- [29] D. G. S. I. a. S. E. H. Clarke, "Design considerations for a "floating liner" method of measuring piston/piston ring friction in internal combustion engine," in . *NORDTRIB '90 Proceedings of the 4th Nordic symposium*.
- [30] T. W. Y. S. M. a. K. T. Hamatake, "Some studies on the tribology of diesel engines.," in *23rd CIMAC world congress on combustion engine technology for ship propulsion, power generation, rail traction*,, Hamburg, germany, 2001.
- [31] Golloch, R., Kessen, U. and Merker, G. P. . e, , "Tribological investigations on the piston assembly group of a diesel engine," *MTZ Worldwid*, 2002.
- [32] Urabe, M., Tomomatsu, T., Ishiki, K., Takiguchi, M. and Someya, T. , "Variation of Piston Friction Force and Ring Lubricating Condition in a Diesel Engine with EGR," in *SAE Technical Paper Series*, Society of Automotive Engineers, Inc, 1998.
- [33] R. C. Coy, " Practical applications of lubrication models in engines," *Tribology*

International, vol. 31, no. 10, p. pp. 563–571 , 1998.

- [34] E. I. K. Y. Ronen A, "Friction-reducing surface-texturing in reciprocating automotive components," in *Tribology Transaction*, 2001, pp. 359-366.
- [35] Kligerman Y, Etsion I, Shinkarenko A., " Improving tribological performance of piston rings by partial surface texturing.," *ASME Journal of Tribology*, vol. 127, no. 3, p. 632–638, 2005.
- [36] Etsion I, Sher E., " Improving fuel efficiency with laser surface textured piston rings," *Tribology International*, vol. 42, no. 4, pp. 542-547, 2009.
- [37] Gadeschi GB, Backhaus K, Knoll G., " Numerical analysis of laser-textured piston-rings in the hydrodynamic lubrication regime," *ASME Journal of Tribology*, vol. 134, no. 4, pp. 1-8, 2012.
- [38] Zavos AB, Nikolakopoulos PG., " Simulation of piston ring tribology with surface texturing for internal combustion engines," *Lubrication Science*, vol. 27, no. 3, pp. 151-176, 2015.
- [39] Shen C, Khonsari MM., " The effect of laser machined pockets on the lubrication of piston ring prototypes," *Tribology International*, vol. 101, pp. 273-283, 2016.
- [40] Usman A, Park CW, ". Optimization the tribological performance of textured piston ring-liner contact for reduced friction losses in SI engine: warm operating conditions," *Tribology International.*, vol. 99, p. 224–236., 2016.
- [41] T. E., " Modelling the hydrodynamic support of cylinder bore and piston rings with laser textured surfaces," *Tribology International.*, vol. 59, pp. 90-96, 2013.
- [42] Yin BF, Li XD, Fu YH, Yun W., " Effect of laser textured dimples on the lubrication performance of cylinder liner in diesel engine," *Lubrication Science*, vol. 24, no. 7, p. 293–312, 2012.
- [43] Zhou YK, Zhu H, Tang W, Ma CB, Zhang WQ, " Development of the theoretical model for the optimal design of surface texturing on cylinder liner," *Tribology International*, vol. 52, no. 1, pp. 1-6, 2012.

- [44] Mohamad SA, Lu XQ, Zheng Q., "Numerical modeling of lubrication of piston ring of two-stroke marine diesel engine considering the effect of multi-scale grooves on the cylinder liner," *journal of engineering tribology*, vol. 229, no. 989-1002, 2015.
- [45] Mohamad SA, Lu XQ, Zheng Q. , "Effect of cylinder liner oil grooves shape on two-stroke marine diesel engine's piston ring friction force," in *Advances in Mechanical Engineering*, 2015.
- [46] S. EH., " Optimising the design of a piston-ring pack using DoE methods," *Tribology International*, vol. 44, no. 1, pp. 29-41, 2011.
- [47] Zhan J, Yang MJ., " The effects of dimple distribution angle on the tribology performance of a laser surface textured cylinder piston ring system," *Lasers in Engineering*, vol. 29, no. 1, pp. 123-131, 2014.
- [48] Gu CX, Meng XH, Xie YB, Yang YM. , "Effects of surface texturing on ring/liner friction under starved lubrication," *Tribology International*, vol. 94, p. 591–605, 2016.
- [49] Morris N, Rahmani R, Rahnejat H, King PD, Howell-Smith S. A , "numerical model to study the role of surface textures at top dead center reversal in the piston ring to cylinder liner contact," *ASME Journal of Tribology*, vol. 138, no. 2, 2016.
- [50] Shahmohamadi H, Mohammadpour M, Rahmani R, Rahnejat H, Garner CP, Howell-Smith S., " On the boundary conditions in Multi-phase flow through the piston ring-cylinder liner conjunction," *Tribology International*, vol. 90, pp. 164-174, 2015.
- [51] Ausas RF, Jai M, Ciuperca IS, Buscaglia GC., " Conservative one-dimensional finite volume discretization of a new cavitation model for piston-ring lubrication," *Tribology International*, vol. 57, pp. 54-56, 2013.
- [52] Gu CX, Meng XH, Xie YB, Zhang D, " Mixed lubrication problems in the presence of textures: An efficient solution to the cavitation problem with consideration of roughness effects," *Tribology International*, vol. 103, pp. 506-528, 2016.
- [53] Zhang JY, Meng YG., " Direct observation of cavitation phenomenon and hydrodynamic lubrication analysis of textured surfaces," in *Tribology Letters*, 2012, p. 147–158..

- [54] Checo HM, Ausas RF, Jai M, Cadalen JP, Choukroun F, Buscaglia GC. , "Moving textures: simulation of a ring sliding on a textured liner," *Tribology International*, vol. 72, p. 131–142, 2014.
- [55] Morris N, Rahmani R, Rahnejat H, King PD, Howell-Smith S. A, " numerical model to study the role of surface textures at top dead center reversal in the piston ring to cylinder liner contact," *ASME Journal of Tribology*, vol. 138, no. 2, 2016.
- [56] N. Kondratiev, *Failures and defects of marine diesels*, moscow, 1985.
- [57] Kodali P, How P, McNulty WD, "Methods of improving cylinder liner wear," in *Proceedings of the SAE 2000 world congress*, Detroit, 2000.
- [58] Gadow R, Lopez D, Perez J. , "Carbon deposition reducing coatings for highly loaded large diesel engines," in *Proceedings of the 2003 SAE world congress*, Detroit, 2003.
- [59] k. FURSUND, WEAR IN CYLINDER LINER,, Copenhagen (Denmnrk): A/S Burmeister & Wain,, 1957.
- [60] Dong, W. P., Davis, E. J., Butler, D. L. and Stout, K. J., " Topographic features of cylinder liners - an application of three-dimensional characterization techniques," *Tribology International*, vol. 28, p. 453–463, 1995.
- [61] L. Piaseczny, ., *Marine engine repair technology*, Gdańsk : marine publishing house, 1992.
- [62] Wajand, J.A., Wajand, J.T, *medium and high speed piston engines*, ,, Warsaw: WNT, 2005..
- [63] P. K. S. a. N. K. S. Subodh Kumar Sharma, "Experimental Thermal Analysis of Diesel Engine Piston and Cylinder Wall," vol. 2015, no. Article ID 178652, 2015.
- [64] A. S. & G. Bitelli, "Abbott curve & Volumetric parameters," *Laser Scanning on Road Pavements :A New Approach for characterizing Surface Texture* , no. December, 2012.
- [65] W. A. a. G. P. A. Glaeser, *Development of a wear test for adiabatic diesel ring and liner materials*. ASTM 1993, Proc Symp wear test selection for design and application,

Miami, FL, USA: ASTM Philadelphia, 1992.

[66] Haller, C., Coward, R., and LaMastra, D, "Root Cause Investigation of Cracked Cylinder Liners in ALCO 251 Diesel Engines in Nuclear Standby Service," SAE Technical Paper, 1994.

[67] Suzuki, Y. J. Mater., 1988.

[68] M. a. T. C. M. Priest, Automobile engine tribology - approaching the surface. Wear, 2000.

[69] P. K. S. a. N. K. S. Subodh Kumar Sharma, "Experimental Thermal Analysis of Diesel Engine Piston and Cylinder Wall," vol. Volume 2015 , no. Article ID 178652, 2015.