


References

- [1] M. A. Javed and C. Technology, "Numerical Optimisation of the Learning Process."
- [2] W. Z. Khan, M. K. Khan, F. T. Bin Muhaya, M. Y. Aalsalem, and H. C. Chao, "A Comprehensive Study of Email Spam Botnet Detection," *IEEE Commun. Surv. Tutorials*, vol. 17, no. 4, pp. 2271–2295, 2015.
- [3] P. Rajendran, M. Janaki, S. M. Hemalatha, and B. Durkananthini, "Adaptive privacy policy prediction for email spam filtering," *IEEE WCTFTR 2016 - Proc. 2016 World Conf. Futur. Trends Res. Innov. Soc. Welf.*, 2016.
- [4] K. Patel and S. K. Dubey, "To recognize and analyze spam domains from spam emails by data mining," pp. 4030–4035, 2016.
- [5] I. Idris, A. Selamat, and S. Omatu, "Hybrid email spam detection model with negative selection algorithm and differential evolution," *Eng. Appl. Artif. Intell.*, vol. 28, pp. 97–110, 2014.
- [6] I. Idris and A. Selamat, "Improved email spam detection model with negative selection algorithm and particle swarm optimization," *Appl. Soft Comput. J.*, vol. 22, pp. 11–27, 2014.
- [7] Y. Zhang, S. Wang, P. Phillips, and G. Ji, "Binary PSO with mutation operator for feature selection using decision tree applied to spam detection," *Knowledge-Based Syst.*, vol. 64, pp. 22–31, 2014.
- [8] D. M. Farid, L. Zhang, C. M. Rahman, M. A. Hossain, and R. Strachan, "Hybrid decision tree and naïve Bayes classifiers for multi-class classification tasks," *Expert Syst. Appl.*, vol. 41, no. 4 PART 2, pp. 1937–1946, 2014.
- [9] J. Clark, I. Koprinska, and J. Poon, "Linger - A Smart Personal Assistant for E-Mail Classification," *Proc. 13th Int. Conf. Artif. Neural Networks*, pp. 274–277, 2003.
- [10] M. K. Chae, A. Alsadoon, P. W. C. Prasad, and S. Sreedharan, "Spam filtering email classification (SFECM) using gain and graph mining algorithm," *2017 2nd Int. Conf. Anti-Cyber Crimes, ICACC 2017*, pp. 217–222, 2017.

- [11] S. Bin Abd Razak and A. F. Bin Mohamad, "Identification of spam email based on information from email header," *Int. Conf. Intell. Syst. Des. Appl. ISDA*, pp. 347–353, 2014.
- [12] "AN ONTOLOGY-BASED APPROACH TO TEXT SUMMARIZATION," 2017. [Online]. Available: <http://myprojectbazaar.com/product/final-projects/ontology-based-approach-text-summarization-www-myprojectbazaar-com/>. [Accessed: 11-Sep-2017].
- [13] S. Aridhi and E. Mephu Nguifo, "Big Graph Mining: Frameworks and Techniques," *Big Data Res.*, vol. 6, pp. 1–10, 2016.
- [14] S. Goswamil and J. Poray, "Human computer interaction for sentiment analysis and opinion mining: A review," *2016 Int. Conf. Comput. Electr. Commun. Eng. ICCECE 2016*, 2017.
- [15] Y. M. Aye, "6Hqwlphqw \$ Qdo \ Vlv Iru 5Hylhzv Ri 5Hvwdxudqvw Lq 0 \ Dqpdu 7H | W," pp. 321–326, 2017.
- [16] H. Kaur, V. Mangat, and Nidhi, "A Survey of Sentiment Analysis techniques," *Int. Conf. I-SMAC (IoT Soc. Mobile, Anal. Cloud) (I-SMAC 2017)*, pp. 921–925, 2017.
- [17] S. M. Mohammad and P. D. Turney, "Crowdsourcing a word-emotion association lexicon," *Comput. Intell.*, vol. 29, no. 3, pp. 436–465, 2013.
- [18] A. Valdivia, M. V. Luzón, and F. Herrera, "Sentiment Analysis in TripAdvisor," *IEEE Intell. Syst.*, vol. 32, no. 4, pp. 72–77, 2017.
- [19] M. Bouazizi and T. Ohtsuki, "A Pattern-Based Approach for Multi-Class Sentiment Analysis in Twitter," *IEEE Access*, vol. 3536, no. c, pp. 1–21, 2017.
- [20] C. Dedhia and J. Ramteke, "Ensemble model for Twitter Sentiment Analysis," pp. 1–5, 2017.
- [21] D. Stojanovski, "Twitter Sentiment Analysis using Deep CNN," vol. 9121, no. JUNE, 2015.
- [22] L. Zhuang, F. Jing, and X.-Y. Zhu, "Movie review mining and summarization," in *Proceedings of the 15th ACM international conference on Information and knowledge management - CIKM '06*, 2006, p. 43.



- [23] I. I. Conference, “SELECT-ADDITIVE LEARNING : IMPROVING GENERALIZATION IN MULTIMODAL SENTIMENT ANALYSIS Haohan Wang , Aaksha Meghawat , Louis-Philippe Morency and Eric P . Xing Language Technologies Institute School of Computer Science Carnegie Mellon University,” no. July, pp. 949–954, 2017.
- [24] M. Sammons *et al.*, : “Feature Extraction for NLP, Simplified,” pp. 4085–4092, 2015.
- [25] G. Preethi, P. V. Krishna, M. S. Obaidat, V. Saritha, and S. Yenduri, “Application of Deep Learning to Sentiment Analysis for recommender system on cloud,” *2017 Int. Conf. Comput. Inf. Telecommun. Syst.*, pp. 93–97, 2017.
- [26] C. William W. Cohen, MLD, “Enron Email Dataset,” 2015. [Online]. Available: <https://www.cs.cmu.edu/~enron/>. [Accessed: 03-Feb-2018].
- [27] J. Bartholomew, “30 Angry Letters,” 2010. [Online]. Available: <https://www.austinchronicle.com/year-thirty/lists/thirty-angry-letters/>. [Accessed: 03-Mar-2018].
- [28] “The Millenium Project.” [Online]. Available: <http://www.ratbags.com/rsoles/files/mailbox.htm>. [Accessed: 03-Feb-2018].
- [29] S. M. Mohammad, “Sentiment and Emotion Lexicons.” [Online]. Available: <http://saifmohammad.com/WebPages/lexicons.html>. [Accessed: 24-Mar-2018].
- [30] H. R. Unit, “WordNet Domains,” 2009. [Online]. Available: <http://wndomains.fbk.eu/wnaffect.html>. [Accessed: 10-Jun-2018].
- [31] R. Grishman, “Natural language processing,” *J. Assoc. Inf. Sci. Technol.*, vol. 35, no. 5, pp. 291–296, 1984.
- [32] T. . R. Rog, “ROGET’S THESAURUS OF ENGLISH WORDS AND PHRASES.” NEW YORK THOMAS Y. CROWELL COMPANY, p. 532, 1911.
- [33] *Electronic Pocket Oxford English Dictionary*, vol. 7. Oxford University Press, Great Clarendon Street, Oxford OX2 6DP, 2002.
- [34] “Idiom,” 2018. [Online]. Available: <https://en.wikipedia.org/w/index.php?title=Idiom&oldid=874927067>.