

REFERENCES

- Adu, I. K., Sugiyama, H., Fischer, U. & Hungerbuhler, K. (2008). Comparison of methods for assessing environmental, health and safety (EHS) hazards in early phases of chemical process design. *Process Safety and Environmental Protection*, 86, 77–93. doi: 10.1016/j.psep.2007.10.005
- Ahmad, S. I., Hashim, H., & Hassim, M. H. (2014). Numerical Descriptive Inherent Safety Technique (NuDIST) for inherent safety assessment in petrochemical industry. *Process Safety and Environmental Protection*, 92(5), 379–389. doi:org/10.1016/j.psep.2014.03.009
- Ahmad, S.I., Hashim, H., Hassim, M.H., 2016. A graphical method for assessing inherent safety during research and development phase of process design. *J. Loss Prev. Process Ind.* 42, 59-69.
- American institute of chemical engineers. (Ed.). (2009). *Inherently safer chemical processes, a life cycle approach* (2nd ed.). Retrieved from <https://books.google.lk/books>
- Andraos, J. (2015). Complete green metrics evaluation of various routes to Methyl Methacrylate according to material and energy consumptions and environmental and safety impacts: test case from the chemical industry. *Sustainable chemistry & Engineering*. doi: 10.1021/acssuschemeng.5b01240
- Browning, J. B. (1993). Union carbide: disaster at Bhopal. Retrieved from <http://www.environmentportal.in/files/report-1.pdf>
- Cave, S. R., & Edwards, D. W. (1997). Chemical process route selection based on assessment of inherent environmental hazard. *Computers & Chemical Engineering* 21, S965-S970
- Christen, P., Bohnenblust, H., & Seitz, S. (1994). A methodology for assessing catastrophic damage to the population and environment: A quantitative multi-attribute approach for risk analysis based on Fuzzy set theory. *Process safety progress*, (13), 4.
- Crowl, D. A., & Louvar, J. F. (2001). *Chemical process safety, Fundamental with application* (2nd ed.). Englewood Cliffs, NJ: Prentice Hall.
- Dow Chemicals. (1998). *Dow's Chemical Exposure Index Guide*. New York: AIChE.
- Edwards, D. W., & Lawrence, D. (1993). Assessing the inherent safety of chemical process routes: Is there a relation between plant costs and inherent safety? *Transactions on IChemE*, 71, 252–258
- EPA. (1995). United state environmental protection agency. Protocol for Equipment Leak Emission Estimates. EPA-453/R-95-017

- EPA. (2014). United state environmental protection agency. Report on the environment: Acid deposition. Retrieved from <https://www.epa.gov/roe>
- Etowa, C. B., Amyotte, P. R., Pegg, M. J., & Khan, F. I. (2002). Quantification of inherent safety aspects of the Dow indices, *Journal of loss prevention in the Process Industry*, 15, 477–487
- Gentile, M. (2004). *Development of a hierarchical fuzzy model for the evaluation of inherent safety*. (Doctoral dissertation).
- Gentile, M., Rogers, W. J., & Mannan, M. S. (2003). Development of a fuzzy logic-based inherent safety index. *Institute of Chemical Engineers (81)*, 444–456.
- Gerlach, T. M., McGee, K. A., Elias, T., Sutton, A. J., & Doukas, M. P. (2002). Carbon dioxide emission rate of Kilauea Volcano: Implications for primary magma and the summit reservoir. *Geophysical research: Solid Earth (107)*
- Gunasekera, M. Y., and De Alwis A. A. P., 2008, Process industry accidents in Sri Lanka: Analysis and basic lessons learnt, *Process Safety and Environment Protection*, Transactions of the Institution of Chemical Engineers, 86(B): 421-426.
- Gunasekera, M. Y., & Edwards, D. W. (2003). Estimating the environmental impact of catastrophic chemical releases to the atmosphere, an index method for ranking alternative chemical process routes. *Institute of chemical engineers (81)*, 463-474
- Gunasekera, M. Y., & Edwards, D. W. (2006). Chemical process route selection based upon the potential toxic impact on the aquatic, terrestrial and atmospheric environments. *Journal of Loss Prevention in the Process Industry*, 19(1), 60-69.
- Gupta, J.P., Edwards, D.W., 2003. A simple graphical method for measuring inherent safety. *J. Hazard. Mater.* 104, 15-30.
- Hassim, M. H., and Edwards, D. W. (2006). Development of a methodology for assessing Inherent occupational health hazards. *Process Safety & Environment Protection*, 84(B5), 378–390. doi:org/10.1205/psep.04412
- Hassim, M.H., Hurme, M., Amyotte, P.R., & Khan, F.I. (2012). Fugitive emissions in the chemical process: The assessment and prevention based on inherent and add-on approaches. *Journal of loss prevention in the process industries*, 25, 820-829. doi: 10.1016/j.jlp.2012.03.004
- Hassim, M. H., and Hurme, M. (2010). Inherent occupational health assessment during preliminary design stage. *Journal of loss prevention in the process industries*, 23(3), 476–482. doi:org/10.1016/j.jlp.2009.12.004
- Hassim, M. H., & Hurme, M. (2010). Inherent occupational health assessment during

- preliminary design stage. *Journal of Loss Prevention in the Process Industry* (23), 476-482.
- Heikkilä, A.M., 1999. Inherent Safety in Process Plant Design, D. Tech. Thesis. VTT Publications.
- Kdam, K., Sahak, H.A., Hassim, M.H., Shahlan, S.S., and Hurme, M., 2016, inherently safer design review and their timing during chemical process development and design, *Journal of Loss prevention in the Process Industries* 42, 47-58.
- Khan, F. I., & Amyotte, P. R. (2004). Intergrated inherent safety index (I2SI): A tool for Inherent safety evaluation. *Process Safety Progress* 23(2), 136-148.
- Khan, F.I., Amyotte, P.R., 2005. I2SI: a comprehensive quantitative tool for inherent safety and cost evaluation. *J. Loss Prev. Process Ind.* 18 (4-6), 310-326.
- Khan, F.I., Abbasi, S.A., 1998. Multivariate hazard identification and ranking system. *Process Saf. Prog.* 17 (3), 157-170.
- Kletz, T. (1998). *Process Plants: A Handbook for Inherently Safer Design*
- Lawrence, D. (1996). *Quantifying Inherent Safety of Chemical Process Routes* (Ph. D. thesis). Retrieved from <https://dspace.lboro.ac.uk/2134/7427>
- Lootsma, F.A. (1997). *Fuzzy Logic for Planning and Decision-making* (1st ed.). Kluwer Academic, Boston, MA, USA.
- Leong, C.T., Shariff, A. Mohd, 2009. Process Route Index (PRI) to assess level of explosiveness for inherent safety quantification. *J. Loss Prev. Process Ind.* 22, 216-221.
- Mackay, D. (2001). *Multimedia environmental models, the fugacity approach* (2nd ed.). New York: Lewis Publishers.
- Mackay, D., & Paterson, S. (1981). Calculation fugacity. *American chemical society* (15), 1006-1014
- Mannan, S., 2012. *Lee's Loss Prevention in the Process Industries*, 4th edition Butterworth-Heinemann.
- Norris, G. (2003). Impact characterization in the tool for the reduction and assessment of chemical and other environmental impacts-methods for acidification, eutrophication, and ozone formation. *Journal of Industrial Ecology* (6), 49-78.
- OHSA (1986). Occupational safety and health guidance manual for hazardous waste site activities. Retrieved from <https://www.osha.gov/Publications/complinks/OSHG-HazWaste/all-in-one.pdf>
- Patel, A. D., Meesters, K., Uil, H. D., Jong, E. D., & Patel, M. K. (2012). Environmental science sustainability assessment of novel chemical processes at early stage: application to

- biobased processes. *Energy & Environmental Science* (5), 8430–8444. doi:org/10.1039/c2ee21581k
- Palaniappan, C., Srinivasan, R., Tan, R., 2002. Expert system for the design of inherently safer processes-1. Route selection stage. *Ind. Eng. Chem. Res.* 41 (26), 6698-6710.
- Palaniappan, C., Srinivasan, R., Tan, R., 2004. Selection of inherently safer process routes: a case study. *Chem. Eng. Process.* 43 (5), 641-647.
- Rathnayaka, S., Khan, F., & Amyotte, P. (2014). Risk-based process plant design considering inherent safety. *Safety Science*, (70), 438–464. doi:org/10.1016/j.ssci.2014.06.004
- Scheutz C., Kjeldsen, P., & Gentil, E. (2009). Greenhouse gases, radiative forcing, global warming potential and waste management – an introduction. *Waste Management & Research*. doi: 10.1177/0734242X09345599
- Shah, S., Fischer, U., & Hungerbühler, K. (2005). Assessment of chemical process hazards in early design stages. *Journal of Loss Prevention in the Process Industries*, (18), 335–352. doi:org/10.1016/j.jlp.2005.06.016
- Srinivasan, R., & Hhan, T. N. (2008). A statistical approach for evaluating inherent benignness of chemical process routes in early design stages. *Process safety and environmental protection*, (86), 163–174. doi:org/10.1016/j.psep.2007.10.011
- Tilling, R. I., Heliker, C., & Swanson, D. A. (2010). Eruptions of Hawaiian Volcanoes- Past, Present & Future. U.S. Geological Survey, Reston, Virginia.
- Topuz, E., Talinli, I. & Aydin, E. (2011). Integration of environmental and human health risk assessment for industries using hazardous material: A quantitative multi criteria approach for environmental decision makers. *Environment International*, (37), 393-403.
- Triantaphyllou, E. (2000). *Multi-criteria decision making methods: A comparative study* (1st ed.). Kluwer Academic, USA.
- Tugnoli, A., Landucci, G., Salzano, E., Cozzani, V., 2012. Supporting the selection of process and plant design options by Inherent Safety KPIs. *J. Loss Prev. Process Ind.* 25, 830-842.
- Ullmann's Encyclopedia of industrial chemistry*, (1996). (5th ed.). Vol. B7. Weinheim: VCH.
- U.S. Department of Labor (1989). Retrieved from <http://www.osha-slc.gov/dts/chemicalsampling/field.html>.
- Warnasooriya, S. & Gunasekera, M. Y. (2017). Assessing inherent environmental, health and safety hazards in chemical process route selection. *Process safety and environmental protection*, (105), 224-236.
- Warnasooriya, S. (2013). *Chemical process route selection based on assessment of inherent environmental hazard, occupational health and safety (IEHS)* (M.Sc. thesis).

Yang, M., Khan, F. and Amyotte, P., 2015, Operational risk assessment: A case of the Bhopal disaster, *Process Safety and Environmental Protection*, 97, 70-79.