

REFERENCES

- [1] Saeed, Osama Mohamed Ben, “Near-infrared technique for oil palm fruit grading system,” Ph.D. dissertation, Dept, Engineering.My.,Universiti Putra Malaysia., Selangor, My, 2013.
- [2] NorasyikinFadilah, Junita Mohamad-Saleh, Zaini Abdul Halim, Haidi Ibrahim, and Syed Salim Syed Ali(2012, Oct.)Intelligent Color Vision System for Ripeness Classification of Oil Palm Fresh Fruit Bunch.[Online].12(10), pp. 14179–14195. Available: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3545614/>
- [3] O.M. Bensaeed , A.M. Shariff , A. B. Mahmud , H. Shafri, M. Alfatni, Oil palm fruit grading using a hyperspectral device and machine learning algorithm presented at 7th IGRSM International Remote Sensing & GIS Conference and Exhibition2014 [Online]. Available:
https://www.google.lk/url?sa=t&rct=j&q=&esrc=s&source=web&cd=5&ved=0ahUKEwiPq8SW--_OAhVLuY8KHceMA_YQFgg0MAQ&url=http%3A%2F%2Fiopscience.iop.org%2Farticle%2F10.1088%2F1755-1315%2F20%2F1%2F012017%2Fpdf&usg=AFQjCNHLG0SQ0josG9ZoFx4NZlOXz__plQ&sig2=O-K00OjK-7GxEeQUJvgRRg&bvm=bv.131783435,d.c2I&cad=rja
- [4] Muhammad Makky, A Portable Low-cost Non-destructive Ripeness Inspection for Oil Palm FFB presented at International Conference on Food, Agriculture and Natural Resources, IC-FANRes 2015 [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S2210784316301395>

- [5] Osama Mohamed Ben Saeed, rashid shariff, Ahmad Rodzi B Mahmud, Reza Ehsani, Ripeness Detection of Oil Palm Fresh Fruit Bunches Using 4-Band Sensors, 2013 [Online]. Available: https://www.researchgate.net/publication/272090717_Ripeness_Detection_of_Oil_Palm_Fresh_Fruit_Bunches_Using_4-Band_Sensors
- [6] “Percentage of ripeness expected for different categories of oil” Available: http://www.acfs.go.th/standard/download/eng/Oil_Palm_bunch.pdf [Accessed: 5-Jan-2017].
- [7] R.M. Hudzari, W.I. Wan Ishak and M.M. Noorman, 2010. Parameter Acceptance of Software Development for Oil Palm Fruit Maturity Prediction. Journal of Software Engineering, 4: 244-256. Available: <https://scialert.net/abstract/?doi=jse.2010.244.256>
- [8] “Image Segmenting in Matlab” Available: <https://www.mathworks.com/discovery/image-segmentation.html> [Accessed: 15-Jan-2017].
- [9] Jalil A. Grading of FFB for Palm Oil Mills in Malaysia. Proceedings of 1994 PORIM National Palm Oil Milling and Refining Technology Conference; Kuala Lumpur, Malaysia. 7–8 July 1994.
- [10] “Image Processing: Colour Detection.” Available: https://in.mathworks.com/matlabcentral/newsreader/view_thread/245207 [Accessed: 5-Jan-2017].
- [11] Roseleena, J, Nursuriati, J, Ahmed, J., Low, C., Assessment of palm oil fresh fruit bunches using photogrammetric grading system,2011 [online] Available: [http://www.ifrj.upm.edu.my/18%20\(03\)%202011/\(20\)IFRJ-2010-151.pdf](http://www.ifrj.upm.edu.my/18%20(03)%202011/(20)IFRJ-2010-151.pdf)
- [12] “Image Processing Analysis of Oil Palm Fruits for Automatic Grading” Available: https://www.academia.edu/803543/Image_Processing_Analysis_of_Oil_Palm_Fruits_for_Automatic_Grading [Accessed: 7-Jan-2017].

- [13] “Fatty acids”, Available:
http://palmoilmill.co.nz/index.php?option=com_content&view=article&id=58:crude-palm-oil-quality&catid=57:quality-control&Itemid=71 [Accessed: 8-Jan-2017].
- [14] “Global production of palm oil”, Available:
<http://www.worldwildlife.org/industries/palm-oil> [Accessed: 11-Jan-2017].
- [15] “Annual consumption of palm oil”, Available:
<http://www.palmoilresearch.org/statistics.html> [Accessed: 11-Jan-2017].
- [16] “Cluster Analysis”, Available: <https://in.mathworks.com/discovery/cluster-analysis.html> [Accessed: 25-Feb-2017].
- [17] “Color-Based Segmentation Using K-Means Clustering”, Available:
<https://in.mathworks.com/help/images/examples/color-based-segmentation-using-k-means-clustering.html> [Accessed: 25-Feb-2017].
- [18] “K-Means Clustering Algorithm”, Available:
<https://in.mathworks.com/help/stats/kmeans.html> [Accessed: 25-Feb-2017].
- [19] “K-Means Clustering with Different Color Spaces”, Available:
<https://www.cs.bgu.ac.il/~ben-shahar/Teaching/Computational-Vision/StudentProjects/ICBV121/ICBV-2012-1-OfirNijinsky-AvivPeled/index.php> [Accessed: 25-Feb-2017].
- [20] “Color-Based Segmentation Using K-Means Clustering”, Available:
<https://in.mathworks.com/help/images/examples/color-based-segmentation-using-k-means-clustering.html> [Accessed: 25-Feb-2017].
- [21] MPOB., 1995. Fresh Fruit Bunch Grading Manual. Malaysian Palm Oil Board, Malaysia.
- [22] “Getting connected objects in Matlab”, Available:
<https://in.mathworks.com/help/images/ref/bwconncomp.html>[Accessed: 10-Feb-2017].

[23] “Change background colour in Matlab”, Available:

<https://in.mathworks.com/matlabcentral/answers/116633-how-do-i-change-image-background-to-red> [Accessed: 14-Dec-2017].

[24] “Calculate image area in Matlab”, Available:

<https://in.mathworks.com/matlabcentral/answers/137424-total-area-of-a-region-of-binary-image> [Accessed: 15-Dec-2017].

[25] Ahmed Jaffar, Roseleena Jaafar, Nursuriati Jamil, Cheng Yee Low, and Bulan Abdullah, Photogrammetric Grading of Oil Palm Fresh Fruit Bunches ,2009 [online] Available:

<https://pdfs.semanticscholar.org/be2c/65c30a046a8e8d83eece20c71d16b3784d6f.pdf>

[26] Mohamad, Fatma & Manaf, Azizah & Chuprat, Suriayati. (2012). Exploiting Suitable Color Model for Ripeness Identification, 2012 [online] Available:

https://www.researchgate.net/publication/237080142_Exploiting_Suitable_Color_Model_for_Ripeness_Identification?_sg=emA2Y2XfzVVb6JORuBQVXoykC45D4j9ITpf-JhsEVKIyby9ouepkmR3O1J5PR21aLIV7TqGUSg