

References

- [1] S. G. Mougiakakou *et al.*, “SMARTDIAB: A communication and information technology approach for the intelligent monitoring, management and follow-up of type 1 diabetes patients,” *IEEE Trans. Inf. Technol. Biomed.*, vol. 14, no. 3, pp. 622–633, May 2010.
- [2] World Health Organization, *Global Report on Diabetes*. 2016.
- [3] Y. Li, L. Shen, Y. Li, and L. Shen, “Skin Lesion Analysis towards Melanoma Detection Using Deep Learning Network,” *Sensors*, vol. 18, no. 2, p. 556, Feb. 2018.
- [4] A. Ari and D. Hanbay, “Deep learning based brain tumor classification and detection system.”
- [5] A. Dutta and A. Zisserman, “The VIA Annotation Software for Images, Audio and Video,” Apr. 2019.
- [6] K. He, G. Gkioxari, P. Dollar, and R. Girshick, “Mask R-CNN,” *IEEE Trans. Pattern Anal. Mach. Intell.*, pp. 1–1, 2018.
- [7] T.-Y. Lin *et al.*, “Microsoft COCO: Common Objects in Context,” pp. 740–755, 2014.
- [8] G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, “Densely Connected Convolutional Networks.”
- [9] S. Kamdi and R. K. Krishna, “Image Segmentation and Region Growing Algorithm.”
- [10] A. A. Perez, A. Gonzaga, and J. M. Alves, “Segmentation and analysis of leg ulcers color images,” in *Proceedings International Workshop on Medical Imaging and Augmented Reality*, pp. 262–266.
- [11] F. Veredas, H. Mesa, and L. Morente, “Binary Tissue Classification on Wound Images With Neural Networks and Bayesian Classifiers,” *IEEE Trans. Med. Imaging*, vol. 29, no. 2, pp. 410–427, Feb. 2010.
- [12] D. Filko, R. Cupec, and E. K. Nyarko, “Detection, Reconstruction and Segmentation of Chronic Wounds Using Kinect v2 Sensor,” *Procedia Comput. Sci.*, vol. 90, pp. 151–156, Jan. 2016.
- [13] S. Saleh Al-amri and N. Kalyankar, “Image Segmentation by Using Thershod Techniques,” *J. Comput.*, vol. 2, no. 5, 2010.

- [14] S. İlkin, F. Selin Hangişi, and S. Şahin, “Comparison of Global Histogram-based Thresholding Methods that Applied on Wound Images,” *Int. J. Comput. Appl.*, vol. 165, no. 9, pp. 975–8887, 2017.
- [15] L. Fraiwan, M. AlKhodari, J. Ninan, B. Mustafa, A. Saleh, and M. Ghazal, “Diabetic foot ulcer mobile detection system using smart phone thermal camera: a feasibility study,” *Biomed. Eng. Online*, vol. 16, no. 1, p. 117, Dec. 2017.
- [16] G. E. Sujji, Y. V. S. Lakshmi, and G. W. Jiji, “MRI Brain Image Segmentation based on Thresholding,” *Int. J. Adv. Comput. Res.*, pp. 2277–7970.
- [17] J. Umamaheswari and G. Radhamani, “An Optimal Approach for DICOM Image Segmentation Based on Fuzzy Techniques,” *Adv. Comput. Sci. Eng. Appl.*, pp. 799–807, 2012.
- [18] M. K. Yadav, D. D. Manohar, G. Mukherjee, and C. Chakraborty, “Segmentation of Chronic Wound Areas by Clustering Techniques Using Selected Color Space,” *J. Med. Imaging Heal. Informatics*, vol. 3, no. 1, pp. 22–29, Mar. 2013.
- [19] P. M. Azevedo-Marques, S. M. Pereira, M. A. C. Frade, and R. M. Rangayyan, “Segmentation of dermatological ulcers using clustering of color components,” in *2013 26th IEEE Canadian Conference on Electrical and Computer Engineering (CCECE)*, 2013, pp. 1–4.
- [20] D. M. Dhane, V. Krishna, A. Achar, C. Bar, K. Sanyal, and C. Chakraborty, “Spectral Clustering for Unsupervised Segmentation of Lower Extremity Wound Beds Using Optical Images,” *J. Med. Syst.*, vol. 40, no. 9, p. 207, Sep. 2016.
- [21] T. D. Jones and P. Plassmann, “An active contour model for measuring the area of leg ulcers,” *IEEE Trans. Med. Imaging*, vol. 19, no. 12, pp. 1202–1210, 2000.
- [22] M. Kolesnik and A. Fexa, “Multi-dimensional Color Histograms for Segmentation of Wounds in Images,” Springer, Berlin, Heidelberg, 2005, pp. 1014–1022.
- [23] L. Wang, P. C. Pedersen, E. Agu, D. M. Strong, and B. Tulu, “Area Determination of Diabetic Foot Ulcer Images Using a Cascaded Two-Stage SVM-Based Classification,” *IEEE Trans. Biomed. Eng.*, vol. 64, no. 9, pp. 2098–2109, Sep. 2017.
- [24] F. Veredas, H. Mesa, and L. Morente, “Binary Tissue Classification on Wound Images With Neural Networks and Bayesian Classifiers,” *IEEE Trans. Med. Imaging*, vol. 29, no. 2, pp. 410–427, Feb. 2010.

- [25] M. E. Wendelken, “Wounds Measured From Digital Photographs Using Photodigital Planimetry Software: Validation and Rater Reliability.”
- [26] “Imaging / Photography for Clinical Trials & Research | ARANZ Medical.” [Online]. Available: <https://www.aranzmedical.com/>. [Accessed: 17-Jul-2019].
- [27] “MOWA - Mobile Wound Analyzer - Wound Care Solutions (Ulcer Management).” [Online]. Available: <http://www.diabetesincontrol.com/mowa-mobile-wound-analyzer-wound-care-solutions-ulcer-management/>. [Accessed: 17-Jul-2019].
- [28] D. Filko, D. Antonic, and D. Huljev, “WITA — Application for wound analysis and management,” in *The 12th IEEE International Conference on e-Health Networking, Applications and Services*, 2010, pp. 68–73.
- [29] R. Girshick, J. Donahue, T. Darrell, and J. Malik, “Rich Feature Hierarchies for Accurate Object Detection and Semantic Segmentation,” in *2014 IEEE Conference on Computer Vision and Pattern Recognition*, 2014, pp. 580–587.
- [30] R. Girshick, “Fast R-CNN,” in *2015 IEEE International Conference on Computer Vision (ICCV)*, 2015, pp. 1440–1448.
- [31] S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, Jun. 2017.
- [32] K. He, G. Gkioxari, P. Dollár, and R. Girshick, “Mask R-CNN,” *IEEE Trans. Pattern Anal. Mach. Intell.*, pp. 1–1, 2018.
- [33] M. Goyal, M. H. Yap, N. D. Reeves, S. Rajbhandari, and J. Spragg, “Fully convolutional networks for diabetic foot ulcer segmentation,” in *2017 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, 2017, pp. 618–623.
- [34] Chaghan Wang *et al.*, “A unified framework for automatic wound segmentation and analysis with deep convolutional neural networks,” in *2015 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, 2015, pp. 2415–2418.
- [35] X. Liu, C. Wang, F. Li, X. Zhao, E. Zhu, and Y. Peng, “A framework of wound segmentation based on deep convolutional networks,” in *2017 10th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics (CISP-BMEI)*, 2017, pp. 1–7.
- [36] O. Ronneberger, P. Fischer, and T. Brox, “U-Net: Convolutional Networks for

Biomedical Image Segmentation,” May 2015.

- [37] T. Brosch, R. Tam, and for the A. D. N. Initiative, “Manifold Learning of Brain MRIs by Deep Learning,” Springer, Berlin, Heidelberg, 2013, pp. 633–640.
- [38] Y. Xie, Z. Zhang, M. Sapkota, and L. Yang, “Spatial Clockwork Recurrent Neural Network for Muscle Perimysium Segmentation.”
- [39] M. Havaei *et al.*, “Brain tumor segmentation with Deep Neural Networks,” *Med. Image Anal.*, vol. 35, pp. 18–31, Jan. 2017.
- [40] W. Whitehead, S. Moran, B. Gaonkar, L. Macyszyn, and S. Iyer, “A deep learning approach to spine segmentation using a feed-forward chain of pixel-wise convolutional networks,” in *2018 IEEE 15th International Symposium on Biomedical Imaging (ISBI 2018)*, 2018, pp. 868–871.
- [41] M. Goyal, N. D. Reeves, A. K. Davison, S. Rajbhandari, J. Spragg, and M. H. Yap, “DFUNet: Convolutional Neural Networks for Diabetic Foot Ulcer Classification,” *IEEE Trans. Emerg. Top. Comput. Intell.*, pp. 1–12, 2018.
- [42] U.-O. Dorj, K.-K. Lee, J.-Y. Choi, and M. Lee, “The skin cancer classification using deep convolutional neural network,” *Multimed. Tools Appl.*, vol. 77, no. 8, pp. 9909–9924, Apr. 2018.
- [43] V. Thambawita *et al.*, “The Medico-Task 2018: Disease Detection in the Gastrointestinal Tract using Global Features and Deep Learning.”
- [44] M. Mateen *et al.*, “Fundus Image Classification Using VGG-19 Architecture with PCA and SVD,” *Symmetry (Basel)*, vol. 11, no. 1, p. 1, Dec. 2018.
- [45] X. Zhang *et al.*, “Gastric precancerous diseases classification using CNN with a concise model,” *PLoS One*, vol. 12, no. 9, p. e0185508, 2017.
- [46] M. Nawaz, A. A. Sewissy, and H. A. Soliman, “Multi-Class Breast Cancer Classification using Deep Learning Convolutional Neural Network,” *IJACSA) Int. J. Adv. Comput. Sci. Appl.*, vol. 9, no. 6, 2018.
- [47] M. Wilmanski, C. Kreucher, and J. Lauer, “Modern approaches in deep learning for SAR ATR,” 2016, vol. 9843, p. 98430N.
- [48] H. Ravishankar *et al.*, “Understanding the Mechanisms of Deep Transfer Learning for Medical Images,” Apr. 2017.
- [49] J. Yosinski, J. Clune, Y. Bengio, and H. Lipson, “How transferable are features in deep neural networks?,” Nov. 2014.

- [50] “VGG Image Annotator (VIA).” [Online]. Available: <http://www.robots.ox.ac.uk/~vgg/software/via/>. [Accessed: 08-Oct-2019].
- [51] “CVC colon DB | Machine Vision Group.” [Online]. Available: <http://mv.cvc.uab.es/projects/colon-qa/cvccolondb>. [Accessed: 08-Oct-2019].
- [52] S. Stirenko *et al.*, “Chest X-Ray Analysis of Tuberculosis by Deep Learning with Segmentation and Augmentation,” Mar. 2018.
- [53] T.-Y. Lin *et al.*, “Microsoft COCO: Common Objects in Context,” Springer, Cham, 2014, pp. 740–755.
- [54] K. He, X. Zhang, S. Ren, and J. Sun, “Deep Residual Learning for Image Recognition,” Dec. 2015.
- [55] F. Chollet, “Xception: Deep Learning with Depthwise Separable Convolutions,” in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 1800–1807.
- [56] C. Szegedy *et al.*, “Going deeper with convolutions,” in *2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2015, pp. 1–9.
- [57] C. Szegedy, S. Ioffe, V. Vanhoucke, and A. Alemi, “Inception-v4, Inception-ResNet and the Impact of Residual Connections on Learning,” Feb. 2016.
- [58] K. Simonyan and A. Zisserman, “Very Deep Convolutional Networks for Large-Scale Image Recognition,” Sep. 2014.
- [59] O. Ronneberger, P. Fischer, and T. Brox, “U-Net: Convolutional Networks for Biomedical Image Segmentation,” May 2015.
- [60] D. A. Shoieb, S. M. Youssef, and W. M. Aly, “Computer-Aided Model for Skin Diagnosis Using Deep Learning,” *J. Image Graph.*, pp. 122–129, 2016.
- [61] R. F. Mansour, “Deep-learning-based automatic computer-aided diagnosis system for diabetic retinopathy,” *Biomed. Eng. Lett.*, vol. 8, no. 1, pp. 41–57, Feb. 2018.
- [62] M. Mateen, J. Wen, Nasrullah, S. Song, and Z. Huang, “Fundus Image Classification Using VGG-19 Architecture with PCA and SVD,” *Symmetry (Basel)*, vol. 11, no. 1, p. 1, Dec. 2018.
- [63] Z. Huang, L. Huang, Y. Gong, C. Huang, and X. Wang, “Mask Scoring R-CNN,” Mar. 2019.