

REFERENCES

- Aggidis, G. A., Luchinskaya, E., Rothschild, R., & Howard, D. C. (2010). The costs of small-scale hydro power production: Impact on the development of existing potential. *Renewable Energy*, 35(12), 2632–2638. <https://doi.org/10.1016/j.renene.2010.04.008>
- Aghakouchak, A., & Habib, E. (2010). Application of a Conceptual Hydrologic Model in Teaching Hydrologic Processes. *International Journal of Engineering Education*, 26(4 (S1)), 963–973.
- Al-Lafta, H. S., Al-Tawash, B. S., & Al-Baldawi, B. A. (2013). Applying the “abcd” Monthly Water Balance Model for Some Regions in the United States. *Advances in Physics Theories and Applications*, 25, 36–48. Retrieved from <http://dx.doi.org/10.1029/97WR03495> (via @Mendeley_com)
- Allen, G. R., Pereira S, L., Raes, D., & Smith, M. (1998). *FAO Irrigation and Drainage Paper No. 56, Crop evapotranspiration (guidelines for computing crop water requirements)*. FAO-Food and Agriculture Organization of the United Nations Rome: Rome, Italy. Retrieved from <http://www.kimberly.uidaho.edu/water/fao56/>
- Allen, R. G., Pereira, L. S., Smith, M., Raes, D., & Wright, J. L. (2005). FAO-56 Dual Crop Coefficient Method for Estimating Evaporation from Soil and Application Extensions. *American Society of Civil Engineers*, 131(1), 2–13. [https://doi.org/10.1061/\(asce\)0733-9437\(2005\)131:1\(2\)](https://doi.org/10.1061/(asce)0733-9437(2005)131:1(2))
- Alley, W. M. (1984). On the Treatment of Evapotranspiration, Soil Moisture Accounting, and Aquifer Recharge in Monthly Water Balance Models. *Water Resources Research*, 20(8), 1137–1149. <https://doi.org/10.1029/WR020i008p01137>
- Alley, W. M. (1985). Water Balance Models in One-Month-Ahead Streamflow Forecasting. *Water Resources Research*, 21(4), 597–606. <https://doi.org/10.1029/WR021i004p00597>
- Anagnostopoulos, J. S., & Papantonis, D. E. (2007). Optimal sizing of a run-of-river small hydropower plant. *Energy Conversion and Management*, 48(10), 2663–2670.

<https://doi.org/10.1016/j.enconman.2007.04.016>

Arefi, H., & Reinartz, P. (2011). Accuracy enhancement of ASTER global digital elevation models using ICESat data. *Remote Sensing*, 3(7), 1323–1343. <https://doi.org/10.3390/rs3071323>

Arefiev, N., Badenko, N., Ivanov, T., Kotlyar, S., Nikanova, O., & Oleshko, V. (2015). Hydropower Potential Estimations and Small Hydropower Plants Siting: Analysis of World Experience. *Applied Mechanics and Materials*, 725–726, 285–292. <https://doi.org/10.4028/www.scientific.net/AMM.725-726.285>

Bai, P., Liu, X., Yang, T., Li, F., Liang, K., Hu, S., & Liu, C. (2016). Assessment of the Influences of Different Potential Evapotranspiration Inputs on the Performance of Monthly Hydrological Models under Different Climatic Conditions. *Journal of Hydrometeorology*, 17(8), 2259–2274. <https://doi.org/10.1175/jhm-d-15-0202.1>

Balance, a, Stephenson, D., Chapman, R. a, & Muller, J. a. (2000). A geographic information systems analysis of hydro power potential in South Africa. *Journal of Hydroinformatics*, 2(4), 247–254.

Bayazıt, Y., Bakış, R., & Koç, C. (2017). An investigation of small scale hydropower plants using the geographic information system. *Renewable and Sustainable Energy Reviews*, 67, 289–294. <https://doi.org/10.1016/j.rser.2016.09.062>

Block, P. J., Souza Filho, F. A., Sun, L., & Kwon, H. H. (2009). A streamflow forecasting framework using multiple climate and hydrological models. *Journal of the American Water Resources Association*, 45(4), 828–843. <https://doi.org/10.1111/j.1752-1688.2009.00327.x>

Boulaïah, O., Longobardi, A., & Meddi, M. (2017). Statistical Comparison of nonlinear rainfall-runoff models for simulation in Africa North-West semi-arid areas, (September), 1–4.

Boyle, D. P., Gupta, H. V, & Sorooshian, S. (2000). Toward improved calibration of hydrologic models: Combining the strengths of manual and automatic methods. *Water Resources Research*, 36(12), 3663–3674. Retrieved from

<http://onlinelibrary.wiley.com/doi/10.1029/2000WR900207/abstract>

Bugaje, I. M. (2006). Renewable energy for sustainable development in Africa : a review, 10, 603–612. <https://doi.org/10.1016/j.rser.2004.11.002>

Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*.

Coskun, H. G., Algancı, U., Eris, E., Agıralioğlu, N., Cigizoglu, H. K., Yilmaz, L., & Toprak, Z. F. (2010). Remote Sensing and GIS Innovation with Hydrologic Modelling for Hydroelectric Power Plant (HPP) in Poorly Gauged Basins. *Water Resour Manage*, 24, 3757–3772. <https://doi.org/10.1007/s11269-010-9632-x>

Cuya, D. G. P., Brandimarte, L., Popescu, I., Alterach, J., & Peviani, M. (2013). A GIS-based assessment of maximum potential hydropower production in La Plata basin under global changes. *Renewable Energy*, 50, 103–114. <https://doi.org/10.1016/j.renene.2012.06.019>

Cyr, J. F., Landry, M., & Gagnon, Y. (2011). Methodology for the large-scale assessment of small hydroelectric potential: Application to the Province of New Brunswick (Canada). *Renewable Energy*, 36(11), 2940–2950. <https://doi.org/10.1016/j.renene.2011.04.003>

Deskin, M. H., & Simon, E. (1977). A Procedure for the Selection of Objective Functions for Hydraulic Simulation Models. *Journal of Hydrology*, 34, 129–149.

Dirks, K. N., Hay, J. E., Stow, C. D., & Harris, D. (1998). High-resolution studies of rainfall on Norfolk Island. Part IV: Observations of fractional time raining. *Journal of Hydrology*, 208(1–4), 187–193. [https://doi.org/10.1016/S0022-1694\(02\)00057-4](https://doi.org/10.1016/S0022-1694(02)00057-4)

Dudhani, S., Sinha, A. K., & Inamdar, S. S. (2006). Assessment of small hydropower potential using remote sensing data for sustainable development in India. *Energy Policy*, 34(17), 3195–3205. <https://doi.org/10.1016/j.enpol.2005.06.011>

Engeland, K., & Hisdal, H. (2009). A comparison of low flow estimates in ungauged catchments using regional regression and the HBV-model. *Water Resources Management*, 23(12), 2567–2586. <https://doi.org/10.1007/s11269-008-9397-7>

Félix, J., & Dubas, A. (2000). Use of GIS to identify potential sites for small hydroelectric plants : general concepts and example of application.

Fernandez, W., Vogel, R. M., & Sankarasubramanian, A. (2000). Regional calibration of a watershed model. *Hydrological Sciences Journal*, 45(5), 689–707. <https://doi.org/10.1080/02626660009492371>

Gao, W., Guo, H. C., & Liu, Y. (2014). Impact of Calibration Objective on Hydrological Model Performance in Ungauged Watersheds. *American Society of Civil Engineers*, 1–10. [https://doi.org/10.1061/\(ASCE\)HE](https://doi.org/10.1061/(ASCE)HE)

Garcia, F., Folton, N., & Oudin, L. (2017). Which objective function to calibrate rainfall–runoff models for low-flow index simulations? *Hydrological Sciences Journal*, 62(7), 1149–1166. <https://doi.org/10.1080/02626667.2017.1308511>

Green, I. R. A., & Stephenson, D. (1986). Criteria for comparison of single event models. *Hydrological Sciences Journal*, 31(3), 395–411. <https://doi.org/10.1080/02626668609491056>

Gunasekara, D. N., & Rajapakse, R. L. H. L. (2018). *Application of 'abcd' Monthly Water Balance Model for Kalu Ganga and Gin Ganga Basins and its Application Potential for Water Resources Investigation*.

Hall, D. G. (2011). Hydropower Resource Assessment of Brazilian Streams, (September), 1–18.

Hargreaves, G. H., & Allen, R. G. (2003). History and Evaluation of Hargreaves Evapotranspiration Equation. *American Society of Civil Engineers*, 129(1), 53–63. [https://doi.org/10.1061/\(ASCE\)0733-9437\(2003\)129:1\(53\)](https://doi.org/10.1061/(ASCE)0733-9437(2003)129:1(53))

Hargreaves, G. H., & Samani, Z. A. (1985). Reference Crop Evapotranspiration from Temperature. *Applied Engineering in Agriculture*, 01(02), 96–99.

Hingray, B., Picouet, C., & Musy, A. (2001). *Hydrology A Science for Engineers*. CRC Press.

Hirt, C., Filmer, M. S., & Featherstone, W. E. (2010). Comparison and validation of the

- recent freely available ASTER-GDEM ver1, SRTM ver4.1 and GEODATA DEM-9s ver3 digital elevation models over Australia. *Australian Journal of Earth Sciences*, 57(3), 337–347. <https://doi.org/10.1080/08120091003677553>
- Houghton-carr, H. A. (1999). Assessment criteria for simple conceptual daily rainfall-runoff models. *Hydrological Sciences Journal*, 44(2), 237–261. <https://doi.org/10.1080/0262669909492220>
- Huggel, C., Schneider, D., Miranda, P. J., Delgado Granados, H., & Kääb, A. (2008). Evaluation of ASTER and SRTM DEM data for lahar modeling: A case study on lahars from Popocatépetl Volcano, Mexico. *Journal of Volcanology and Geothermal Research*, 170(1–2), 99–110. <https://doi.org/10.1016/j.jvolgeores.2007.09.005>
- Jayawardene, H. K. W. I., Sonnadara, D. U. J., & Jayewardene, D. R. (2005). Spatial interpolation of weekly rainfall depth in the dry zone of Sri Lanka. *Climate Research*, 29(3), 223–231. <https://doi.org/10.3354/cr029223>
- Kayastha, N., Singh, U., & Dulal, K. P. (2018). A GIS Approach for Rapid Identification of Run-of-River (RoR) Hydropower Potential Site in Watershed: A case study of Bhote Koshi Watershed, Nepal, (23), 48–55.
- Kirk, T. (1999). Small-scale hydro-power in the UK. *Water and Environment Journal*, 13(3), 207–212. <https://doi.org/10.1111/j.1747-6593.1999.tb01036.x>
- Krause, P., Boyle, D. P., & Bäse, F. (2005). Comparison of different efficiency criteria for hydrological model assessment. *Advances in Geosciences, European Geoscience Union*, 5, 89–97. <https://doi.org/10.5194/adgeo-5-89-2005>
- Kusre, B. C., Baruah, D. C., Bordoloi, P. K., & Patra, S. C. (2010). Assessment of hydropower potential using GIS and hydrological modeling technique in Kopili River basin in Assam (India). *Applied Energy*, 87(1), 298–309. <https://doi.org/10.1016/j.apenergy.2009.07.019>
- Larentis, D. G., Collischonn, W., Olivera, F., & Tucci, C. E. M. (2010). Gis-based procedures for hydropower potential spotting. *Energy*, 35(10), 4237–4243. <https://doi.org/10.1016/j.energy.2010.07.014>

- Legates, D. R., & McCabe, J. G. J. (1999). Evaluating the use of “goodness-of-fit” measures in hydrologic and hydroclimatic model validation. *Water Resources Research*, 35(1), 233–241.
- Li, J., & Wong, D. W. S. (2010). Effects of DEM sources on hydrologic applications. *Computers, Environment and Urban Systems*, 34(3), 251–261. <https://doi.org/10.1016/j.compenvurbsys.2009.11.002>
- Marinou, P. G., Feloni, E. G., Tzoraki, O., & Baltas, E. A. (2017). An implementation of a water balance model in the Evrotas basin. *European Water*, 57, 147–154.
- Marshall, L., Nott, D., & Sharma, A. (2005). Hydrological Model Selection: A Bayesian Alternative. *Water Resources Research*, 41(W10422). <https://doi.org/10.1029/2004WR003719>
- Martinez, G. F., & Gupta, H. V. (2010). Toward improved identification of hydrological models: A diagnostic evaluation of the “abcd” monthly water balance model for the conterminous United States. *Water Resources Research*, 46(8), 1–21. <https://doi.org/10.1029/2009WR008294>
- McCUEN, R. H. (1973). The Role of Sensitivity Analysis in Hydrologic Modelling. *Journal of Hydrology*, 18, 37–53.
- Minns, A., & Hall, M. (2010). *Rainfall-Runoff Modelling. Neural Networks for Hydrological Modeling*. <https://doi.org/10.1201/9780203024119.ch9>
- Moiz, A., Kawasaki, A., Koike, T., & Shrestha, M. (2018). A systematic decision support tool for robust hydropower site selection in poorly gauged basins. *Applied Energy*, 224(May), 309–321. <https://doi.org/10.1016/j.apenergy.2018.04.070>
- Nash, J. E., & Sutcliffe, J. V. (1970). River Flow Forecasting Through Conceptual Models Part I- Discussion of Principles. *Journal of Hydrology*, 10, 282–290. <https://doi.org/10.3917/difa.012.0161>
- Nasir, B. A. (2014). Design considerations of micro-hydro-electric power plant. *Energy Procedia*, 50, 19–29. <https://doi.org/10.1016/j.egypro.2014.06.003>

- Ngoc, T. A., Chinh, L. Van, Hiramatsu, K., & Harada, M. (2011). Parameter identification for two conceptual hydrological models of upper Dau Tleng River watershed in Vietnam. *Journal of the Faculty of Agriculture, Kyushu University*, 56(2), 335–341.
- Nikam, B. R., Kumar, P., Garg, V., Thakur, P. K., & Aggarwal, S. P. (2014). Comparative Evaluation of Different Potential Evapotranspiration Estimation Approaches. *International Journal of Research in Engineering and Technology*, 03(06), 544–552. <https://doi.org/10.15623/ijret.2014.0306102>
- Paish, O. (2002). Micro-hydropower : status and prospects, (May 2001), 31–40.
- Palla, A., Gnecco, I., La Barbera, P., Ivaldi, M., & Caviglia, D. (2016). An Integrated GIS Approach to Assess the Mini Hydropower Potential. *Water Resources Management*, 30(9), 2979–2996. <https://doi.org/10.1007/s11269-016-1318-6>
- Pandey, A., Lalrempuia, D., Jain, S. K., Pandey, A., Lalrempuia, D., & Jain, S. K. (2015). Assessment of hydropower potential using spatial technology and SWAT modelling in the Mat River , Assessment of hydropower potential using spatial technology and. *Hydrological Sciences Journal*, 60(10), 1651–1665. <https://doi.org/10.1080/02626667.2014.943669>
- Pasha, M. F. K., Yeasmin, D., Kao, S.-C., Hadjerioua, B., Wei, Y., & Smith, B. T. (2014). Stream-Reach Identification for New Run-of-River Hydropower Development through a Merit Matrix-Based Geospatial Algorithm. *Journal of Water Resources Planning and Management*, 140(8), 04014016. [https://doi.org/10.1061/\(ASCE\)WR.1943-5452.0000429](https://doi.org/10.1061/(ASCE)WR.1943-5452.0000429)
- Pearson, K. (1895). Mathematical Contributions to the Theory of Evolution.—III. Regression, Heredity, and Panmixia. In *Philosoph Trans Royal Soc London* (pp. 253–317).
- Penche, C., & Minas, I. de. (1998). *Layman's handbook on How to Develop a Small Hydro site by European Small Hydropower Association (ESHA)* (Second Edi).
- Perera, G. M. C. A., & Rajapakse, R. L. H. L. (2018). Daily and monthly lumped parameter hydrologic models for analysis of small watersheds in Sri Lanka.

Moratuwa Engineering Research Conference (MERCon), (May), 372–377.
<https://doi.org/10.1109/MERCon.2018.8421989>

- Perera, K. R. J., & Wijesekera, N. T. S. (2012). Potential on the Use of GIS Watershed Modeling for River Basin Planning_ Case Study of Attanagalu Oya Basin, Sri Lanka. *ENGINEER Journal of the Institution of Engineers, Sri Lanka*, XXXV(4), 13–22. <https://doi.org/10.15713/ins.mmj.3>
- Plouffe, C. C. F., Robertson, C., & Chandrapala, L. (2015). Comparing interpolation techniques for monthly rainfall mapping using multiple evaluation criteria and auxiliary data sources: A case study of Sri Lanka. *Environmental Modelling and Software*, 67, 57–71. <https://doi.org/10.1016/j.envsoft.2015.01.011>
- Priestley, C. H. B., & Taylor, R. J. (1972). On the assessment of surface heat flux and evaporation using large-scale parameters. *Monthly Weather Review*, 100(2), 81–92.
- Punys, P., Dumbravskas, A., Kvaraciejus, A., & Vyciene, G. (2011). Tools for small hydropower plant resource planning and development: A review of technology and applications. *Energies*, 4(9), 1258–1277. <https://doi.org/10.3390/en4091258>
- Pushpalatha, R., Perrin, C., Moine, N. Le, & Andréassian, V. (2012). A review of efficiency criteria suitable for evaluating low-flow simulations. *Journal of Hydrology*, 420–421, 171–182. <https://doi.org/10.1016/j.jhydrol.2011.11.055>
- Rexer, M., & Hirt, C. (2014). Comparison of free high resolution digital elevation data sets (ASTER GDEM2, SRTM v2.1/v4.1) and validation against accurate heights from the Australian National Gravity Database. *Australian Journal of Earth Sciences*, 61(2), 213–226. <https://doi.org/10.1080/08120099.2014.884983>
- Rinsema, J. G., Franks, S., & Mekonnen, M. M. (2014). *Comparison of Rainfall- Runoff Models for Floods Forecastings*. University of the Tasmania.
- Rojanamon, P., Chaisomphob, T., & Bureekul, T. (2009). Application of geographical information system to site selection of small run-of-river hydropower project by considering engineering/economic/environmental criteria and social impact. *Renewable and Sustainable Energy Reviews*, 13(9), 2336–2348.

<https://doi.org/10.1016/j.rser.2009.07.003>

Rospriandana, N., & Fujii, M. (2017). Assessment of small hydropower potential in the Ciwidey subwatershed , Indonesia : a GIS and hydrological modeling approach. *Hydrological Research Letters*, 11(1), 6–11. <https://doi.org/10.3178/hrl.11.6>

Sankarasubramanian, A., & Vogel, R. M. (2002). Annual hydroclimatology of the United States. *Water Resources Research*, 38(6), 1–12.

Sankarasubramanian, A., Vogel, R. M., & Limbrunner, J. F. (2001). Climate elasticity of streamflow in the {United} {States}. *Water Resources Research*, 37(6), 1771–1781. <https://doi.org/10.1029/2000WR900330>

Sasanka, P. W. H., & Rajapakse, R. L. H. L. (2018). A Study on Suitability of Four Parameter “abcd” Hydrologic Model to Simulate Rainfall Runoff in Selected Watersheds in Sri Lanka. *6th International Symposium on Advances in Civil and Environmental Engineering Practices for Sustainable Development (ACEPS-2018)*.

Sen, Z. (2014). *Water Science Basic Information. Practical and Applied Hydrogeology*. <https://doi.org/10.1016/b978-0-12-800075-5.00001-7>

Serpoush, B., Khanian, M., & Shamsai, A. (2017). Hydropower plant site spotting using geographic information system and a MATLAB based algorithm. *Journal of Cleaner Production*, 152, 7–16. <https://doi.org/10.1016/j.jclepro.2017.03.095>

Setiawan, D. (2015). Potential Sites Screening for Mini Hydro Power Plant Development in Kapuas Hulu, West Kalimantan: a GIS approach. *Energy Procedia*, 65, 76–82. <https://doi.org/10.1016/j.egypro.2015.01.034>

Shukla, A. K., Sudhakar, K., & Baredar, P. (2017). Renewable energy resources in South Asian countries : Challenges , policy and recommendations. *Resource-Efficient Technologies*, 0–4. <https://doi.org/10.1016/j.reffit.2016.12.003>

Skidmore, A. K. (1989). A comparison of techniques for calculating gradient and aspect from a gridded digital elevation model. *International Journal of Geographical Information Systems*, 3(4), 323–334. <https://doi.org/10.1080/02693798908941519>

Smakhtin, V. U. (2001). Low flow hydrology: a review. *Journal of Hydrology*, 240, 147–186. [https://doi.org/10.1016/S0022-1694\(00\)00340-1](https://doi.org/10.1016/S0022-1694(00)00340-1)

Song, X., Zhang, J., Zhan, C., Xuan, Y., Ye, M., & Xu, C. (2015). Global sensitivity analysis in hydrological modeling: Review of concepts , methods , theoretical framework , and applications. *Journal of Hydrology*, 523(225), 739–757. <https://doi.org/10.1016/j.jhydrol.2015.02.013>

Soulis, K., & Dercas, N. (2007). Development of a GIS-based spatially distributed continuous hydrological model and its first application. *Water International*, 32(1), 177–192. <https://doi.org/10.1080/02508060708691974>

Soulis, K. X., Manolakos, D., Anagnostopoulos, J., & Papantonis, D. (2016). Development of a geo-information system embedding a spatially distributed hydrological model for the preliminary assessment of the hydropower potential of historical hydro sites in poorly gauged areas. *Renewable Energy*, 92, 222–232. <https://doi.org/10.1016/j.renene.2016.02.013>

Suwandana, E., Kawamura, K., Sakuno, Y., Kustiyanto, E., & Raharjo, B. (2012). Evaluation of aster GDEM2 in comparison with GDEM1, SRTM DEM and topographic-map-derived DEM using inundation area analysis and RTK-DGPS data. *Remote Sensing*, 4(8), 2419–2431. <https://doi.org/10.3390/rs4082419>

Thomas, H. A. J. (1981). *Improved Methods for National Water Assessment. Water Resources Contract: WR15249270.*

Thornthwaite, C. W. (1948). An Approach toward a Rational Classification of Climate. *Geographical Review*, 38(1), 55–94. [https://doi.org/10.1016/0022-3115\(71\)90076-6](https://doi.org/10.1016/0022-3115(71)90076-6)

United Nations Economic and Social Commission for Asia and the Pacific (ESCAP). (2010). *Assessment Report on Energy Efficiency Institutional Arrangements in Asia*.

Vandewiele, G. L., & Ni-Lar-Win. (1998). Monthly water balance models for 55 basins in 10 countries. *Hydrological Sciences Journal*, 43(5), 687–699. <https://doi.org/10.1080/02626669809492166>

- Vandewiele, G. L., Xu, C. Y., & Ni-Lar-Win. (1992). Methodology and comparative study of monthly water balance models in Belgium, China and Burma. *Journal of Hydrology*, 134, 315–347. [https://doi.org/10.1016/0022-1694\(92\)90041-S](https://doi.org/10.1016/0022-1694(92)90041-S)
- Vogel, R. M. (2005). Regional calibration of watershed models. In *Watershed Models* (pp. 1–26). <https://doi.org/10.1201/9781420037432.ch3>
- Vogel, R. M., & Sankarasubramanian, A. (2003). Validation of a watershed model without calibration. *Water Resources Research*, 39(10), 1–9. <https://doi.org/10.1029/2002WR001940>
- Walker, A. D. (2018). *Mapping run-of-river hydropower resource of large catchments*. The University of Edinburgh.
- Wang, Q. J., Pagano, T. C., Zhou, S. L., Hapuarachchi, H. A. P., Zhang, L., & Robertson, D. E. (2011). Monthly versus daily water balance models in simulating monthly runoff. *Journal of Hydrology*, 404, 166–175. <https://doi.org/10.1016/j.jhydrol.2011.04.027>
- Wang, W., Yang, X., & Yao, T. (2012). Evaluation of ASTER GDEM and SRTM and their suitability in hydraulic modelling of a glacial lake outburst flood in southeast Tibet. *Hydrological Processes*, 26(2), 213–225. <https://doi.org/10.1002/hyp.8127>
- Weibull, W. (1951). A Statistical Distribution Function of Wide Applicability. *Journal of Applied Mechanics*, 18, 293–297.
- Wijesekera, N. T. S. (2000). Parameter Estimation in Waterhed Models: A Case Study Using Gin Ganga Watershed. *Annual Sessions of the Institution of Engineers Sri Lanka, I-Part B*, 26–32.
- Wijesekera, N. T. S., & Rajapakse, R. L. H. L. (2013). Mathematical modelling of watershed wetland crossings for flood mitigation and groundwater enhancement – case of the Attanagalu Oya river basin. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, ENGINEER-(No. 03), 55–67. <https://doi.org/10.4038/engineer.v46i3.6785>
- WMO. (1975). *Intercomparison of Conceptual Model Used in Operational Hydrological*

forecasting.

WMO. (2009). *Guide to Hydrological Practices: Volume II: Management of Water Resources and Application of Hydrological Practices (sixth edition)*. World Meteorological Organization (Vol. II).
<https://doi.org/10.1080/02626667.2011.546602>

World Energy Council. (2013). *World Energy Resources 2013 Survey: Summary*.

World Energy Council. (2015). *Charting the Upsurge in Hydropower Development*.

Xiong, L., & Guo, S. (1999). A two-parameter monthly water balance model and its application. *Journal of Hydrology*, 216(2), 111–123. [https://doi.org/10.1016/S0022-1694\(98\)00297-2](https://doi.org/10.1016/S0022-1694(98)00297-2)

Xu, C.-Y., & Singh, V. P. (2000). Evaluation and generalization of radiation-based methods for calculating evaporation 2. *Hydrological Processes*, 14, 339–349.

Xu, C. (2002). *Hydrological Models*.

Yan-fen, H. (2006). Application of Excel in Hydrologic frequency analysis. *Jilin Water Resources*, 6. Retrieved from http://en.cnki.com.cn/Article_en/CJFDTotal-JSL200606002.htm

Yan, W., & Hongliang, H. (2012). Hydropower Computation Using Visual Basic for Application Programming. *Physics Procedia*, 24, 37–43.
<https://doi.org/10.1016/j.phpro.2012.02.007>

Ye, M., Meyer, P. D., & Neuman, S. P. (2008). On model selection criteria in multimodel analysis. *Water Resources Research*, 44(W034282).
<https://doi.org/10.1029/2008WR006803>

Yi, C. S., Lee, J. H., & Shim, M. P. (2010). Site location analysis for small hydropower using geo-spatial information system. *Renewable Energy*, 35(4), 852–861.
<https://doi.org/10.1016/j.renene.2009.08.003>

Yu, Z. (2015). Hydrology, Floods and Droughts: Modeling and Prediction. *Encyclopedia*

of Atmospheric Sciences, 3(2), 217–223. <https://doi.org/10.1016/B978-0-12-382225-3.00172-9>

Yuksel, I. (2010). Hydropower for sustainable water and energy development. *Renewable and Sustainable Energy Reviews*, 14(1), 462–469. <https://doi.org/10.1016/j.rser.2009.07.025>

Yüksel, I. (2010). Energy Sources , Part B : Economics , Planning , and Policy Development of Hydropower : A Case Study in Developing Countries Development of Hydropower : A Case Study in, (June 2013), 113–121. <https://doi.org/10.1080/15567240600705201>

Zaidi, A. Z., & Khan, M. (2018). Identifying high potential locations for run-of-the-river hydroelectric power plants using GIS and digital elevation models. *Renewable and Sustainable Energy Reviews*, 89(November), 106–116. <https://doi.org/10.1016/j.rser.2018.02.025>

Zeinivand, H. (2015). Comparison of interpolation methods for precipitation fields using the physically based and spatially distributed model of river runoff on the example of the Gharesou basin, Iran. *Russian Meteorology and Hydrology*, 40(7), 480–488. <https://doi.org/10.3103/S1068373915070079>