

REFERENCES

- Abulohom, M. S., Shah, S. M. S., & Ghumman, A. R. (2001). Development of a rainfall-runoff model, its calibration and validation. *Water Resources Management*, 15(3), 149–163. <https://doi.org/10.1023/A:1013069709740>
- Al-lafta, H. S., Al-tawash, B. S., & Al-baldawi, B. A. (2013). Applying the “ abcd ” Monthly Water Balance Model for Some Regions in the United States, 25(Figure 1).
- Alley, M. (1984). On the Treatment of Evapotranspiration , Soil Moisture Accounting , and Aquifer Recharge in Monthly Water Balance Models, 20(8), 1137–1149.
- Bai, P., Liu, X., Liang, K., & Liu, C. (2015). Comparison of performance of twelve monthly water balance models in different climatic catchments of China. *Journal of Hydrology*, 529, 1030–1040. <https://doi.org/10.1016/j.jhydrol.2015.09.015>
- Barbalho, F. D., Silva, G. F. N. da, & Formiga, K. T. M. (2014). Average Rainfall Estimation: Methods Performance Comparison in the Brazilian Semi-Arid. *Journal of Water Resource and Protection*, 06(02), 97–103. <https://doi.org/10.4236/jwarp.2014.62014>
- Beven. Keith. (2001). *Rainfall-Runoff Modelling*.
- Boyle, D. P., Gupta, H. V., & Sorooshian, S. (2000). Toward improved calibration of hydrologic models : Combining the strengths of manual and automatic methods, 36(12), 3663–3674.
- Caldera, H. P. G. M. (2016). A Comparison of Methods of Estimating Missing Daily Rainfall Data. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 49(4), 1. <https://doi.org/10.4038/engineer.v49i4.7232>
- Daggupati, P., Pai, N., & Ale, S. (2015). A Recommended Calibration and Validation Strategy for Hydrologic and Water Quality Models. *Transactions of the ASABE*, 58(6), 1705–1719. <https://doi.org/10.13031/trans.58.10712>
- Dayawansa. (2007). A COMPARISON OF METHODS USED IN ESTIMATING MISSING RAINFALL DATA R. P. De Silva 1 , N.D.K. Dayawansa 1 and M. D. Ratnasiri 1, (May), 101–108.
- Diskin, M. H., & Simon, E. (1977). A procedure for the selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34(1–2), 129–149. [https://doi.org/10.1016/0022-1694\(77\)90066-X](https://doi.org/10.1016/0022-1694(77)90066-X)
- El, J. &, & Soussi, H. (2018). COMPARISON OF THE RELEVANCE AND PERFORMANCE OF FILLING IN GAPS METHODS IN RAINFALL DATASETS, 9(5), 992–1000.
- Fennessey, N. M. (2002). Sensitivity of Reservoir-Yield Estimates to Model Time Step Surface-Moisture Fluxes. In *Journal of Water Resources Planning and Management* (Vol. 121, pp. 310–317). [https://doi.org/10.1061/\(asce\)0733-](https://doi.org/10.1061/(asce)0733-)

9496(1995)121:4(310)

- Ghandhari, A., & Moghaddam, S. M. R. A. (2011). *Water Balance Principles : A Review of Studies on Five Watersheds in Iran.* <https://doi.org/10.3923/jest.2011.465.479>
- Huard, D., & Mailhot, A. (2008). Calibration of hydrological model GR2M using Bayesian uncertainty analysis. *Water Resources Research*, 44(2), 1–19. <https://doi.org/10.1029/2007WR005949>
- Hughes, d. a., & Metzler, w. (2010). Assessment of three monthly rainfall-runoff models for estimating the water resource yield of semiarid catchments in Namibia. *Hydrological Sciences Journal*, 43(2), 283–297. <https://doi.org/10.1080/02626669809492122>
- Hughes, D. A. (1998). Assessment of three monthly rainfall-runoff models for estimating the water resource yield of semiarid catchments in Namibia, 43(October), 283–297.
- Jazim, A. A. (2006). A Monthly Six-parameter Water Balance Model and Its Application at Arid and Semiarid Low Yielding Catchments. *Journal of King Saud University Engineering Sciences*, 19(1), 65–81. [https://doi.org/10.1016/S1018-3639\(18\)30848-1](https://doi.org/10.1016/S1018-3639(18)30848-1)
- Jiang, T., David, Y., Xu, C., Chen, X., Singh, V. P., & Chen, X. (2007). Comparison of hydrological impacts of climate change simulated by six hydrological models in the, 316–333. <https://doi.org/10.1016/j.jhydrol.2007.01.010>
- Khandu, D. (2015). *A monthly water balance model for evaluation of climate change impacts on the streamflow of Ginganga and Kelani ganga basins, Sri lanka.* Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/12893>
- Kim, S., Hong, S. J., Kang, N., Noh, H. S., & Kim, H. S. (2016). A comparative study on a simple two-parameter monthly water balance model and the Kajiyama formula for monthly runoff estimation. *Hydrological Sciences Journal*, 61(7), 1244–1252. <https://doi.org/10.1080/02626667.2015.1006228>
- Krause, P., & Boyle, D. P. (2005). Advances in Geosciences Comparison of different efficiency criteria for hydrological model assessment, 89–97.
- Kumari, P., & Dissanayake, M. (2017). *Applicability of a two parameter water balance model to simulate daily rainfall runoff-case study of Kalu and Gin river basins in Sri Lanka.*
- Lang, D., Zheng, J., Shi, J., Liao, F., Ma, X., Wang, W., ... Zhang, M. (2017). A comparative study of potential evapotranspiration estimation by eight methods with FAO Penman–Monteith method in southwestern China. *Water (Switzerland)*, 9(10). <https://doi.org/10.3390/w9100734>
- Madsen, H. (2000). Automatic calibration of a conceptual rainfall-runoff model using multiple objectives. *Journal of Hydrology*, 235(3–4), 276–288. [https://doi.org/10.1016/S0022-1694\(00\)00279-1](https://doi.org/10.1016/S0022-1694(00)00279-1)

- Makhoul, Z., & Michel, C. (1994). watersheds (Vol. 2, pp. 299–318).
- Moradkhani, H., & Sorooshian, S. (2009). General Review of Rainfall-Runoff Modeling : Model Calibration , Data Assimilation , and Uncertainty Analysis, 1–2.
- Mouelhi, S., Michel, C., Perrin, C., & Andre, V. (2006). Stepwise development of a two-parameter monthly water balance model, 318, 200–214.
<https://doi.org/10.1016/j.jhydrol.2005.06.014>
- Musiake, K., & Wijesekera, N. T. S. (1990). Streamflow Modelling of Sri Lankan Catchment Considering Spatial Variation of Rainfall.pdf. *Japan Society of Hydrology and Water Resources*, (August 1990), 575–576.
- Muthuwatta, L. A. L. P., & Rientjes, T. O. M. H. M. (2009). Calibration of a semi-distributed hydrological model using discharge and remote sensing data. *New Approaches to Hydrological Prediction in Data-Sparse Regions*, (September), 52–58.
- P, R. P. D. S. W. (1997). Silsoe College Department of Natural Resources Management PhD Thesis 1996 / 97 Academic Year Spatiotemporal Hydrological Modelling with GIS for the Upper Mahaweli Catchment , Sri Lanka Supervisor : Prof . J . e . Taylor Department of Natural Resources Man, (July).
- Patry, G. G., & Mariño, M. A. (2008). Nonlinear Runoff Modeling: Parameter Identification. *Journal of Hydraulic Engineering*, 109(6), 865–880.
[https://doi.org/10.1061/\(asce\)0733-9429\(1983\)109:6\(865\)](https://doi.org/10.1061/(asce)0733-9429(1983)109:6(865))
- PENMAN, H. L. (1948). Natural evaporation from open water, bare soil and grass. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, 193(1032), 120–145. <https://doi.org/10.1098/rspa.1948.0037>
- Ratnayake, H. . . N. and U. R. (2010). Event Based Modeling of a Watershed Using HEC-HMS, XXXIII(02).
- Robinson, S. (2003). A statistical process control approach for estimating the warm-up period, 439–446. <https://doi.org/10.1109/wsc.2002.1172915>
- Robinson, Stewart. (2007). A statistical process control approach to selecting a warm-up period for a discrete-event simulation. *European Journal of Operational Research*, 176(1), 332–346.
<https://doi.org/10.1016/j.ejor.2005.07.014>
- Sharifi, F. (1996). Catchment rainfall-runoff computer modelling.
- Sharifi, M. B. (2015). *Calibration and verification of a two parameter monthly water balance model and its application potential for evaluation of water resources -a case study of kalu and mahaweli rivers of sri lanka*. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/12954>
- Singh, V. P., & Chowdhury, P. K. (1986). Comparing Some Methods of Estimating Mean Areal Rainfall. *JAWRA Journal of the American Water Resources*

- Association*, 22(2), 275–282. <https://doi.org/10.1111/j.1752-1688.1986.tb01884.x>
- Sonam Tobgay. (2014). Evaluation of runoff estimation using scs method for infrastructure design - a case study of attanagal oya basin- evaluation of runoff estimation using scs method for infrastructure design - a case study of attanagal oya basin- karasnagala , sri lanka, (August).
- Spreen, W. C. (1386). A DETERMINATION OF THE EFFECT OF TOPOGRAPHY UPON PRECIPITATION William. *Transactions. American Geophysical Union*, 28(2).
- Taylor, P., Servat, E., & Dezetter, A. (2009). Selection of calibration objective fonctions in the context of rainfall- ronoff modelling in a Sudanese savannah area, (October 2014), 37–41. <https://doi.org/10.1080/02626669109492517>
- Thornthwaite, C. W. (1948). An Approach Toward a Rational. In *Geographical Review* (Vol. 38, pp. 55–94). <https://doi.org/10.2307/210739>
- Thornthwaite, C. W., & Mather, J. R. (1957). Instructions and Tables for Computing Potential Evapotranspiration and Water Balance. *Publications in Climatology*, 10, 185–311.
- Unter, G., & Oschl, B. L. (2005). 133 : Rainfall-runoff Modeling of Ungauged.
- Voss, P. A., & Willemain, T. R. (1996). ed. J. M. Charnes, (1).
- Wan Ismail, W. N., & Wan Zin @ Wan Ibrahim, W. Z. (2017). Estimation of rainfall and stream flow missing data for Terengganu, Malaysia by using interpolation technique methods. *Malaysian Journal of Fundamental and Applied Sciences*, 13(3), 213–217. <https://doi.org/10.11113/mjfas.v13n3.578>
- Wijesekara.N.T.S. & Ghanapala.P.P. (2003). B027.pdf.
- Wijesekera, N. T. S. (2000). Parameter Estimation of Watershed Models: A Case Study Using Gin Ganga Watershed, Transactions. *Annual Sessions of the Institution of Engineers*.
- Wijesekera, N. T. S., & Lanka, S. (2001). Water Balance to Identify Lunugamwehera Reservoir Management Requirements, XXX(02), 53–60.
- Wijesekera, N. T. S., & Perera, L. R. H. (2016). Key Issues of Data and Data Checking for Hydrological Analyses - Case Study of Rainfall Data in the Attanagal Oya Basin of Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 45(2), 1. <https://doi.org/10.4038/engineer.v45i2.6936>
- Xiong, L., & Guo, S. (1999). A two-parameter monthly water balance model and its application, 216, 111–123.
- Xu, C., & Singh, V. P. (1998a). A Review on Monthly Water Balance Models for Water Resources Investigations. *Water Resources Management*, 12(1), 31–50. <https://doi.org/09204741>

- Xu, C., & Singh, V. P. (1998b). A Review on Monthly Water Balance Models for Water Resources Investigations, 31–32.
- Xu, C., & Vandewiele, G. L. (1995). Parsimonious monthly rainfall-runoff models for humid basins with different input requirements, 1708(94), 39–48.
- Zhang, L., Walker, G. R., & and Dawes, W.. (2002). Water Balance Modelling: Concepts and Application. CSIRO Land and Water (pp. 31–47).