

## REFERENCES

- Achleitner, S., Schöber, J., Rinderer, M., Leonhardt, G., Schöberl, F., Kirnbauer, R., & Schönlaub, H. (2012). Analyzing the operational performance of the hydrological models in an alpine flood forecasting system. *Journal of Hydrology*, 412–413(January), 90–100.
- Ajami, N. K., Hornberger, G. M., & Sunding, D. L. (2008). Sustainable water resource management under hydrological uncertainty. *Water Resources Research*, 44(11), 1–10. <https://doi.org/10.1029/2007WR006736>
- Anthony G, B. (1992). Correspondence among the correlation, RMSE, and Heidke forecast verification measures; refinement of the Heidke score. *Weather and Forecasting*, 7(4), 699-709.
- Arifjaya, N. M., Kusmana, C., Abdulah, K., & Prasetyo, L. B. (2011) Application of Tank Model for Predicting Water Balance and Flow Discharge Components of Cisadane Upper Catchment. *Jurnal Manajemen Hutan Tropika*, 17(2), 63-70.
- Arthur, B. B. (2003). Testing the Transfer of Hydrologic Model Parameters Across Scales: Modeling the Emory River, Daddy's Creek, and Crooked Fork Watersheds. *Master's Thesis, University of Tennessee, 2003*.
- Badrzadeh, H., Sarukkalige, R., & Jayawardena, A. W. (2015). Hourly runoff forecasting for flood risk management: Application of various computational intelligence models. *Journal of Hydrology*, 529, 1633–1643.
- Bao, Z., Zhang, J., Liu, J., Fu, G., Wang, G., He, R., ... Liu, H. (2012). Comparison of regionalization approaches based on regression and similarity for predictions in ungauged catchments under multiple hydro-climatic conditions. *Journal of Hydrology*, 466–467, 37–46.
- Barbalho, F. D., Silva, G. F. N. da, & Formiga, K. T. M. (2014). Average Rainfall Estimation: Methods Performance Comparison in the Brazilian Semi-Arid. *Journal of Water Resource and Protection*, 06(02), 97–103.
- Basri, H. (2013). Development of Rainfall-runoff Model Using Tank Model: Problems and Challenges in Province of Aceh, Indonesia. *Aceh International Journal of Science and Technology*, 2(1), 26–36. <https://doi.org/10.13170/aijst.2.1.574>
- Beven, K., Smith, P. J., & Wood, A. (2011). On the colour and spin of epistemic error (and what we might do about it). *Hydrology and Earth System Sciences*, 15(10), 3123–3133.
- Biswas, A. K. (2008). Integrated water resources management: Is it working? *International Journal of Water Resources Development*, 24(1), 5–22. <https://doi.org/10.1080/07900620701871718>
- Bloschl, G., & Montanari, A. (2010). Climate change impacts—throwing the dice? *Hydrological Processes: Wiley InterScience*, 24(3), 374-381.
- Booij, M. J., Cluckie, I. D., & Babovic, V. (2009) Identification of an appropriate low

flow forecast model for the Meuse River. *IAHS publication*, 331, 296.

- Boyle, D. P., Gupta, H. V., & Sorooshian, S. (2011). Multicriteria calibration of hydrologic models. *Calibration of Watershed Models, edited by: Duan, Q., Gupta, H., Sorooshian, S., Rousseau, A., Turcotte, R., AGU*, 185-196. <https://doi.org/10.1029/ws006p0185>
- Brigode, P., Oudin, L., & Perrin, C. (2013). Hydrological model parameter instability: A source of additional uncertainty in estimating the hydrological impacts of climate change? *Journal of Hydrology*, 476, 410–425.
- Brirhet, H., & Benaabidate, L. (2016). Comparison Of Two Hydrological Models (Lumped And Distributed) Over A Pilot Area Of The Issen Watershed In The Souss Basin, Morocco. *European Scientific Journal, ESJ*, 12(18), 347. <https://doi.org/10.19044/esj.2016.v12n18p347>
- Caldera, H. P. G. M., Piyathisse, V. R. P. C., & Nandalal, K. D. W. (2016). A Comparison of Methods of Estimating Missing Daily Rainfall Data. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 49(4), 1.
- Carpenter, T. M., & Georgakakos, K. P. (2006). Intercomparison of lumped versus distributed hydrologic model ensemble simulations on operational forecast scales. *Journal of Hydrology*, 329(1–2), 174–185.
- Chu, X., & Steinman, A. (2009). Event and Continuous Hydrologic Modeling with HEC-HMS. *Journal of Irrigation and Drainage Engineering*, 135(1), 119–124. [https://doi.org/10.1061/\(asce\)0733-9437\(2009\)135:1\(119\)](https://doi.org/10.1061/(asce)0733-9437(2009)135:1(119))
- Collet, L., Ruelland, D., Estupina, V. B., Dezetter, A., & Servat, E. (2015). Water supply sustainability and adaptation strategies under anthropogenic and climatic changes of a meso-scale Mediterranean catchment. *Science of the Total Environment*, 536(January), 589–602.
- Cosgrove, W. J., & Loucks, D. P. (2007). Water management: Current and future challenges and research directions. *Journal of the American Water Resources Association*, 5(3), 2–2. <https://doi.org/10.1111/j.1752-1688.1969.tb04897.x>
- Daggupati, P., Pai, N., Ale, S., Zeckoski, R. W., Jeong, J., Parajuli, P. B., ... Youssef, M. A. (2015). A Recommended Calibration and Validation Strategy for Hydrologic and Water Quality Models. *Transactions of the ASABE*, 58(6), 1705–1719. <https://doi.org/10.13031/trans.58.10712>
- Devia, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015). A Review on Hydrological Models. *Aquatic Procedia*, 4(Icwrcoe), 1001–1007.
- Diskin, M. H., & Simon, E. (1977). A procedure for the selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34(1–2), 129–149. [https://doi.org/10.1016/0022-1694\(77\)90066-X](https://doi.org/10.1016/0022-1694(77)90066-X)
- Donald E, W., & P. Golder, A. (1997). *Guidelines for Tailings Basin Water Balance Modelling And Watbal Manual*. (April).
- Ekenberg, M. (2016). Using a lumped conceptual hydrological model for five different

- catchments in Sweden (Master's thesis). *Stockholm University, Sweden*.
- EPA. (2007). An Approach for Using Load Duration Curves in the Development of TMDLs. *U.S. Environmental Protection Agency*, 68.
- Eruola et al, A. o. (2015). Determination of areal rainfall using estimation methods in a tropical wet and dry climate. *Merit Research Journal of Environmental Science and Toxicology*, 3(7), 79–82.
- Ezekiel, P., & Nyanchaga, N. (2017). Effectiveness of the Implementation of the Sub-Catchment Management Plan- A case study of Awach Kano Water Resources Users Association. *International Journal of Innovative Studies in Sciences and Engineering Technology*, 4863(June), 9–15.
- Fabre, J., Ruelland, D., Dezetter, A., & Grouillet, B. (2015). Accounting for hydro-climatic and water use variability in the assessment of past and future water balance at the basin scale. *IAHS-AISH Proceedings and Reports*, 371, 43–48. <https://doi.org/10.5194/piahs-371-43-2015>
- Frone, D.-F., & Frone, S. (2015). The Importance of Water Security for Sustainable Development in the Romanian Agri-Food Sector. *Agriculture and Agricultural Science Procedia*, 6, 674–681. <https://doi.org/10.1016/j.aaspro.2015.08.120>
- Gitau, M. W., & Chaubey, I. (2010a). Regionalization of SWAT model parameters for use in ungauged watersheds. *Water (Switzerland)*, 2(4), 849–871.
- Gitau, M. W., & Chaubey, I. (2010b). Regionalization of SWAT model parameters for use in ungauged watersheds. *Water (Switzerland)*, 2(4), 849–871.
- Green, I. R. A., & Stephenson, D. (1986). Criteria for comparison of single event models. *Hydrological Sciences Journal*, 31(3), 395–411.
- Gupta, K., Sharma, G., Jethoo, A., Tyagi, J., & Gupta, N. (2015). A critical review of hydrological models. *II Roorkee, Water Resources and River Engineering*, 1(December), 17–19.
- Heuvelmans, G., Muys, B., & Feyen, J. (2004). Heuvelmans, G., Muys, B., & Feyen, J. (2004). Analysis of the spatial variation in the parameters of the SWAT model with application in Flanders, Northern. *Hydrology and Earth System Sciences Discussions, European Geosciences Union, 2004*, 8 (5), Pp.931-939.
- Hoad, K., Robinson, S., & Davies, R. (2010). Automating warm-up length estimation. *Journal of the Operational Research Society*, 61(9), 1389–1403. <https://doi.org/10.1057/jors.2009.87>
- Hong, N., HAMA, T., KITAJIMA, T., AQILI, S. W., HUANG, X., WEI, Q., & KAWAGOSHI, Y. (2015). Simulation of Groundwater Levels Using Tank Model with Consideration of Mixed Hydrological Structure in Kumamoto City. *Journal of Water and Environment Technology*, 13(4), 313–324.
- Hwang, S. H., Ham, D. H., & Kim, J. H. (2012). A new measure for assessing the efficiency of hydrological data-driven forecasting models. *Hydrological sciences journal*, 57(7), 1257-1274.

- Jajarmizadeh, M., Harun, S., & Salarpour, M. (2012). A review on Theoretical Consideration and Types of Models in Hydrology. *Journal of Environmental Science and Technology*, Vol. 5, pp. 249–261.
- Jan , Chris , Rajbir , Kurt , Muluken, B. (2017). An Overview of Rainfall-Runoff Model Types. *U.S. Environmental Protection Agency*, (September), 0–29.
- Jayasinghe, S. N., & Rajapakse, L. H. L. (2017). Hydrological Modelling Approach for Flood and Water Pollution Control in an Ungauged Catchment-A Case Study in Erewwala Catchment in Bolgoda River Basin, Sri Lanka.
- Jeffrey, M. (2016). Scale Implications of Integrated Water Resource Management Politics: Lessons from New Zealand. *Environmental Policy and Governance*, 26(4), 306–319. <https://doi.org/10.1002/eet.1719>
- José, J., Moreno, M., Pol, A. P., Abad, A. S., Blasco, B. C., José, J., ... Blasco, B. C. (2013). Using the R-MAPE index as a resistant measure of forecast accuracy. *Psicothema*, 25(4), 500-506.
- Kim, K. B., Kwon, H. H., & Han, D. (2018). Exploration of warm-up period in conceptual hydrological modelling. *Journal of Hydrology*, 556(November 2017), 194–210. <https://doi.org/10.1016/j.jhydrol.2017.11.015>
- Knapp, H. V., Durgunoglu, A., & Ortel, T. W. (1991). A Review of Rainfall-Runoff Modeling for Stormwater Management. *U.S. Geological Survey, Illinois District*, (October), 96.
- Krause, P., & Boyle, D. P. (2005). Comparison of different efficiency criteria for hydrological model assessment. *Advances in Geosciences*, European Geosciences Union, 2005, 5, pp.89-97. [hal-00296842](#).
- Kumarasamy, K., & Belmont, P. (2018). Calibration parameter selection and watershed hydrology model evaluation in time and frequency domains. *Water (Switzerland)*, 10(6). <https://doi.org/10.3390/w10060710>
- Kuok, K. K., Harun, S., & Chiu, P. (2011). Investigation best number of tanks for hydrological tank model for rural catchment in humid region. *The Journal of the Institution of Engineers, Malaysia*, 72(4), 1-11.
- Li, Ji, Chen, Y., Wang, H., Qin, J., Li, J., & Chiao, S. (2017). Extending flood forecasting lead time in a large watershed by coupling WRF QPF with a distributed hydrological model. *Hydrology and Earth System Sciences*, 21(2), 1279.
- Li, Jin. (2017). Assessing the accuracy of predictive models for numerical data: Not  $r$  nor  $r^2$ , why not? Then what? *PLoS ONE* 12(8): e0183250. <https://doi.org/10.1371/journal.pone.0183250>.
- Littlewood, I. G., Down, K., Parker, J. R., & Post, D. A. (2003). IHACRES—Catchment-scale rainfall-streamflow modelling (PC version) Version 1.0—April 1997. *The Australian National University, Institute of Hydrology and Centre for Ecology and Hydrology*.

- Loukas, A., & Vasiliades, L. (2014). Streamflow simulation methods for ungauged and poorly gauged watersheds. *Natural Hazards and Earth System Sciences*, 14(7), 1641–1661. <https://doi.org/10.5194/nhess-14-1641-2014>
- Mahajan, P. S., & Ingalls, R. G. (2005). Evaluation of methods used to detect warm-up period in steady state simulation. *In Proceedings of the 2004 Winter Simulation Conference, 2004*. (Vol. 1). IEEE.
- Mango, L. M., Melesse, A. M., McClain, M. E., Gann, D., & Setegn, S. G. (2011). Land use and climate change impacts on the hydrology of the upper Mara River Basin, Kenya: Results of a modeling study to support better resource management. *Hydrology and Earth System Sciences*, 15(7), 2245–2258.
- Martinec, J., Rango, A., & Roberts, R. (2008). *Snowmelt Runoff Model (SRM) User's Manual*.
- Merritt, W. S., Croke, B. F. W., Jakeman, A. J., Letcher, R. A., & Perez, P. (2004). A Biophysical Toolbox for assessment and management of land and water resources in rural catchments in Northern Thailand. *Ecological Modelling*, 171(3), 279–300. <https://doi.org/10.1016/j.ecolmodel.2003.08.010>
- Moradkhani, H., & Sorooshian, S. (2008). General Review of Rainfall-Runoff Modeling: Model Calibration, Data Assimilation, and Uncertainty Analysis. *Hydrological Modelling and the Water Cycle*, 1–24.
- Moriasi, D. N., Arnold, J. G., Liew, M. W. Van, Bingner, R. L., Harmel, R. D., & Veith, T. L. (2007). Model Evaluation Guidelines for Systematic Quantification of Accuracy in Watershed Simulations. *Transactions of the ASABE*, 50, 885-900. <https://doi.org/10.13031/2013.23153>
- Moriasi, D. N., Arnold, J. G., Van Liew, M. W., Bingner, R. L., Harmel, R. D., & Veith, T. L. (2008). Conduction between left superior pulmonary vein and left atria and atria fibrillation under cervical vagal trunk stimulation. *Colombia Medica*, 39(3), 227–234. <https://doi.org/10.1234/590>
- Mwakalila, S. (2003). Estimation of stream flows of ungauged catchments for river basin management. *Physics and Chemistry of the Earth, Parts A/B/C*, 28(20-27), 935-942.
- Myttenaere, A. De, & Golden, B. (2017). Mean absolute percentage error for regression models. *Neurocomputing*, 192, 38-48.
- Nallaperuma, S., & Wijesekera, T. (2016). Mathematical modelling of watershed wetland crossings for flood mitigation and groundwater enhancement—case of the Attanagalu Oya river basin. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 46(3).
- Nandagiri, L. (2007). Calibrating hydrological models in ungauged basins: possible use of areal evapotranspiration instead of streamflows. *Predictions In Ungauged Basins: PUB Kick-off ...*, (November 2002), 20–22.

- Nash, J. E., & Sutcliffe, J. V. (1970). ' L ~ E Empirical or Analytical Approaeb. *Journal of Hydrology*, 10(3), 282–290.
- Nicolle, P., Pushpalatha, R., Perrin, C., François, D., Thiéry, D., Mathevet, T., ... Lorraine, D. (2014). *Benchmarking hydrological models for low-flow simulation and forecasting on French catchments*. 2829–2857
- Ou, X., Gharabaghi, B., McBean, E., & Doherty, C. (2017). Investigation of the Tank Model for Urban Storm Water Management. *Journal of Water Management Modeling*.
- Oudin, L., Andréassian, V., Perrin, C., Michel, C., & Le Moine, N. (2008). Spatial proximity, physical similarity, regression and ungaged catchments: A comparison of regionalization approaches based on 913 French catchments. *Water Resources Research*, 44(3), 1–15. <https://doi.org/10.1029/2007WR006240>
- Patil, S. (2011a). Information transfer for hydrologic prediction in engaged river basins (Doctoral dissertation, Georgia Institute of Technology).
- Pechlivanidis, I., Meteorological, S., Jackson, B., & McIntyre, N. (2018). Catchment scale hydrological modelling: A review of model types, calibration approaches and uncertainty analysis methods in the context of recent developments in technology and applications. *Global NEST Journal**Global NEST: The International Journal*, 13(3), 193–214.
- Perrin, C., Michel, C., & Andreassian, V. (2001). Does a large number of parameters enhance model performance? Comparative assessment .... *Journal of Hydrology*, 242(3–4), 275–301.
- Phien, H. N., & Pradhan, P. S. S. (1983). the Tank Model in Rainfall-Runoff Modelling. *Water SA*, 9(3), 93–102.
- Phuong, H. T., Tien, N. X., Chikamori, H., & Okubo, K. (2018). A Hydrological Tank Model Assessing Historical Runoff Variation in the Hieu River Basin. *Asian Journal of Water, Environment and Pollution*, 15(1), 75–86.
- Project, N. H. (2017). Hydrological Modeling – Current Status and Future Directions. *Environmental Earth Sciences*, 77(July), 1–19. <https://doi.org/10.1007/s12665-018-7317-6>
- Risley et al, J. (2008). Estimating flow-duration and low-flow frequency statistics for unregulated streams in Oregon (No. FHWA-OR-RD-09-03). *Geological Survey (US)*.
- Searcy, J. K. (2005). Flow-Duration Curves. *Water Encyclopedia*. <https://doi.org/10.1002/047147844x.sw321>
- Seibert, J., & McDonnell, J. J. (2010). Impacts de l'occupation du sol sur les écoulements en rivière: Une approche de détection de changement par modélisation qui inclut les incertitudes sur les paramètres. *Hydrological Sciences Journal*, 55(3), 316–332. <https://doi.org/10.1080/02626661003683264>
- Sellami, H., La Jeunesse, I., Benabdallah, S., Baghdadi, N., & Vanclooster, M. (2014).

- Uncertainty analysis in model parameters regionalization: A case study involving the SWAT model in Mediterranean catchments (Southern France). *Hydrology and Earth System Sciences*, 18(6), 2393–2413. <https://doi.org/10.5194/hess-18-2393-2014>
- Servat, E., & Dezetter, A. (1991). Sélection de fonctions critères dans le cadre d'une modélisation pluie-débit en zone de savane soudanaise. *Hydrological Sciences Journal*, 36(4), 307–330. <https://doi.org/10.1080/02626669109492517>
- Setiawan, B. I., Fukuda, T., & Nakano, Y. (2003). Developing Procedures for Optimization of Tank Model's Parameters. *Agricultural Engineering*, 1–13.
- Shakti, P., Shrestha, N., & Gurung, P. (1970). Step wise Multi-criteria Performance Evaluation of Rainfall-Runoff Models using WETSPRO. *Journal of Hydrology and Meteorology*, 7(1), 18–29.
- Shalamu, A., Chunliang, C., Muattar, S., & James Phillip, K. (2012). Application of snowmelt runoff model (SRM) in mountainous watersheds: A review. *Water Science and Engineering*, 5(April), 123–136.
- Silva, R. P. De, Dayawansa, N. D. K., & Ratnasiri, M. D. (2007). A Comparison Of Methods Used In Estimating Missing Rainfall Data. *University of Peradeniya*, (May), 101–108.
- Singh, V. P., & Birsoy, Y. K. (1975). Comparison of the Methods of Estimating Mean Areal Rainfall. *Nord Hydrol*, 6(4), 222–241.
- Singh, V. P., & Chowdhury, P. K. (1986). Comparing Some Methods of Estimating Mean Areal Rainfall. *JAWRA Journal of the American Water Resources Association*, 22(2), 275–282.
- Sivakumar, B., & Berndtsson, R. (2010). Model calibration in watershed hydrology. *Advances in data-based approaches for hydrologic modeling and forecasting*. World Scientific.
- Sivapalan, M., Takeuchi, K., Franks, S. W., Gupta, V. K., Karambiri, H., Lakshmi, V., ... Zehe, E. (2003). IAHS Decade on Predictions in Ungauged Basins (PUB), 2003-2012: Shaping an exciting future for the hydrological sciences. *Hydrological Sciences Journal*, 48(6), 857–880.
- Skøien, J. O., Blöschl, G., & Western, A. W. (2003). Characteristic space scales and timescales in hydrology. *Water Resources Research*, 39(10).
- Smakhtin, V. U. (2001). Low flow hydrology: a review. *Journal of Hydrology*, 240, 147–186.
- Surya, R., Yanuar Purwanto, M. J., & Sapei, A. (2014). Tank Model to See The Effect of Land Use Changes on Runoff, Infiltration and Groundwater in Sub Watershed of Konaweha South East Sulawesi Indonesia. *Journal of Environment and Earth Science*, 4(14).
- Takeuchi, K., Schertzer, D., O'connell, P. E., Liang, X., Karambiri, H., Zehe, E., ... Oki, T. (2005). IAHS Decade on Predictions in Ungauged Basins (PUB), 2003–

- 2012: Shaping an exciting future for the hydrological sciences. *Hydrological Sciences Journal*, 48(6), 857–880.
- Tessema, S. M. (2011). Hydrological modeling as a tool for sustainable water resources management: *a case study of the Awash River Basin* (Doctoral dissertation, KTH Royal Institute of Technology).
- Thapa, G., & Wijesekera, N. T. S. (2017). *Computation and Optimization of Snyder's Synthetic Unit Hydrograph Parameters*. (January), 83–88.
- Tofallis, C. (2017). A better measure of relative prediction accuracy for model selection and model estimation, *Journal of the Operational Research Society*, 66:8, 1352-1362, DOI: 10.1057/jors.2014.103. (March 2015).
- Van Liew, M. W., Arnold, J. G., & Bosch, D. D. (2005). Problems and potential of autocalibrating a hydrologic model. *Transactions of the American Society of Agricultural Engineers*, 48(3), 1025–1040. <https://doi.org/10.13031/2013.18514>
- Wagener, T., Boyle, D. P., Lees, M. J., Wheater, H. S., Gupta, H. V., & Sorooshian, S. (2001). A framework for development and application of hydrological models. *Hydrology and Earth System Sciences*, 5(1), 13–26. <https://doi.org/10.5194/hess-5-13-2001>
- Wan Ismail, W. N., & Wan Ibrahim, W. Z. W. Z. (2017). Estimation of rainfall and stream flow missing data for Terengganu, Malaysia by using interpolation technique methods. *Malaysian Journal of Fundamental and Applied Sciences*, 13(3), 213–217. <https://doi.org/10.11113/mjfas.v13n3.578>
- Wang, G., Mang, S., Cai, H., Liu, S., Zhang, Z., Wang, L., & Innes, J. L. (2016). Integrated watershed management: evolution, development and emerging trends. *Journal of Forestry Research*, 27(5), 967–994.
- Wijesekera, N. T. . (2010). Water resources and climate change. *Encyclopedia of Earth Sciences Series*, (February), 731–733. [https://doi.org/10.1007/978-94-017-8801-4\\_288](https://doi.org/10.1007/978-94-017-8801-4_288)
- Wijesekera, N. T. S. (2018). *Classification of Streamflow Observations for Water Management*. (February). <https://doi.org/10.13140/RG.2.2.23605.58089>
- Wijesekera, N. T. S., & Musiaka, K. (1990). Streamflow Modelling of Sri Lankan Catchments ( 2 ) - Kalu River Catchment at Putupaula. *Seisan Kenkyu*, 42(11), 645–648.
- Winsemius, H. C., Schaefli, B., Montanari, A., & Savenije, H. H. G. (2009). On the calibration of hydrological models in ungauged basins: A framework for integrating hard and soft hydrological information. *Water Resources Research*, 45(1). <https://doi.org/10.1029/2009WR007706>
- WMO. (1975). Intercomparison of conceptual models used in operational hydrological forecasting. *Operational Hydrology Report*, (7), 198.
- Yates, D. (1994). WatBal: An Integrated Water Balance Model for Climate Impact Assessment of River Basin Runoff, *International Journal of Water Resources*



*Development*, 12:2, 121-140, DOI: 10.1080/07900629650041902.

Yilmaz, K. K., Gupta, H. V., & Wagener, T. (2008). A process-based diagnostic approach to model evaluation: Application to the NWS distributed hydrologic model. *Water Resources Research*, 44(9), 1–18.

Zeiger, S., & Hubbart, J. (2017). An assessment of mean areal precipitation methods on simulated stream flow: A SWAT model performance assessment. *Water (Switzerland)*, 9(7). <https://doi.org/10.3390/w9070459>

Zhang, Y. Q., & Chiew, F. H. S. (2009). Evaluation of regionalisation methods for predicting runoff in ungauged catchments in southeast Australia. *18th World IMACS Congress and MODSIM09 International Congress on Modelling and Simulation: Interfacing Modelling and Simulation with Mathematical and Computational Sciences, Proceedings*, (July), 3442–3448.