

9 References

- Abeynayake, J. C. (2000). *Peakflow estimation in ungauged watersheds using flood transposition: A Study of Watersheds in the Wet Zone of Sri Lanka*. University of Moratuwa.
- Amarasinghe, U. A., Muthuwatta, L., & Sakthivadivel, R. (1999). *Water Scarcity Variations within a Country: A Case Study of Sri Lanka*. Colombo.
- Arifjaya, N. M., Kusmana, C., Abdullah, K., Prasetyo, L. B., & Setiawan, B. I. (2011). Application of Tank Model for Predicting Water Balance and Flow Discharge Components of Cisadane Upper Catchment. *JMHT, XVII*(2), 63–70. <https://doi.org/10.7226/jmht.17.2.63-70>
- Ariyasena, M. A. D. N. (2019). *Identification of minimum data duration for monthly water balance model calibration*. University of Moratuwa.
- Bai, P., Liu, X., Liang, K., & Liu, C. (2015). Comparison of performance of twelve monthly water balance models in different climatic catchments of China. *Journal of Hydrology*. <https://doi.org/http://dx.doi.org/10.1016/j.jhydrol.2015.09.015>
- Bandara, N. J. G. J. (2003). Water and wastewater related issues in Sri Lanka. *Water Science and Technology*, 47(12), 305–312.
- Bárdossy, A. (2007). Calibration of hydrological model parameters for ungauged catchments. *Hydrology and Earth System Sciences*, 11(2), 703–710.
- Basri, H. (2013). Development of Rainfall-runoff Model Using Tank Model : Problems and Challenges in Province of Aceh , Indonesia. *Aceh International Journal of Science and Technology*, 2(1), 26–36.
- Beven, K. (2012). *Rainfall-Runoff Modelling: The Primer* (Second). Wiley-Blackwell.
- Chen, R. S., Pi, L. C., & Hsieh, C. C. (2005). Application of parameter optimization method for calibrating tank model. *Journal of the American Water Resources Association*, 41(2), 437–448.

Association, 41(2), 389–402. <https://doi.org/10.1111/j.1752-1688.2005.tb03743.x>

Chen, S., Chen, R., & Yang, T. (2014). Application of a tank model to assess the flood-control function of a terraced paddy field. *Hydrological Sciences Journal*, 59(5), 1020–1031. <https://doi.org/10.1080/02626667.2013.822642>

Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*. McGraw-Hill Book Company.

Cooper, V. A., Nguyen, V. T. V., & Nicell, J. A. (1997). Evaluation of global optimization methods for conceptual rainfall-runoff model calibration. *Water Science and Technology*, 36(5), 53–60. [https://doi.org/10.1016/S0273-1223\(97\)00461-7](https://doi.org/10.1016/S0273-1223(97)00461-7)

Daggupati, P., Pai, N., Ale, S., Douglas-Mankin, K. R., Zeckoski, R. W., Jeong, J., ... Youssef, M. A. (2015). A recommended calibration and validation strategy for hydrologic and water quality models. *Hydrologic & Water Quality Model Calibration Guidelines*, 58(6), 1705–1719.
<https://doi.org/10.13031/trans.58.10712>

Daniel, E. B., Camp, J. V., LeBoeuf, E. J., Penrod, J. R., Dobbins, J. P., & Abkowitz, M. D. (2011). Watershed Modeling and its Applications: A State-of-the-Art Review. *The Open Hydrology Journal*, 5, 26–50.
<https://doi.org/10.2174/1874378101105010026>

De Silva, R. P. (1997). *Spatiotemporal Hydrological Modelling with GIS for the Upper Mahaweli Catchment, Sri Lanka*. Cranfield University.

Devaliya, S., Tiwari, H. L., & Balvanshi, A. (2017). Runoff Estimation of a Basin Using Tank Model. *International Journal of Emerging Research in Management & Technology*, 6(5), 51–53.
<https://doi.org/10.23956/ijermt/SV6N4/128>

Devia, G. K., Ganasri, B. P., & Dwarkish, G. S. (2015). A Review on Hydrological Models. *Aquatic Procedia*, 4(July), 1001–1007.

<https://doi.org/10.1016/j.aqpro.2015.02.126>

- Diskin, M. H., & Simon, E. (1977). A procedure for the selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34, 129–149.
- Dissanayake, P. K. M. (2017). *Applicability of a two parameter water balance model to simulate daily rainfall runoff – case study of Kalu and Gin river basins in Sri Lanka*. University of Moratuwa.
- Elkaduwa, W. K. B., & Sakthivadivel, R. (1999). *Use of Historical data as a decision support tool in watershed management: A case study of the Upper Nilwala Basin in Sri Lanka* (Vol. 26). Colombo.
- Esse, W. R. Van, Perrin, C., Booij, M. J., Augustijn, D. C. M., Fenicia, F., Kavetski, D., & Lobje, F. (2013). The influence of conceptual model structure on model performance : a comparative study for 237 French catchments. *Hydrology and Earth System Sciences*, 17, 4227–4239.
<https://doi.org/10.5194/hess-17-4227-2013>
- Excel Solver, Optimization Software, Monte Carlo Simulation, Data Mining - Frontline Systems. (n.d.). Retrieved March 3, 2020, from <https://www.solver.com/>
- FAO. (2012). *Coping with water scarcity: An action framework for agriculture and food security*. Rome.
- Gaume, E., & Gosset, R. (2005). Over-parameterisation, a major obstacle to the use of artificial neural networks in hydrology? *Hydrology and Earth System Sciences*, 7(5), 693–706.
- Gill, M. K., Kaheil, Y. H., Khalil, A., McKee, M., & Bastidas, L. (2006). Multiobjective particle swarm optimization for parameter estimation in hydrology. *Water Resources Research*, 42(W07417), 1–14.
<https://doi.org/10.1029/2005WR004528>
- Gracia, F., Folton, N., & Oudin, L. (2017). Which objective function to calibrate

- rainfall–runoff models for low-flow index simulations? *Hydrological Sciences Journal*. <https://doi.org/10.1080/02626667.2017.1308511>
- Hoad, K., Robinson, S., & Davies, R. (2008). Automating warm-up length estimation . *Proceedings of the 2008 Winter Simulation Conference.*
- Houghton-carr, H. (1999). Assessment criteria for simple conceptual daily rainfall-runoff models. *Hydrological Sciences Journal*, 44(2), 237–261.
<https://doi.org/10.1080/02626669909492220>
- Hwang, S. H., Ham, D. H., & Kim, J. H. (2012). A new measure for assessing the efficiency of hydrological data-driven forecasting models. *Hydrological Sciences Journal*, 57(7), 1257–1274.
<https://doi.org/10.1080/02626667.2012.710335>
- Hyndman, R. J., & Koehler, A. B. (2006). Another look at measures of forecast accuracy. *International Journal of Forecasting*, 22, 679–688.
- Imbulana, K. A. U. S., Wijesekera, N. T. S., & Neupane, B. R. (2006). *Sri Lanka National Water Development Report “Water: A shared responsibility.”*
- Jaiswal, R. K., Ali, S., & Bharti, B. (2020). Comparative evaluation of conceptual and physical rainfall–runoff models. *Applied Water Science*, 10(48), 1–14.
<https://doi.org/10.1007/s13201-019-1122-6>
- Jayadeera, P. M. (2016). *Development of a Rainfall Runoff model for Kalu Ganga basin of Sri Lanka using Hec- HMS model*. University of Moratuwa, Sri Lanka.
- Jie, M.-X., Chen, H., Xu, C.-Y., Zeng, Q., & Tao, X. (2016). A comparative study of different objective functions to improve the flood forecasting accuracy. *IWA Publishing, Hydrology Research*, 718–735. <https://doi.org/10.2166/nh.2015.078>
- Jie, M. X., Chen, H., Xu, C. Y., Zeng, Q., & Tao, X. E. (2016). A comparative study of different objective functions to improve the flood forecasting accuracy. *Hydrology Research*, 47(4), 718–735. <https://doi.org/10.2166/nh.2015.078>
- Johnston, P. R., & Pilgrim, D. H. (1976). Parameter Optimization for Watershed

- Models. *Water Resources Research*, 12(3), 477–486.
- Jonch-Clausen, T. (2004). "Integrated Water Resources Management (IWRM) and Water Efficiency Plans by 2005 " Why , What and How ? Global Water Partnership.
- Kamran, M., & Rajapakse, R. L. H. L. (2018). Effect of Watershed Subdivision and Antecedent Moisture Condition on HEC-HMS Model Performance in the Maha Oya Basin , Sri Lanka. *International Journal of Engineering Technology and Sciences*, 5(2), 22–37. <https://doi.org/10.15282/ijets.5.2.2018.1004>
- Kim, K. B., Kwon, H., & Han, D. (2017). Exploration of warm-up period in conceptual hydrological modelling. *Journal of Hydrology*.
<https://doi.org/10.1016/j.jhydrol.2017.11.015>
- Kim, S., & Kim, H. (2016). A new metric of absolute percentage error for intermittent demand forecasts. *International Journal of Forecasting*, 32, 669–679.
- Kokkonen, T. S., Jakeman, A. J., Young, P. C., & Koivusalo, H. J. (2003). Predicting daily flows in ungauged catchments: Model regionalization from catchment descriptors at the Ceweeta Hydrologic Laboratory, North Carolina. *Hydrological Processes*, 17, 2219–2238. <https://doi.org/10.1002/hyp.1329>
- Kubo, N., & Don, N. C. (2000). Intergration of Tank and Unstaedy Flow Models. *Rural and Environmental Engineering*, 39(8), 25–35.
- Kumarasamy, K., & Belmont, P. (2018). Calibration Parameter Selection and Watershed Hydrology Model Evaluation in Time and Frequency Domains. *Water*, 10(710). <https://doi.org/10.3390/w10060710>
- Kuok, K. K., Harun, S., & Chiu, P. (2011). Investigation Best Number of Tanks for Hydrological Tank Model for Rural Catchment in Humid Region. *Journal of the Institution of Engineers, Malaysia*, 72(4).
- Li, C. Z., Wang, H., Liu, J., Yan, D. H., Yu, F. L., & Zhang, L. (2010). Effect of

- calibration data series length on performance and optimal parameters of hydrological model. *Water Science and Engineering*, 3(4), 378–393.
<https://doi.org/10.3882/j.issn.1674-2370.2010.04.002>
- Loucks, D. P. (2000). Sustainable Water Resources Management. *Water International*, 25(1), 3–10. <https://doi.org/10.1080/02508060008686793>
- Maidment, D. R. (1993). *Handbook of Hydrology* (First). New York: McGraw-Hill.
- Middelkoop, H., Daamen, K., Gellens, D., Grabs, W., Kwadijk, J. C. J., Lang, H., ... Schadler, B. (2001). Impact of climate change on hydrological regimes and water resources management in the Rhine Basin. *Climate Change*, 49, 105–128.
- Moriasi, D. N., Arnold, J. G., Liew, M. W. Van, Bingner, R. L., Harmel, R. D., & Veith, T. L. (2007). Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. *American Society of Agricultural and Biological Engineers*, 50(3), 885–900.
- Mostafaie, A., Forootan, E., Safari, A., & Schumacher, M. (2018). Comparing multi-objective optimization techniques to calibrate a conceptual hydrological model using in situ runoff and daily GRACE data. *Computational Geosciences*, 22(3), 789–814. <https://doi.org/10.1007/s10596-018-9726-8>
- Nash, J. E., & Sutcliffe, I. V. (1970). River flow forecasting through conceptual models Part I - A discussion of principles. *Journal of Hydrology*, 10, 282–290.
- Nepal, S., Flügel, W. A., Krause, P., Fink, M., & Fischer, C. (2017). Assessment of spatial transferability of process-based hydrological model parameters in two neighbouring catchments in the Himalayan Region. *Hydrological Processes*, 31, 2812–2826. <https://doi.org/10.1002/hyp.11199>
- Nruthya, K., & Srinivas, V. V. (2015). Evaluating Methods to Predict Streamflow at Ungauged Sites Using Regional Flow Duration Curves: A Case Study. *Aquatic Procedia*, 4, 641–648. <https://doi.org/10.1016/j.aqpro.2015.02.083>
- Olofintoye, O., Adeyemo, J., & Otieno, F. (2013). Evolutionary Algorithms and

- Water Resources Optimization. In O. Schütze, C. A. Coello Coello, A.-A. Tantar, E. Tantar, P. Bouvry, P. Del Moral, & P. Legrand (Eds.), *EVOLVE - A Bridge between Probability, Set Oriented Numerics, and Evolutionary Computation II* (pp. 491–506). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Othman, F., Heydari, M., Sadeghian, M., Rashidi, M., & Parsa, M. S. (2014). The Necessity of Systematic and Integrated Approach in Water Resources Problems and Evaluation Methods , a Review. *Advances in Environmental Biology*, 8(19), 307–315.
- Ou, X., Gharabaghi, B., Mcbean, E., & Doherty, C. (2017). Investigation of the Tank Model for Urban Storm Water Management. *Journal of Water Management Modeling*, 25(C421). <https://doi.org/10.14796/JWMM.C421>
- Oudin, L., Andréassian, V., Perrin, C., Michel, C., & Le Moine, N. (2008). Spatial proximity, physical similarity, regression and ungauged catchments: A comparison of regionalization approaches based on 913 French catchments. *Water Resources Research*, 44(W03413).
<https://doi.org/10.1029/2007WR006240>
- Patil, S., & Stieglitz, M. (2014). Modelling daily streamflow at ungauged catchments: What information is necessary? *Hydrological Processes*, 1159–1169. <https://doi.org/10.1002/hyp.9660>
- Patil, S., & Stieglitz, M. (2015). Comparing spatial and temporal transferability of hydrological model parameters. *Journal of Hydrology*, 525, 409–417.
<https://doi.org/10.1016/j.jhydrol.2015.04.003>
- Pechlivanidis, I. G., Jackson, B. M., McIntyre, N. R., & Wheater, H. S. (2011). Catchment scale hydrological modeling: A review of model types, calibration approaches and uncertainty analysis methods in the context of recent developments in technology and applications. *Global NEST Journal*, 13(3), 193–214.
- Perrin, C., Michel, C., & Andréassian, V. (2001). Does a large number of parameters

- enhance model performance? Comparative assessment of common catchment model structures on 429 catchments. *Journal of Hydrology*, 242(3), 275–301.
- Phien, H. N., & Pradhan, P. S. S. (1983). The tank model in rainfall-runoff modelling. *Water SA*, 9(3), 93–102.
- Phuong, H. T., Tien, N. X., Chikamori, H., & Okubo, K. (2018). A Hydrological Tank Model Assessing Historical Runoff Variation in the Hieu River Basin. *Asian Journal of Water, Environment and Pollution*, 15(1), 75–86.
<https://doi.org/10.3233/AJW-180008>
- Radif, A. A. (1999). Integrated water resources management (IWRM): an approach to face the challenges of the next century and to avert future crises. *Desalination*, 124, 145–153.
- Rathnayake, U., Sachindra, D. A., & Nandalal, K. D. W. (2010). Rainfall Forecasting for Flood Prediction in the Nilwala Basin. *International Conference on Sustainable Built Environment*, 355–362. Kandy.
- Razavi, T., & Coulibaly, P. (2013). Streamflow Prediction in Ungauged Basins: Review of Regionalization Methods. *Journal of Hydrologic Engineering*, 18(8), 958–975.
- Razavi, T., & Coulibaly, P. (2016). An evaluation of regionalization and watershed classification schemes for continuous daily streamflow prediction in ungauged watersheds. *Canadian Water Resources Journal*.
<https://doi.org/10.1080/07011784.2016.1184590>
- Reed, S., Koren, V., Smith, M., Zhang, Z., Moreda, F., & Seo, D. J. (2004). Overall distributed model intercomparison project results. *Journal of Hydrology*, 298, 27–60. <https://doi.org/10.1016/j.jhydrol.2004.03.031>
- Samad, M., Aheeyar, M., Royo-Olid, J., & Arulingam, I. (2017). *The political and institutional context of the water sector in Sri Lanka: An overview*.
<https://doi.org/10.2871/321079>

- Searcy, J. K., & Hardison, C. H. (1960). Double-Mass Curves. In *Manual of Hydrology: Part 1. General Surface-Water Techniques*. Washington: United states government printing office.
- Servat, E., & Dezetter, A. (1991). Selection of calibration objective functions in the context of rainfall-runoff modelling in a Sudanese savannah area. *Hydrological Sciences Journal*, 36(4), 307–330. <https://doi.org/10.1080/02626669109492517>
- Setiawan, B. I., Fukuda, T., & Nakano, Y. (2003). Developing Procedures for Optimization of Tank Model's Parameters. *Agricultural Engineering International: The CIGR Journal of Scientific Research and Development*.
- Setiawan, B. I., Rudyanto, Ilstedt, U., & Malmer, A. (2007). *Optimization of Hydrologic Tank Model's Parameters*.
- Shaw, E. M. (1994). *Hydrology in Practice* (Third Edit).
- Silva, R. P. De, Dayawansa, N. D. K., & Ratnasiri, M. D. (2007). A comparison of methods used in estimating missing rainfall data. *The Journal of Agricultural Science*, 3(2), 101–108.
- Singh, V. P., & Woolhiser, D. A. (2002). Mathematical Modeling of Watershed Hydrology. *Journal of Hydrologic Engineering*, 7, 270–292. [https://doi.org/10.1061/\(ASCE\)1084-0699\(2002\)7:4\(270\)](https://doi.org/10.1061/(ASCE)1084-0699(2002)7:4(270))
- Sitterson, J., Knights, C., Parmar, R., Wolfe, K., Muche, M., & Avant, B. (2017). An Overview of Rainfall-Runoff Model Types. In *U.S. Environmental Protection Agency*.
- Song, J., Her, Y., Park, J., Lee, K., & Kang, M. (2017). Simulink Implementation of a Hydrologic Model: A Tank Model Case Study. *Water*, 9. <https://doi.org/10.3390/w9090639>
- Song, J., Her, Y., Suh, K., Kang, M., & Kim, H. (2019). Regionalization of a Rainfall-Runoff Model: Limitations and Potentials. *Water*, 11(2257). <https://doi.org/10.3390/w11112257>

- Sorooshian, S., & Gupta, V. K. (1983). Automatic calibration of conceptual rainfall-runoff models: The question of parameter observability and uniqueness. *Water Resources Research*, 19(1), 260268.
- Subramanya, K. (2008). *Engineering Hydrology* (Third Edit).
[https://doi.org/10.1016/0022-1694\(75\)90105-5](https://doi.org/10.1016/0022-1694(75)90105-5)
- Sugawara, M. (1995). Chapter 6: Tank Model. In V. P. Singh (Ed.), *Computer models of watershed hydrology* (p. 1130). Water Resources Publications.
- Sugawara, M., Watanabe, I., Ozaki, E., & Katsuyama, Y. (1984). *Tank Model with Snow Component : Research Notes of the National Research Center for Disaster Prevention*. National Research Center for Disaster Prevention.
- Suhaila, J., Sayang, M. D., & Jemain, A. A. (2008). Revised Spatial Weighting Methods for Estimation of Missing Rainfall Data. *Asia-Pacific Journal of Atmospheric Sciences*, 44(2), 93–104.
- Tamalew, C., & Kemal, A. (2016). Estimation of Discharge for Ungauged Catchments Using Rainfall-Runoff Model in Didessa Sub-Basin : the Case of Blue Nile River,Ethiopia. *International Journal of Innovations in Engineering Research and Technology [Ijiert]*, 3(9), 62–72.
<https://doi.org/10.1177/154193120605001782>
- Teegavarapu, R. S. V, Tufail, M., & Ormsbee, L. (2009). Optimal functional forms for estimation of missing precipitation data. *Journal of Hydrology*, 374, 106–115. <https://doi.org/10.1016/j.jhydrol.2009.06.014>
- UN. (2006). *Water: a shared responsibility; the United Nations World Water Development report 2.*
- Vaze, J., Jordan, P., Beecham, R., Frost, A., & Summerell, G. (2011). *Guidelines for rainfall-runoff modelling: Towards best practice model application*. eWater Cooperative Research Centre.
- Wagener, T., Wheater, H. S., & Gupta, H. V. (2004). *Rainfall-Runoff Modeling in*

- Gauged and Ungauged Catchments* (T. K. Wei, Ed.). Imperial College Press.
- Wan Ismail, W. N., Wan Zin, W. Z., & Ibrahim, W. (2017). Estimation of rainfall and stream flow missing data for Terengganu, Malaysia by using interpolation technique methods. *Malaysian Journal of Fundamental and Applied Sciences*, 13(3), 213–217. <https://doi.org/10.11113/mjfas.v13n3.578>
- Wang, Q. J., Pagano, T. C., Zhou, S. L., Hapuarachchi, H. A. P., Zhang, L., & Robertson, D. E. (2011). Monthly versus daily water balance models in simulating monthly runoff. *Journal of Hydrology*, 404(3–4), 166–175. <https://doi.org/10.1016/j.jhydrol.2011.04.027>
- Wijesekera, N. T. S. (1993). *Conceptual model structure development for streamflow simulation in the tropics*. University of Tokyo.
- Wijesekera, N. T. S. (2000). Parameter Estimation in Watershed Model : A Case Study Using Gin Ganga Watershed. *Transactions 2000, Annual Sessions of the Institution of Engineers of Sri Lanka, Volume 1(Part B)*, 26–32.
- Wijesekera, N. T. S. (2011). Irrigation Infrastructure Management Requirements to Ensure Water Security for Impoverished Rural Populations under Climate Change Scenario. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, XXXXIV(02).
- Wijesekera, N. T. S., & Perera, L. R. H. (2012). Key Issues of Data and Data Checking for Hydrological Analyses - Case Study of Rainfall Data in the Attanagalu Oya Basin of Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 45(2), 1. <https://doi.org/10.4038/engineer.v45i2.6936>
- WMO. (2018). *Guide to climatological practices*. World Meteorological Organization.
- Wurbs, R. A. (1994). *Computer Models for Water Resources Planning and Management*.
- Xu, C. Y., & Singh, V. P. (1998). A Review on Monthly Water Balance Models for

Water Resources Investigations. *Water Resources Management*, 12(1), 31–50.

<https://doi.org/10.1023/A:1007916816469>

Xu, C. Y., & Singh, V. P. (2004). Review on Regional Water Resources Assessment Models under Stationary and Changing Climate. *Water Resources Management*, 18, 591–612.

Xu, D. M., Wang, W. C., Chau, K. W., Cheng, C. T., & Chen, S. Y. (2013). Comparison of three global optimization algorithms for calibration of the Xinanjiang model parameters. *Journal of Hydroinformatics*, 15(1), 174–193.
<https://doi.org/10.2166/hydro.2012.053>

Yokoo, Y., Kazama, S., Sawamoto, M., & Nishimura, H. (2001). Regionalization of lumped water balance model parameters based on multiple regression. *Journal of Hydrology*, 246(1–4), 209–222. [https://doi.org/10.1016/S0022-1694\(01\)00372-9](https://doi.org/10.1016/S0022-1694(01)00372-9)