

## References

- [1]. M. Lundmark, The zone concept – Design of low-voltage installations considering the spread of high frequency harmonics, PhD thesis Luleå University of Technology, 2010.
- [2]. Sarah K. Rönnberg, Math H.J. Bollen, Hortensia Amaris, Gary W. Chang, Irene Y.H. Gu, Łukasz H. Kocewiak, Jan Meyer, Magnus Olofsson, Paulo F. Ribeiro, Jan Desmet, On waveform distortion in the frequency range of 2kHz–150kHz—Review and research challenges, *Electric Power Systems Research*, Volume 150, 2017, Pages 1-10, ISSN 0378-7796.
- [3]. M. Bollen et al., "Future work on harmonics - some expert opinions Part I - wind and solar power," 2014 16th International Conference on Harmonics and Quality of Power (ICHQP), Bucharest, 2014, pp. 904-908.
- [4]. J. Meyer et al., "Future work on harmonics - some expert opinions Part II - supraharmonics, standards and measurements," 2014 16th International Conference on Harmonics and Quality of Power (ICHQP), Bucharest, 2014, pp. 909-913
- [5]. S. Rönnberg, A. Larsson, M. Bollen, and J.-L. Schanen, "A simple model for interaction between equipment at a frequency of some tens of kHz," in *Proceedings of CIRED 21st International Conference on Electricity Distribution*, 2011.
- [6]. M. H. J. Bollen and S. K. Rönnberg, "Primary and secondary harmonics emission; harmonic interaction - a set of definitions," 2016 17th International Conference on Harmonics and Quality of Power (ICHQP), Belo Horizonte, 2016, pp. 703-708.
- [7]. M. Bollen, M. Olofsson, A. Larsson, S. Rönnberg and M. Lundmark, "Standards for supraharmonics (2 to 150 kHz)," in *IEEE Electromagnetic Compatibility Magazine*, vol. 3, no. 1, pp. 114-119, 1st Quarter 2014.
- [8]. E. O. A. Larsson, C. M. Lundmark and M. H. J. Bollen, "Measurement of current taken by fluorescent lights in the frequency range 2-150 kHz," 2006 IEEE Power Engineering Society General Meeting, Montreal, Que., 2006.

- [9]. R. Torquato, Wilsun Xu, W. Freitas, J. Lepka and R. Pascal, "Propagation characteristics of high-frequency harmonics in distribution systems," 2016 IEEE Power and Energy Society General Meeting (PESGM), Boston, MA, 2016, pp. 1-5.
- [10]. Sarah Rönnerberg, Emission and Interaction from Domestic Installations in the Low Voltage Electricity Network, up to 150 kHz, PhD thesis, Luleå University of Technology, Luleå, Sweden, December 2013.
- [11]. J. Behkesh Noshahr, "Emission phenomenon of supra-harmonics caused by switching of full-power frequency converter of wind turbines generator (PMSG) in smart grid," 2016 IEEE 16th International Conference on Environment and Electrical Engineering (EEEIC), Florence, 2016, pp. 1-6.
- [12]. E. O. A. Larsson, M. H. J. Bollen, M. G. Wahlberg, C. M. Lundmark and S. K. Rönnerberg, "Measurements of High-Frequency (2–150 kHz) Distortion in Low-Voltage Networks," in IEEE Transactions on Power Delivery, vol. 25, no. 3, pp. 1749-1757, July 2010.
- [13]. C. M. Lundmark, E. O. A. Larsson and M. H. J. Bollen, "Unintended consequences of limiting high-frequency emission by small end-user equipment," 2006 IEEE Power Engineering Society General Meeting, Montreal, Que., 2006
- [14]. J. Meyer, M. Klatt, S. Schotte, Modeling of emission of PV inverters and Electric vehicles based on measurements, Harmonics from 2 kHz to 150 kHz: Immunity, Emission, Assessment and Compatibility (2015).
- [15]. Raju, Nazmul Islam & Islam, Md Shahinur & Uddin, A.A.. (2013). Sinusoidal pwm signal generation technique for three phase voltage source inverter with analog circuit & simulation of pwm inverter for standalone load & micro-grid system. International Journal of Renewable Energy Research. 3. 647-658.
- [16]. J. D. Darmawardana *et al.*, "Investigation of high frequency emissions (supraharmonics) from small, grid-tied, photovoltaic inverters of different topologies," 2018 18th International Conference on Harmonics and Quality of Power (ICHQP), Ljubljana, 2018, pp. 1-6.

- [17]. S. Yanchenko, J. Meyer, Harmonic emission of household devices in presence of typical voltage distortions, Proc. IEEE Power Tech (2015).
- [18]. M. Rioual, C. Zakhour, M. López-Amorós, J.-L. Barges, S. Nasr, Description of the low frequency phenomena involved when connecting a 3 kW EV charger to the distribution network and their validation by on site tests, Panel presentation, 2015 IEEE PES General Meeting, 201.
- [19]. S. Bhattacharyya, J.F.G. Cobben, W.L. Kling, Harmonic current pollution in a low voltage network, Proc. Power and Energy Society General Meeting (2010) 1–8.
- [20]. R. Langella, L. Nugnes, A. Testa, Behavior of MV lines from 2.5 to 100 kHz, Proc. IEEE PES General Meeting (2012).
- [21]. A. Varatharajan, S. Schoettke, J. Meyer, A. Abart, Harmonic emission of large PV installations—case study of a 1 MW solar campus, Proc. Int Conf on Renewable Energy and Power Quality (ICREPQ) (2014).
- [22]. R. Torquato, W. Freitas, G.R.T. Hax, A.R. Donadon, R. Moya, High frequency harmonic distortions measured in a Brazilian solar farm, 17th International Conference on Harmonics and Quality of Power (ICHQP). 16–19 October(2016).
- [23]. M. Klatt, J. Meyer, P. Schegner, A. Koch, J. Myrzik, C. Korner, T. Darda, G.Eberl, Emission levels above 2 kHz—laboratory results and survey measurements in public low voltage grids, Proc. 22nd Int. Conf. and Exhibition On Electricity Distribution (CIRED) (2013).
- [24]. A. Larsson, M. Bollen, Measurement result from 1 to 48 fluorescent lamps in the frequency range 2 to 150 kHz, 2010 14th Int. Conf. on Proc. Harmonics and Quality of Power (ICHQP) (2010) 1–8.
- [25]. R. Torquato, W. Freitas, G.R.T. Hax, A.R. Donadon, R. Moya, High frequency harmonic distortions measured in a Brazilian solar farm, 17th International Conference on Harmonics and Quality of Power (ICHQP). 16–19 October(2016).

- [26]. C. Unger, K. Krüger, M. Sonnenschein, R. Zurowski, Disturbances due to voltage distortion in the kHz range—experiences and mitigation measures, Proc. 18th Int. Conf. on Electricity Distribution (2005).
- [27]. R. Smolinski, Conducted Electromagnetic Interference (EMI) in Smart Grids, Springer Science & Business Media, 2012.
- [28]. S. Schöttke, J. Meyer, P. Schegner, S. Bachmann, Emission in the frequency range of 2 kHz to 150 kHz caused by electrical vehicle charging, Proc. International Symposium on Electromagnetic Compatibility (EMC Europe) (2014).
- [29] CENELEC SC205A, Mains Communicating Systems TF EMI Study Report on Electromagnetic Interference Between Electrical Equipment/systems in the Frequency Range below 150 kHz, Ed.3, 2015.
- [30] M. Klatt, J. Meyer, P. Schegner, R. Wolf, and B. Wittenberg, “Filter for the measurement of supraharmonics in public low voltage networks,” in IEEE International Symposium on Electromagnetic Compatibility (EMC), 2015. IEEE, Conference Proceedings, pp. 108–113.