

# References

- Aboshi, H. (1973) An experimental investigation on the similitude of consolidation of a clay including secondary creep settlement, In *Proceedings of 8<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Moscow, **4**(3), 88.
- Adachi, T. and Oka, F. (1982) Constitutive equations for normally consolidated clay based on elasto-viscoplasticity, *Soils and Foundations*, **22-4**, 57-70.
- Adachi, T. and Okano, M. (1974) A constitutive equation for normally consolidated clay, *Soils and Foundations*, **14**, 55-73.
- Adachi, T., Oka, F. and Mimura, M. (1984) Study on secondary compression of clays, In *Proceedings of Symposium on Sedimentation Consolidation Model-Prediction and Validation*, San Francisco, ASCE, 69-83.
- Adams, J.I. (1965) The engineering behavior of a Canadian Muskeg, In *Proceedings of 6<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Montreal, **1**, 3-7.
- Akai, K. and Tamura, T. (1978) Numerical analysis of multi-dimensional consolidation accompanied with elasto-plastic constitutive equation, *Tans. of Japan Society of Civil Engineers*, **269**, 995-104(in Japanese).
- Barden, L. (1969) Time dependent deformation of normally consolidated clays and peats, *Journal of Soil Mechanics and Foundation Division*, ASCE, **95**(1), 1-31.
- Berry, P.L. (1983) Application of consolidation theory for peat to the design of a reclamation scheme by preloading, *Quarterly Journal of Engineering Geology*, London, **16**, 103-112.
- Berry, P.L. & Poskitt, T.J. (1972) The consolidation of peat, *Geotechnique*, **22**(1), 27-52.
- Biot, M.A. (1962) Mechanics of deformation and acoustic propagation in porous media, *Journal of Applied Physics*, **33**(4), 1482-1498.
- Brinkgreve, R.B.J. and Vermeer, P.A. (1994) Constitutive aspects of an embankment widening project, In *Proceedings of International Workshop on Advances in Understanding and Modeling the Mechanical Behavior of Peat*, Delft, Netherlands, eds. den Haan, Termaat & Edil, 143-158, Balkema, Rotterdam.
- Burland, J.B. (1990) On the compressibility and shear strength of natural clays, *Geotechnique*, **40**(3), 329-378.


- Carrillo, N. (1942) Simple two and three dimensional cases in the theory of consolidation of soils, *Journal of Mathematics and Physics*, **21**, 1-5.
- Chai, J.C. and Miura, N. (1999) Investigation of factors affecting vertical drain behavior, *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, **125**(3), 216-226.
- Chai, J.-C., Shen, S.-L., Miura, N., Sakajo, S. and Bergado, D.T. (1995) Behavior of vertical drain improved subsoil under embankment loading, *Soils and Foundations*, **35-4**, 49-61.
- Chai, J.-C., Shen, S.-L., Miura, N. and Bergado, D.T. (2001) Simple method of modeling PVD improved subsoil, *Journal of Geotechnical Engineering*, ASCE, **127**(11), 965- 972.
- Chew, S.H. and Ng, T.G.. (2003) Consolidation, In *Proceedings of 12<sup>th</sup> Asian Regional Conference on Soil Mechanics & Geotechnical Engineering*, Singapore, eds. Lung et al., **2**, 1265-1270, World Scientific Publishing Co.
- Dafalias, Y.F. and Herrmann L.R. (1986) Boundary surface plasticity, II: application to isotropic cohesive soils, *Journal of Engineering Mechanics*, ASCE, **112**(12), 1292-1318.
- Edil, T.B. and Dhowian, A.W. (1981) At-rest lateral pressure of peat soils, *Journal of Geotechnical Engineering*, ASCE, **107**(2), 201- 217.
- Edil, T.B. and den Haan, E.J. (1994) Settlement of peats and organic soils, In *Proceedings of the Conference on Vertical and Horizontal Deformations of Foundations and Embankments*, Texas, USA, eds. Albert T. Yeung and Guy Y. Felio, ASCE, Part 2, 1543-1572.
- Forrest, J.B. and MacFarlane, I.C. (1969) Field studies of response of peat to plate loading, *Journal of Soil Mechanics and Foundation Division*, ASCE, **95**, SM4, 949-968.
- Han, J. and Ye, S.L. (2001) Simplified method for consolidation rate of stone column reinforced foundations, *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, **127**(7), 597-603.
- Hansbo, S. (1981) Consolidation of fine-grained soils by prefabricated drains, In *Proceedings of 10<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Stockholm, **3**, 677-682.
- Hansbo, S. (1987) Design aspects of vertical drains and lime column installations, In *Proceedings of 9<sup>th</sup> Southeast Asian Geotechnical Conference*, Bangkok, Vol. 2(8), 1-12, Southeast Geotechnical Society.

- Higo, Y., Oka, F., Kodaka, T. and Kimoto, S. (2006), Three-dimensional strain localization of water-saturated clay and numerical simulation using an elasto-viscoplastic model, *Philosophical Magazine*, **86**, Nos.21-22, 3205-3240.
- Hird, C.C., Pyrah, I.C., and Russell, D. (1992) Finite element modeling of vertical drains beneath embankments on soft ground, *Geotechniques, London*, **42**(3), 499-511.
- Hobbs, N.B. (1986) Mire morphology and the properties and behavior of some British and foreign peats, *Quarterly Journal of Engineering Geology, London*, **19**, No. 1, 7-80.
- Hobbs, N.B. (1987) A note on the classification of peat, *Geotechnique*, **37**(3), 405-407.
- Hsi, J., Gunasekara, C., and Nguyen, V. (2005) Characteristics of soft peats, organic soils and clays, Colombo-Katunayake expressway, Sri Lanka, In *Ground Improvement-Case Histories*, eds. Indraratna, B. and Chu, J., **3**, 681-722.
- Indraratna, B., Balasubramaniam, A.S. and Balachandran, S. (1992) Performance of test embankment constructed to failure on soft marine clay, *Journal of Geotechnical Engineering, ASCE*, **118**(1), 12- 33.
- Indraratna, B., Bamunuwita, C., Redana, C., Balasubramaniam, A.S. (2001) Modeling of vertical drains in soft clay, In *Proceedings of 3<sup>rd</sup> International Conference on Soft Soil Engineering, Hong Kong*, eds. Lee et al., **329-338**, Balkema Publishers.
- Jamiolkowski, M., Ladd, C.C., Germaine, J.T. & Lancellota, R. (1985) New developments in field and laboratory testing of soils, In *Proceedings of 11<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, San Francisco, **1**, 57-153.
- Jaky, J. (1948) State of stress at great depth, In *Proceedings of 2<sup>nd</sup> International Conference on Soil Mechanics and Foundation Engineering*, **1**, 103-107.
- Jardine, R.J and Hight, D.W. (1987) The behavior and analysis of embankments on soft clay, *Embankments on Soft Ground*, 195-244, Public Works Research Center, Greece.
- Johnson, S.J. (1970) Precompression for improving foundation soils, *Journal of Soil Mechanics and Foundation Division, ASCE*, **96**, SM5, 111-44.
- Jonas, E. (1964) Subsurface stabilization of organic silty clay by precompression, *Journal of Soil Mechanics and Foundation Division, ASCE*, **90**, SM5, 363-376.
- Kabbaj, M., Oka, F., Leroueil, S. and Tavenas, F. (1986) Consolidation of natural clays and laboratory testing, In *Consolidation of Soils: Testing and Evaluation*, ASTM Special Technical Publication 892, eds. R.N. Yong and F.C. Townsend , 378-404.

- Kaliakin, V.N. and Dafalias, Y.F. (1990) Theoretical aspects of the elastoplastic-viscoplastic boundary surface model for cohesive soils, *Soils and Foundations*, **30-3**, 11-24.
- Karunawardena, W.A. (2000) A Study of Consolidation Characteristics of Colombo Peat, In *Proceedings of 1st International Young Geotechnical Engineering Conference*, Southampton, United Kingdom.
- Karunawardena, W.A. (2002) *Improvement of engineering properties of peat by preconsolidation – A comparative of field and laboratory test results*, Master Thesis, University of Moratuwa, Sri Lanka.
- Karunawardena, W.A. and Kulatilaka, S.A.S. (2003) Field monitoring of a fill on peaty clay and its modeling, In *Proceedings of 12<sup>th</sup> Asian Regional Conference on Soil Mechanics & Geotechnical Engineering*, Singapore, eds. Lung et al., **1**, 159-162, World Scientific Publishing Co.
- Katona, M.G. (1984) Evaluation of viscoplastic Cap model, *Journal of Geotechnical Engineering*, ASCE, **123(5)**, 411-421.
- Ketheeswaravenayagam, R. (2006) *Finite element modeling of highway embankments over soft subsoil conditions*, Master Thesis, University of Moratuwa, Sri Lanka.
- Kimoto, S. (2002) *Constitutive models for geomaterials considering structural changes and anisotropy*, Doctoral Thesis, Kyoto University, Japan.
- Kimoto, S. and Oka, F. (2005) An elasto-viscoplastic model for clay considering destructuration and consolidation analysis of unstable behavior, *Soils and Foundations*, **45-2**, 29-42.
- Kimoto, S., Oka, F., Higo, Y. (2004) Strain localization analysis of elasto-viscoplastic soil considering structural degradation, In *Computer Methods in Applied Mechanics and Engineering*, **193**, 2845-2866.
- Kim, Y.T. and Leroueil, S. (2001) Modeling the viscoplastic behavior of clays during the consolidation: application to Berthierville clay in both laboratory and field conditions, *Canadian Geotechnical Journal*, **38(3)**, 484-497.
- Kogure, K. (1999) Consolidation and settlement of peat under loading, In *Proceedings of International Conference on Problematic Soils*, eds. Eiji Yanagisawa, Moroto, N. & Mitach, **2**, 817-831, Balkema, Rotterdam.
- Kugan, R., Puswewala, U.G.A., Kulathilaka, S.A.S., and Peiris, T.A. (2004) Consolidation testing of peaty clay, In *Proceedings of Engineering Research Unit*, University of Moratuwa, Sri Lanka.

- Kugan, R., Puswewala, U.G.A., Kulathilaka, S.A.S., and Peiris, T.A. (2003) Peaty clay improvement with prefabricated vertical drains, In *Proceedings of Engineering Research Unit*, University of Moratuwa, Sri Lanka.
- Kulathilaka, S.A.S. (1999) Improvement of engineering properties of peat by precompression, In *Proceedings of 11<sup>th</sup> Asian Regional Conference on Soil Mechanics & Geotechnical Engineering*, Seoul, Korea, eds. Hong et al., **1**, 97-100, Balkema, Rotterdam.
- Ladd, C.C., Foott, R., Ishihara, K., Schlosser, F. & Poulos, H.G. (1977) Stress-deformation and strength characteristics, In *Proceedings of 9<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Tokyo, **2**, 421- 494.
- Lambe, T. W. (1967) Stress path method, *Journal of Soil Mechanics and Foundation Division*, ASCE, **93**, SM6, 399-331.
- Landva, A.O. (1980) Vane testing of peat, *Canadian Geotechnical Journal*, **17**(1) 1-19.
- Lavallee, J.G., St-Arnaud, G., Gervais, R. and Hammamji, Y. (1992) Stability of the Olga C test embankment, *ASCE Geotechnical Special Publication No. 31, Stability and Performance of Slopes and Embankments II*, Berkeley, California, eds. Seed and Boulanger, **2**, 1006-1021, ASCE, New York.
- Laval Samson and Pierre La Rochlle (1972) Design and performance of an expressway constructed over peat by preloading, *Canadian Geotechnical Journal*, **9**, 447-446.
- Lea, N.D. (1958) Notes on mechanical properties of peat, In *Proceedings 4<sup>th</sup> Muskeg Research Conference*, Ottawa, ACSSM, Technical Memo 54, 53-57, National Research Council of Canada.
- Lea, N.D. and Brawner, C.O. (1963) Highway design and construction over peat deposits in Lower British Colombia, Highway Research Board, *Research Record* **7**, 1-33.
- Leroueil, S. (1996) Compressibility of clays: Fundamental and practical aspects, *Journal of Geotechnical Engineering*, ASCE, **122**(7), 534- 543.
- Leroueil, S. and Hight, D.W. (2003) Behavior and properties of natural soils and soft rocks, In *Characterization and Engineering Properties of Natural Soils*, eds. Tan et al., 29-254., Swets & Zeitlinger, Lisse, The Netherlands.
- Li, A.L. and Rowe, R.K. (2001) Combined effects of reinforcement and prefabricated vertical drains on embankment performance, *Canadian Geotechnical Journal*, **38**(6), 1266-1282.
- MacFarlane, I.C. and Radforth, N.W. (1965) A study of the physical behavior of peat derivatives under compression. In *Proceedings 10<sup>th</sup> Muskeg Research Conference*, Ottawa, 159, National Research Council of Canada.

- Matsuo, M. and Kawamura, K. (1977) Diagram for construction control of embankment on soft ground, *Soils and Foundations*, **17**(3), 37-52.
- Mesri, G. (1973) Coefficient of secondary compression, *Journal of Soil Mechanics and Foundation Division*, ASCE, **99**(1), 123-137.
- Mesri, G., and Castro, A. (1987) The  $C_\alpha/C_c$  concept and  $K_0$  during secondary compression, *Journal of Geotechnical Engineering*, ASCE, **112**(3), 230-247.
- Mesri, G. and Choi, Y.K. (1979) Excess pore water pressure during consolidation, In *Proceedings of 6<sup>th</sup> Asian Regional Conference on Soil Mechanics & Foundation Engineering*, Taipei, Taiwan, **1**, 151-154.
- Mesri, G., and Choi, Y.K. (1985) Settlement analysis of embankments on soft clays, *Journal of Geotechnical Engineering*, ASCE, **111**(4), 441- 464.
- Mesri, G., and Choi, Y.K. (1985) The uniqueness of the end-of-primary (EOP) void ratio-effective stress relationship, In *Proceedings of 11<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, San Francisco, **2**, 587- 590.
- Mesri, G. and Feng, T.W (1991) Surcharging to reduce secondary settlements, In *Proceedings of International Conference on Geotechnical Engineering for Coastal Development*, Yokohama, **1**, 359-364.
- Mesri, G. & Godlewski, P.M. (1977) Time- and stress-compressibility interrelationship, *Journal of Soil Mechanics and Foundation Division*, ASCE, **103**(5), 417-430.
- Mesri, G. & Godlewski, P.M. (1979) Closure: Time- and stress-compressibility interrelationship, *Journal of Soil Mechanics and Foundation Division*, ASCE, **105**(1), 106.
- Mesri, G. and Lo, D.O.K. (1991) Field performance of prefabricated vertical drains, In *Proceedings of International Conference on Geotechnical Engineering for Coastal Development (GEO-COAST)*, Yokohama, Japan, ed. Port and Harbour Research Institute, **1**, 231-236.
- Mesri, G., Shahien, M. & Feng, T.W. (1995) Compressibility parameters during primary consolidation, In *Proceedings of International Symposium on Compression and Consolidation of Clay soils- IS – Hiroshima's 95*, Japan, **2**, 1021-1037, Balkema, Rotterdam, The Netherlands.
- Mesri, G., Stark, T.D., Ajlouni, M.A. & Chen, C.S. (1997) Secondary compression of peat with or without surcharging, *Journal of Geotechnical Engineering*, ASCE, **123**(5), 411- 421.

- Mitchell, J.K. (1981) Soil improvement – State of the art report, In *Proceedings of 10<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Stockholm, **4**, 509-565.
- Mitchell, J.K. (1986) Practical problems from surprising soil behavior, *20<sup>th</sup> Terzaghi Lecture, Journal of Geotechnical Engineering*, ASCE, **112**(3), 255- 289.
- Munasinghe, W.G.S. (2001) *Method for improvement of engineering properties of peat – A comparative study*, Master Thesis, University of Moratuwa, Sri Lanka.
- Oka, F. (1981) Prediction of time dependent behavior of clay, In *Proceedings of 10<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Stockholm, **1**, 215-218.
- Oka, F. (2005) Computational modeling of large deformations and the failure of geomaterials, Theme lecture, In *Proceedings of 16<sup>th</sup> International Conference on Soil Mechanics and Geotechnical Engineering*, Osaka, **1**, 47-95.
- Oka, F., Adachi, T., Okano, Y. (1986) Two-dimensional consolidation analysis using an elasto-viscoplastic constitutive equation, *International Journal for Numerical and Analytical Methods in Geomechanics*, **10**, 1-16.
- Oka, F., Higo, Y., Kimoto, S. (2002) Effect of dilatancy on the strain localization of water-saturated elasto-viscoplastic soil, In *International Journal of Solids and Structures*, **39**, 3625-3647.  [lib.mrt.ac.lk](http://lib.mrt.ac.lk)
- Oka, F., Yashima, A., Sawada, K., Aifantis, E.C. (2000) Instability of gradient- dependent elastoviscoplastic model for clay and strain localization, In *Computer Methods in Applied Mechanics and Engineering*, **183**,67-86.
- O’Loughlin, C.D. and Lehane, B.M. (2001) Modeling the time-dependent compression of peat and organic soils, In *Proceedings of 3<sup>rd</sup> International Conference on Soft Soil Engineering*, Hong Kong, eds. Lee et al., 369-375, Balkema.
- Olson, R. (1998) Settlements of embankments on soft clays, *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, **124**(4), 278-288.
- Perzyna, P. (1963) The constitutive equations for work-hardening and rate sensitive plastic materials, In *Proceedings of Vibrational Problems*, Warsaw, **4**(3), 281-290.
- Rashid, M.A. and Brown, J.D. (1975) Influence of marine organic compounds on the engineering properties of a remolded sediment, *Engineering Geology*, **9**, 141-154.
- Rixner, J.J., Kraemer, S.R., and Smith, A.D. (1986) *Prefabricated vertical drains-Vol. I: Engineering Guidelines*, Federal Highway Administration, Report No. FHWA-RD-86/169, Washington D.C.

- Roscoe, K.H. and Burland, J.B. (1968) On the generalized stress-strain behavior of 'wet' clay, *Engineering plasticity* (Cambridge University Press), eds. Heyman, J. and Leckie, F.A., 535-609.
- Roscoe, K. H., Schofield, A. N. and Thurairajah, A. (1963), Yielding of clays in states wetter than critical, *Geotechnique*, **13**(3), 211-240.
- Roscoe, K.H. and Schofield, A.N. (1963) Mechanical behavior of an idealized 'wet' clay, In *Proceedings of the European Conference on Soil Mechanics and Foundation Engineering*, Wiesbaden, **1**, 47-54.
- Samson, L. and La Rochelle, P. (1972) Design and performance of an expressway constructed over peat by preloading, *Canadian Geotechnical Journal*, **9**, 447-467.
- Sekiguchi, H. and Ohta, H. (1977) Induced anisotropy and time dependency in clays, Constitutive Equation of Soils, In *Proceedings of Specialty Session 9, 9<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Tokyo, 306-315.
- Sekiguchi, H., Shibata, T., Fujimoto, A., and Yamaguchi, H. (1986) A macro-element approach to analyzing the plane strain behavior of soft foundation with vertical drains, In *Proceedings of 31<sup>st</sup> Japan National Conference on Geotechnical Engineering*, 111-116. (in Japanese), Japanese Soil Mechanics and Foundation Engineering Society, Tokyo.
- Suklje, L. (1969) *Rheological Aspects of Soil Mechanics*, Wiley-Interscience, A division of John Wiley & Sons Ltd.
- Tamura, T. (1979) *Theory of multi-dimensional consolidation and numerical analysis of non-linear soil problem*, Doctoral Thesis, Kyoto University, Japan.
- Tan, S.A. and Oo, K.K. (2005) Finite element modeling of stone columns – a case history, In *Proceedings of 16<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Osaka, **3**, 1425- 1428.
- Tan, Y.X. and Imai, G. (1995) A constitutive relation with creep and its application to numerical analysis of one dimensional consolidation, In *Proceedings of International Symposium on Compression and Consolidation of Clayey Soils*, eds. H. Yoshikuni and O. Kusakabe, **1**, 465-472, Balkema.
- Taylor, D.W. (1948) *Fundamentals of Soil Mechanics*, Wiley, New York.
- Vermeer, P.A. and Neher, H.P. (1999) A soft soil model that accounts for creep, In *Proceedings of the International Symposium "Beyond 2000 in Computational Geotechnics"* Amsterdam, eds. Brinkgreve R.B.J, 249-261, Balkema.



- Yamaguchi, H., Ohira, Y., Kogure, K. and Mori, S. (1985) Undrained shear characteristics of normally consolidated peat under triaxial compression and extension conditions, *Soils and Foundations*, **25** (3), 1-18.
- Yin, J.-H. and Graham, J. (1989) Viscous-elastic-plastic modeling of one-dimensional time-dependent behavior of clays. *Canadian Geotechnical Journal*, **26**, 199-209.
- Zeng, G.X., Xie, K.H. and Shi, Z.Y. (1987) Consolidation analysis of sand drained ground by FEM, In *Proceedings of 8<sup>th</sup> Asian Regional Conference on Soil Mechanics & Geotechnical Engineering*, Kyoto, Japan, **1**,139-142.
- Zhang, L. (1999) Settlement patterns of soft soil foundations under embankments, *Canadian Geotechnical Journal*, **36**(4), 774-781.



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)