

References

- [1] R. O. Ebewele, “Basic concepts and definitions,” in *Polymer science and technology*, Third., New York: CRC press, 2000, pp. 17–20.
- [2] M. Okan, H. M. Aydin, and M. Barsbay, “Current approaches to waste polymer utilization and minimization: a review,” *J. Chem. Technol. Biotechnol.*, vol. 94, no. 1, pp. 8–21, 2019.
- [3] O. F. Sidorov, M. G. Shishov, A. A. Deryugin, and A. Y. Sidelnikov, “Environmental impact of polymer-waste disposal,” *Coke Chem.*, vol. 59, no. 3, pp. 117–121, 2016.
- [4] S. J. Huang, “Polymer waste management-biodegradation , incineration , and recycling,” *J. Macromol. Sci. Part A Pure Appl. Chem.*, vol. 32, no. 4, pp. 37–41, 2006.
- [5] I. A. Ignatyev, W. Thielemans, and B. Vander Beke, “Recycling of polymers: A review,” *ChemSusChem*, vol. 7, no. 6, pp. 1579–1593, 2014.
- [6] J. Datta and P. Kopczyńska, “From polymer waste to potential main industrial products: actual state of recycling and recovering,” *Crit. Rev. Environ. Sci. Technol.*, vol. 46, no. 10, pp. 905–946, 2016.
- [7] R. P. Dinsmore, “Rubber Chemistry.,” *Ind. Eng. Chem.*, vol. 43, no. 4, pp. 795–803, 1951.
- [8] G. Mathew, R. P. Singh, N. R. Nair, and S. Thomas, “Recycling of natural rubber latex waste and its interaction in epoxidised natural rubber,” *Polymer (Guildf.)*, vol. 42, pp. 2137–2165, 2001.
- [9] P. Schidrowitz, “The direct use of rubber latex, especially vulcanized latex,” *Ind. Eng. Chem.*, vol. 18, no. 11, pp. 1147–1152, 1926.
- [10] E. Yip and P. Cacioli, “The manufacture of gloves from natural rubber latex,” *J. Allergy Clin. Immunol.*, vol. 110, no. 2, pp. S3–S14, 2002.

- [11] J. T. Sakdapipanich and P. Rojruthai, “Molecular structure of natural rubber and its characteristics based on recent evidence,” in *Biotechnology - Molecular Studies and Novel Applications for Improved Quality of Human Life*, R. Sammour, Ed. IntechOpen, 2012.
- [12] X. Cao, Y. Chen, P. R. Chang, and M. A. Huneault, “Preparation and properties of plasticized starch/multiwalled carbon nanotubes composites,” *J. Appl. Polym. Sci.*, vol. 116, no. 5, pp. 2658–2667, 2010.
- [13] Sri Lanka Rubber Secretariat, “Sri lanka rubber industry development master plan 2017-2026,” Battaramulla, 2017.
- [14] Sri Lanka export development board, “Manufacturing world’s best quality rubber,” *Blog*, 2015. [Online]. Available: <http://www.srilankabusiness.com/blog/sri-lanka-natural-quality-rubber-products.html>. [Accessed: 04-Oct-2019].
- [15] J. F. Mendes *et al.*, “Biodegradable polymer blends based on corn starch and thermoplastic chitosan processed by extrusion,” *Carbohydr. Polym.*, vol. 137, pp. 452–458, 2016.
- [16] S. Daud, H. Ismail, and A. Abu Bakar, “Soil burial study of palm kernel shell-filled natural rubber composites: the effect of filler loading and presence of silane coupling agent,” *BioResources*, vol. 11, no. 4, pp. 8686–8702, 2016.
- [17] J. Downard *et al.*, “Uncontrolled combustion of shredded tires in a landfill - Part 1: Characterization of gaseous and particulate emissions,” *Atmos. Environ.*, vol. 104, pp. 195–204, 2015.
- [18] S. Watcharakul, K. Umsakul, B. Hodgson, W. Chumeka, and V. Tanrattanakul, “Biodegradation of a blended starch/natural rubber foam biopolymer and rubber gloves by streptomyces coelicolor CH13,” *Electron. J. Biotechnol.*, vol. 15, no. 1, pp. 1–15, 2012.
- [19] A. S. M. Bashir and Y. Manusamy, “Recent developments in biocomposites reinforced with natural biofillers from food waste,” *Polym. - Plast. Technol.*

Eng., vol. 54, no. 1, pp. 87–99, 2015.

- [20] I. C. Chukwujike, C. M. Ewulonu, and C. Mathew, “Sorption properties of carbonized / uncarbonized cornhusk powder filled natural rubber / acrylonitrile butadiene rubber biocomposite,” *Int. J. Multidiscip. Res. Dev.*, vol. 2, no. 8, pp. 154–160, 2015.
- [21] M. M. Afiq and A. R. Azura, “Effect of sago starch loadings on soil decomposition of Natural Rubber Latex (NRL) composite films mechanical properties,” *Int. Biodeterior. Biodegrad.*, vol. 85, pp. 139–149, 2013.
- [22] S. Kuciel, P. Kuźniar, and a Liber-Kneć, “Polymer biocomposites with renewable sources,” *Arch. Foundry Eng.*, vol. 10, no. 3, pp. 53–56, 2010.
- [23] S. R. Yahya, A. A. Rashid, and B. Azahari, “Soil burial studies for biodegradation of natural rubber latex films,” *Adv. Mater. Res.*, vol. 844, pp. 406–409, 2013.
- [24] K. Paoribut, W. Taweeprada, and K. Boonkerd, “Preparation and characterization of natural rubber/chitosan films,” *Key Eng. Mater.*, vol. 659, pp. 484–489, 2015.
- [25] A. F. A. Karim, H. Ismail, and Z. M. Ariff, “Properties and characterization of kenaf-filled natural rubber latex foam,” *BioResources*, vol. 11, no. 1, pp. 1080–1091, 2016.
- [26] G. R and R. RAJESH, “Development and characterization of eco-friendly sisal Fiber-natural rubber latex composites,” *Int. J. Mech. Prod. Eng. Res. Dev.*, vol. 7, no. 4, pp. 201–208, 2017.
- [27] N. Tangboriboon, R. Takkire, W. Sangwan, S. Changkhamchom, and A. Sirivat, “Bio-CaCO₃ from raw eggshell as additive in natural rubber latex glove films,” *Rubber Chem. Technol.*, vol. 92, no. 3, pp. 558–577, 2019.
- [28] C. Sareena, M. Ramesan, and E. Purushothaman, “Utilization of coconut shell powder as a novel filler in natural rubber,” *J. Reinf. Plast. Compos.*, vol. 21,

- no. 8, pp. 699–709, 1998.
- [29] C. Sareena, M. P. Sreejith, M. T. Ramesan, and E. Purushothaman, “Biodegradation behaviour of natural rubber composites reinforced with natural resource fillers - monitoring by soil burial test,” *J. Reinforced Plast. Compos.*, vol. 33, no. 5, pp. 412–429, 2014.
 - [30] M. Valodkar and S. I. Thakore, “Biopolymers as effective fillers in natural rubber: composites versus biocomposites,” *J. Appl. Polym. Sci.*, vol. 116, no. 5, pp. 2658–2667, 2010.
 - [31] R. Nordin, C. M. S. Said, and H. Ismail, “Properties of rice husk powder/natural rubber composite,” *Solid State Sci. Technol.*, vol. 15, no. 2, pp. 83–91, 2007.
 - [32] R. Santos *et al.*, “Sugarcane bagasse ash: new filler to natural rubber composite,” *Polimeros*, vol. 24, no. 6, pp. 646–653, 2014.
 - [33] S. M. Jang, M. C. Li, J. H. Lim, and U. R. Cho, “Study on properties of natural rubber compound using starch as filler,” *Asian J. Chem.*, vol. 25, no. 9, pp. 5221–5225, 2013.
 - [34] M. F. Ab Rahman, S. R. Yahya, and A. R. Azura, “The effect of alkali treated native sago starch concentration on mechanical properties of natural rubber latex composite films,” in *Journal of Physics: Conference Series*, 2018, vol. 1082, no. 1.
 - [35] M. D. Chengalroyen and E. R. Dabbs, “The biodegradation of latex rubber: a minireview,” *J. Polym. Environ.*, vol. 21, no. 3, pp. 874–880, 2013.
 - [36] D. R. Tobergte and S. Curtis, “Brief history and introduction of rubber,” *J. Chem. Inf. Model.*, vol. 53, no. 9, pp. 1689–1699, 2013.
 - [37] S. Montha, P. Suwandittakul, A. Poonsrisawat, P. Oungeun, and C. Kongkaew, “Maillard reaction in natural rubber latex: characterization and physical properties of solid natural rubber,” *Adv. Mater. Sci. Eng.*, vol. 2016,

pp. 1–6, Apr. 2016.

- [38] Sri Lanka export development board, “Improving Sri lanka’s rubber sector with new breeds and varieties,” 2017. [Online]. Available: <http://www.srilankabusiness.com/blog/new-rubber-clones-to-develop-rubber-industry-sri-lanka.html>. [Accessed: 04-Oct-2019].
- [39] Committee of the CRTA, “The Colombo rubber traders’ association,” *Annu. Rep.*, pp. 13–20, 2018.
- [40] P. Venkatachalam, N. Geetha, and P. Sangeetha, “Natural rubber producing plants: An overview,” *African J. Biotechnol.*, vol. 12, no. 12, pp. 1297–1310, 2013.
- [41] Y. Cao, J. Zhai, Q. Wang, H. Yuan, and X. Huang, “Function of *Hevea brasiliensis* NAC1 in dehydration-induced laticifer differentiation and latex biosynthesis,” *Planta*, vol. 245, no. 1, pp. 31–44, 2017.
- [42] S. Utara and J. Klinkaewnarong, “Synthesis and characterization of hydroxyapatite nanoparticles templated by ozonolysed natural rubber latex,” *J. Sol-Gel Sci. Technol.*, vol. 80, no. 3, pp. 728–737, 2016.
- [43] J. L. Jacob, J. d’Auzac, and J. C. Prevôt, “The composition of natural latex from *Hevea brasiliensis*,” *Clin. Rev. Allergy*, vol. 11, no. 3, pp. 325–337, 1993.
- [44] Y. Zhang, J. Leclercq, and P. Montoro, “Reactive oxygen species in *Hevea brasiliensis* latex and relevance to tapping panel dryness,” *Tree Physiol.*, vol. 37, no. 2, pp. 261–269, 2017.
- [45] R. G. Kekwick, “Latex and laticifers,” *Encyclopedia of Life Sciences*, no. c. pp. 1–6, 2001.
- [46] L. Tarachiwin, J. T. Sakdapipanich, and Y. Tanaka, “Relationship between particle size and molecular weight of rubber from *hevea brasiliensis*,” *Rubber Chem. Technol.*, vol. 78, no. 4, pp. 694–704, 2005.

- [47] K. Nawamawat, J. T. Sakdapipanich, C. C. Ho, Y. Ma, J. Song, and J. G. Vancso, “Surface nanostructure of *Hevea brasiliensis* natural rubber latex particles,” *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 390, no. 1–3, pp. 157–166, 2011.
- [48] S. Santipanusopon and S. A. Riyajan, “Effect of field natural rubber latex with different ammonia contents and storage period on physical properties of latex concentrate, stability of skim latex and dipped film,” *Phys. Procedia*, vol. 2, no. 1, pp. 127–134, 2009.
- [49] H. L. Corrêa, A. M. F. De Sousa, and C. R. G. Furtado, “Natural rubber latex: determination and interpretation of flow curves,” *Polimeros*, vol. 25, no. 4, pp. 365–370, 2015.
- [50] M. A. Misman and A. R. Azura, “Overview on the potential of biodegradable natural rubber latex gloves for commercialization,” *Adv. Mater. Res.*, vol. 844, pp. 486–489, 2014.
- [51] R. Suksup, C. Imkaew, and W. Smithipong, “Cream concentrated latex for foam rubber products,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 272, no. 1, 2017.
- [52] M. E. Haque, F. Akhtar, N. C. Dafader, F. R. Al-Siddique, A. R. Sen, and M. U. Ahmad, “Characterization of natural rubber latex concentrate from bangladesh,” *J. Macromol. Sci. Part A*, vol. 32, no. 4, pp. 435–445, 1995.
- [53] P. Sirisomboon and C. H. Lim, “Rapid evaluation of the properties of natural rubber latex and its products using near-infrared spectroscopy,” in *Organic Polymers*, 2019, p. 13.
- [54] G. Illanchellien, “A study on the use of electrical conductimetry in examination of centrifuge natural rubber lattices,” University of Sri Jayewardenepura, Sri Lanka, 2006.
- [55] A. J. Mahmood, M. E. Haque, N. C. Dafader, and F. R. Al-Siddique, “Study on the characteristic properties of the field latex of bangladesh,” *Polym. Plast. Technol. Eng.*, vol. 34, no. 2, pp. 167–175, 1995.

- [56] D. C. Blackley, “Latex compounding ingredients,” in *Polymer Latices Science and technology*, Dordrecht: Springer Netherlands, 1997, pp. 34–154.
- [57] A. F. P. Pereira, “Colloidal stability of the latex particles,” *Tecnico lisboa*, 2015.
- [58] W. Steurer and S. Deloudi, “Experimental techniques,” *Springer Ser. Mater. Sci.*, vol. 126, pp. 193–203, 2009.
- [59] M. Ramezani and Z. M. Ripin, “Characteristics of elastomer materials,” in *Rubber-Pad Forming Processes*, 2012, pp. 43–64.
- [60] D. W. Button, “Building a natural rubber latex compound,” 1957.
- [61] H. Dodiuk and S. H. Goodman, “Introduction,” in *Handbook of Thermoset Plastics*, 2013, pp. 1–12.
- [62] T. D. Sreeja and S. K. N. Kutty, “Cure characteristics and mechanical properties of natural rubber/reclaimed rubber blends,” *Polym. - Plast. Technol. Eng.*, vol. 39, no. 3, pp. 501–512, 2000.
- [63] J. Kruželák, R. Sýkora, and I. Hudec, “Vulcanization of rubber compounds with peroxide curing systems,” *Rubber Chem. Technol.*, vol. 90, no. 1, pp. 60–88, 2017.
- [64] G. Craciun, E. Manaila, and M. D. Stelescu, “New elastomeric materials based on natural rubber obtained by electron beam irradiation for food and pharmaceutical use,” *Materials (Basel)*, vol. 9, no. 12, 2016.
- [65] norman J. Morrison and M. Porter, “Crosslinking of rubbers,” in *Polymer Reactions*, vol. 87, no. 3, 2014, pp. 77–82.
- [66] C. Nakason, P. Wannavilai, and A. Kaesaman, “Effect of vulcanization system on properties of thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends,” *Polym. Test.*, vol. 25, no. 1, pp. 34–41, 2006.
- [67] S. A. Riyajan and S. Santipanusopon, “Influence of ammonia concentration

- and storage period on properties field NR latex and skim coagulation,” *KGK Kautschuk Gummi Kunststoffe*, vol. 63, no. 6, pp. 240–245, 2010.
- [68] G. Mathew, P. V. Plhai, and A. P. Kuriakose, “Introduction,” in *Studies on New Binary Accelerator Systems in Rubber Vulcanisation*, 2006, pp. 1–21.
- [69] “Common vulcanization accelerators,” *Polymer Properties Database*. [Online]. Available: http://polymerdatabase.com/polymer_chemistry/Common_Vulc_Accel.html. [Accessed: 04-Feb-2021].
- [70] G. Heideman, J. W. M. Noordermeer, R. N. Datta, and B. Van Baarle, “Effect of zinc complexes as activator for sulfur vulcanization in various rubbers,” *Rubber Chem. Technol.*, vol. 78, no. 2, pp. 245–257, 2005.
- [71] G. Heideman, R. N. Datta, J. W. M. Noordermeer, and B. Van Baarle, “Activators in accelerated sulfur vulcanization,” *Rubber Chem. Technol.*, vol. 77, no. 3, pp. 512–541, 2004.
- [72] “Chemical accelerators in rubber gloves,” *Mun Global*. [Online]. Available: <https://munglobal.com.au/resources/knowledge-base/gloves/chemical-accelerators-in-rubber-gloves/>. [Accessed: 04-Feb-2021].
- [73] N. M. Claramma, “Studies on prevulcanization of rubber latex with special reference to influence of storage and after treatments on properties of films,” Cochin university of science and technology, 1997.
- [74] J. G. Keay and M. Balasubramanian, “Pyridines and their benzo derivatives: applications,” in *Comprehensive Heterocyclic Chemistry*, 2nd ed., vol. 2, A. R. Katritzky, E. F. V. Scriven, and C. W. Rees, Eds. 1996, pp. 511–524.
- [75] R. P. Lattimer, R. W. Layer, and C. K. Rhee, “Mechanisms of antiozonant protection: antiozonant-rubber reactions during ozone exposure,” *Rubber Chem. Technol.*, vol. 57, no. 5, pp. 1023–1035, 1984.
- [76] P. Sae-Oui, C. Rakdee, and P. Thanmathorn, “Use of rice husk ash as filler in natural rubber vulcanizates: In comparison with other commercial fillers,” *J.*

- Appl. Polym. Sci.*, vol. 83, no. 11, pp. 2485–2493, 2002.
- [77] W. Hgim, G. Wgtw, J. Hasl, and W. Anr, “Optimization of calcium carbonate (CaCO_3) loading in natural rubber latex based disposable gloves,” *Int. J. Sci. Res. Publ.*, vol. 6, no. 3, pp. 266–2250, 2016.
 - [78] B. A. Dogadkin, L. G. Senatorskaya, V. I. Guseva, A. V. Suslyakov, and P. I. Zakharchenko, “Filler-rubber interaction in latex,” *Rubber Chem. Technol.*, vol. 31, no. 3, pp. 655–663, 1958.
 - [79] S. Jayaraj, S. M. Egodage, and S. Walpalage, “Incorporation of nanoclay into field latex to develop nanoclay filled dry rubber compounds,” *J. Natl. Sci. Found. Sri Lanka*, vol. 45, no. 2, pp. 121–132, 2017.
 - [80] M. Y. A. Hashim and M. D. Morris, “NR latex vulcanisation - prevulcanisation and post-vulcanisation of dipped NR latex films,” *J. Rubber Res.*, vol. 2, no. 2, pp. 78–87, 1999.
 - [81] J. Smeaton, “Study of postvulcanisation of natural rubber latex films by Jacqueline Smeaton Doctoral Thesis Submitted in partial fulfilment of the for requirements the award of Doctor of Philosophy of Loughborough University,” 1998.
 - [82] C. C. Ho and M. C. Khew, “Surface morphology of prevulcanized natural rubber latex films by atomic force microscopy: New insight into the prevulcanization mechanism,” *Langmuir*, vol. 15, no. 19, pp. 6208–6219, 1999.
 - [83] K. K. Sasidharan, S. Palaty, K. S. Gopalakrishnan, K. E. George, and R. Joseph, “Room temperature prevulcanization of natural rubber latex using xanthate,” *J. Appl. Polym. Sci.*, vol. 94, no. 3, pp. 1164–1174, 2004.
 - [84] J. John and W. Follow, “Prevulcanised NR latex – vulcanization , advantages and applications,” pp. 1–8, 2019.
 - [85] K. K. Sasidharan, R. Joseph, S. Palaty, K. S. Gopalakrishnan, G. Rajammal,

- and P. V. Pillai, “Effect of the vulcanization time and storage on the stability and physical properties of sulfur-prevulcanized natural rubber latex,” *J. Appl. Polym. Sci.*, vol. 97, no. 5, pp. 1804–1811, 2005.
- [86] N. M. Claramma and N. M. Mathew, “Effect of temperature on sulfur prevulcanization of natural rubber latex,” *J. Appl. Polym. Sci.*, vol. 65, no. 10, pp. 1913–1920, 1997.
- [87] M. W. Philpott, “Compounding natural rubber latex for improved performance,” *J. Rubber Res. Inst.*, vol. 22, no. 5, pp. 441–449, 1969.
- [88] S. Ibrahim, K. Badri, C. T. Ratnam, and N. H. M. Ali, “Enhancing mechanical properties of prevulcanized natural rubber latex via hybrid radiation and peroxidation vulcanizations at various irradiation doses,” *Radiat. Eff. Defects Solids*, vol. 173, no. 5–6, pp. 427–434, 2018.
- [89] S. W. Karunaratne, “Standardisation of radiation vulcanized natural,” Ratmalana, 1978.
- [90] N. Abdullah and A. H. Mohd Yatim, “Film formation in rubber gloves,” in *MRB Rubber Technology Developments*, 2014, vol. 14, no. 1, pp. 15–20.
- [91] R. Groves and A. F. Routh, “Film deposition and consolidation during thin glove coagulant dipping,” *J. Polym. Sci. Part B Polym. Phys.*, vol. 55, no. 22, pp. 1633–1648, 2017.
- [92] W. Msingjili, Nsesheye Susan Schmidt, “Valorisation of industrial by-products for sustainable cement and concrete construction,” in *Knowledge Exchange for Young Scientists*, 2016, no. August, pp. 85–86.
- [93] D. D. O. E. Long, “Natural rubber latex medical gloves: why they are still the best,” vol. 1, no. August. pp. 117–125, 1993.
- [94] S. Tungchaiwattana, “A study of particle structure and film formation mechanism on the mechanical properties of synthetic rubber films,” University of Manchester, 2014.

- [95] SafeMed, “SafeMed glove production.” [Online]. Available: <http://www.safemed.ch/glove-production.html>. [Accessed: 17-Nov-2019].
- [96] A. D. Bank, “Value chain gap analysis of the rubber products industry,” 2017.
- [97] “An analysis of Malaysian rubber glove industry - Blogs - Televisory,” *Televisory*, 2018. [Online]. Available: <https://www.televisory.com/blogs/-/blogs/an-analysis-of-malaysian-rubber-glove-industry>. [Accessed: 28-Jul-2019].
- [98] T. Clark, “Advancements in rubber disposal: biodegradation and the environment,” in *The Internaltional Latex Conference*, 2013, pp. 2–19.
- [99] Hazardous Waste Management Unit, “Technical guidelines on solid waste management in Sri Lanka,” Battaramulla, 2872.
- [100] T. M. Carole, J. Pellegrino, and M. D. Paster, “Opportunities in the industrial biobased products industry,” in *Applied Biochemistry and Biotechnology*, 2004, vol. 115, no. 1–3, pp. 871–885.
- [101] J. Wang, “Saving latex gloves from landfills : evaluating sustainable methods of waste disposal such as recycling , composting , and upcycling,” 2014.
- [102] T. Clark, “Enhancing the biodegradation of waste rubber discarded rubber materials,” *Int. LATEX Conf. 2015*, 2015.
- [103] E. Yousif and R. Haddad, “Photodegradation and photostabilization of polymers, especially polystyrene: Review,” *Springerplus*, vol. 2, no. 1, pp. 1–32, 2013.
- [104] S. Ibrahim, N. Othman, and H. Ismail, “Degradation of natural rubber latex,” *Nat. Rubber Prop. Behav. Appl.*, no. January, pp. 105–136, 2016.
- [105] P. Rooshenass, R. Yahya, and S. N. Gan, “Comparison of three different degradation methods to produce liquid epoxidized natural rubber,” *Rubber Chem. Technol.*, vol. 89, no. 1, pp. 177–198, 2016.

- [106] D. F. Lee, J. Scanlan, and W. F. Watson, “The cyclization of natural rubber,” *Iran. J. Chem. Chem. Eng.*, vol. 19, no. 2, pp. 91–96, 2000.
- [107] S. Radabutra, S. Thanawan, and T. Amornsakchai, “Chlorination and characterization of natural rubber and its adhesion to nitrile rubber,” *Eur. Polym. J.*, vol. 45, no. 7, pp. 2017–2022, 2009.
- [108] S. Ibrahim, R. Daik, and I. Abdullah, “Functionalization of liquid natural rubber via oxidative degradation of natural rubber,” *Polymers (Basel.)*, vol. 6, no. 12, pp. 2928–2941, 2014.
- [109] M. Roylance and D. Roylance, “Environmental degradation of advanced and traditional engineering materials,” *Corros. Eng. Sci. Technol.*, vol. 49, no. 3, pp. 167–167, 2014.
- [110] A. Kulkarni and H. Dasari, “Current status of methods used in degradation of polymers: a review,” *MATEC Web Conf.*, vol. 144, pp. 1–11, 2018.
- [111] G. Grause, A. Buekens, Y. Sakata, A. Okuwaki, and T. Yoshioka, “Feedstock recycling of waste polymeric material,” *J. Mater. Cycles Waste Manag.*, vol. 13, no. 4, pp. 265–282, 2011.
- [112] N. T. Joutey, W. Bahafid, H. Sayel, and N. El Ghachoui, “Biodegradation: Involved microorganisms and genetically engineered microorganisms,” in *Biodegradation - Life of Science*, 2013, pp. 1–10.
- [113] I. E. Makarov and A. V. Ponomarev, “Radiation-induced degradation of organic compounds and radiation technologies for purification of aqueous systems,” in *Ionizing Radiation Effects and Applications*, 2017, pp. 557–782.
- [114] C. Lamouroux and F. Cochin, “Study of long term behavior of intermediate level long lived waste packages: an overview of the R&D approach and results,” *Procedia Chem.*, vol. 7, no. 0, pp. 559–566, 2012.
- [115] C. G. Gebelein, “An overview,” in *Bioactive Polymeric Systems*, vol. 14, no. 3, Springer, Boston, MA, 1985, pp. 1–15.

- [116] J. D. Culter, J. L. Zakin, and G. K. Patterson, “Mechanical degradation of dilute solutions of high polymers in capillary tube flow,” *J. Appl. Polym. Sci.*, vol. 19, no. 12, pp. 3235–3240, 1975.
- [117] A. J. Müller *et al.*, “Mechanical degradation of polymers in flows through porous media: Effect of flow path length and particle size,” *Appl. Mech. Rev.*, vol. 50, no. 11, pp. S149–S155, 1997.
- [118] J. F. Larché, P. O. Bussière, S. Thérias, and J. L. Gardette, “Photooxidation of polymers: relating material properties to chemical changes,” *Polym. Degrad. Stab.*, vol. 97, no. 1, pp. 25–34, 2012.
- [119] E. Yousif and A. Hasan, “Photostabilization of poly(vinyl chloride) – still on the run,” *J. Taibah Univ. Sci.*, vol. 9, no. 4, pp. 421–448, 2015.
- [120] M. Salomez *et al.*, “Micro-organisms in latex and natural rubber coagula of *Hevea brasiliensis* and their impact on rubber composition, structure and properties,” *J. Appl. Microbiol.*, vol. 117, no. 4, pp. 921–929, Oct. 2014.
- [121] M. Van Der Zee, “Analytical methods for monitoring biodegradation processes of environmentally degradable polymers,” *Handb. Biodegrad. Polym. Isol. Synth. Charact. Appl.*, pp. 263–281, 2011.
- [122] K. Rose and A. Steinbüchel, “Biodegradation of natural rubber and related compounds: recent insights into a hardly understood catabolic capability of microorganisms,” *Appl. Environ. Microbiol.*, vol. 71, no. 6, pp. 2803–2812, 2005.
- [123] A. Linos *et al.*, “Biodegradation of cis-1,4-polyisoprene rubbers by distinct actinomycetes: microbial strategies and detailed surface analysis,” *Appl. Environ. Microbiol.*, vol. 66, no. 4, pp. 1639–1645, 2000.
- [124] K. Rose and A. Steinbüchel, “Biodegradation of natural rubber and related compounds: recent insights into a hardly understood catabolic capability of microorganisms,” *Applied and Environmental Microbiology*, vol. 71, no. 6, pp. 2803–2812, 2005.

- [125] R. Narayan, “Biodegradability,” *Bioplastics Magazine*, vol. 4, pp. 28–31, 2009.
- [126] C. P. L. Grady, “Biodegradation: its measurement and microbiological basis,” *Biotechnol. Bioeng.*, vol. 27, no. 5, pp. 660–674, 1985.
- [127] A. Tsuchii, T. Suzuki, and K. Takeda, “Microbial degradation of natural rubber vulcanizates,” *Appl. Environ. Microbiol.*, vol. 50, no. 4, pp. 965–970, 1985.
- [128] A. Tsuchii and K. Takeda, “Rubber-degrading enzyme from a bacterial culture,” *Appl. Environ. Microbiol.*, vol. 56, no. 1, pp. 269–274, 1990.
- [129] D. Spence and C. B. van Niel, “Decomposition of the rubber in Hevea latex,” *Ind. Eng. Chem.*, vol. 28, no. 7, pp. 847–850, 1936.
- [130] D. Jendrossek, G. Tomasi, and R. M. Kroppenstedt, “Bacterial degradation of natural rubber: A privilege of actinomycetes?,” *FEMS Microbiol. Lett.*, vol. 150, no. 2, pp. 179–188, 1997.
- [131] I. Vroman and L. Tighzert, “Biodegradable polymers,” *Materials*, vol. 2, no. 2, pp. 307–344, 2009.
- [132] S. Thomas, N. Ninan, S. Mohan, and E. Francis, “Maize-natural fiber as reinforcement with polymers for structural applications,” in *Natural Polymers, Biopolymers, Biomaterials, and Their Composites, Blends ..*, 1st ed., CRC press, 2013, pp. 37–45.
- [133] B. Younes, “Classification, characterization, and the production processes of biopolymers used in the textiles industry,” *J. Text. Inst.*, vol. 108, no. 5, pp. 674–682, 2017.
- [134] A. S. Materials, *Eco-friendly Polymer Nanocomposites*, vol. 75. Springer (India), 2015.
- [135] A. Jiménez and R. A. Ruseckaite, *Environmental Silicate Nano-Biocomposites*, vol. 50. Springer, 2012.

- [136] S. Ramasamy, H. Ismail, and Y. Munusamy, “Effect of rice husk powder on compression behavior and thermal stability of natural rubber latex foam,” *BioResources*, vol. 8, no. 3, pp. 4258–4269, 2013.
- [137] J. . Kennedy and C. . Knill, “The elements of polymer science and engineering, 2nd ed.,” *Carbohydr. Polym.*, vol. 43, no. 1, pp. 521–535, 2000.
- [138] M. G. A. Vieira, M. A. Da Silva, L. O. Dos Santos, and M. M. Beppu, “Natural-based plasticizers and biopolymer films: A review,” *Eur. Polym. J.*, vol. 47, no. 3, pp. 254–263, 2011.
- [139] E. Manaila, M. Stelescu, and G. Craciun, “Degradation studies realized on natural rubber and plasticized potato starch based eco-composites obtained by peroxide cross-linking,” *Int. J. Mol. Sci.*, vol. 19, no. 10, p. 2862, Sep. 2018.
- [140] I. Sonal, “Role of biopolymers in green nanotechnology,” *Prod. Appl. Biopolym.*, no. March 2012, 2012.
- [141] A. A. Shah, F. Hasan, A. Hameed, and S. Ahmed, “Biological degradation of plastics: A comprehensive review,” *Biotechnol. Adv.*, vol. 26, no. 3, pp. 246–265, 2008.
- [142] M. D. Stelescu, E. Manaila, G. Craciun, and C. Chirila, “Development and characterization of polymer eco-composites based on natural rubber reinforced with natural fibers,” *Materials (Basel).*, vol. 10, no. 7, pp. 1–20, 2017.
- [143] A. Demirbas, “Biodegradable plastics from renewable resources,” *Energy Sources, Part A Recover. Util. Environ. Eff.*, vol. 29, no. 5, pp. 419–424, 2007.
- [144] P. Toro, R. Quijada, M. Yazdani-Pedram, and J. L. Arias, “Eggshell, a new bio-filler for polypropylene composites,” *Mater. Lett.*, vol. 61, no. 22, pp. 4347–4350, 2007.
- [145] H. Y. Li *et al.*, “Bio-filler from waste shellfish shell: Preparation, characterization, and its effect on the mechanical properties on polypropylene composites,” *J. Hazard. Mater.*, vol. 217–218, pp. 256–262, 2012.

- [146] A. M. M. Al Bakri, J. Liyana, M. N. Norazian, H. Kamarudin, and C. M. Ruzaidi, “Mechanical properties of polymer composites with sugarcane bagasse filler,” *Adv. Mater. Res.*, vol. 740, no. August, pp. 739–744, 2013.
- [147] T. W. Yee, W. A. W. A. Rahman, and L. T. Sin, “Properties and morphology of poly(vinyl alcohol) blends with sago pith bio-filler as biodegradable composites,” *J. Vinyl Addit. Technol.*, vol. 17, no. 3, pp. 184–189, Sep. 2011.
- [148] A. Dönmez Çavdar, H. Kalaycioğlu, and F. Mengeloglu, “Tea mill waste fibers filled thermoplastic composites: the effects of plastic type and fiber loading,” *J. Reinforced Plast. Compos.*, vol. 30, no. 10, pp. 833–844, May 2011.
- [149] A. K. Bledzki, A. A. Mamun, and J. Volk, “Barley husk and coconut shell reinforced polypropylene composites: The effect of fibre physical, chemical and surface properties,” *Compos. Sci. Technol.*, vol. 70, no. 5, pp. 840–846, May 2010.
- [150] J.-H. Ma, L.-Q. Zhang, and Y.-P. Wu, “Characterization of filler-rubber interaction, filler network structure, and their effects on viscoelasticity for styrene-butadiene rubber filled with different fillers,” *J. Macromol. Sci. Part B*, vol. 52, no. 8, pp. 1128–1141, Jul. 2013.
- [151] M. Masłowski, J. Miedzianowska, and K. Strzelec, “Natural rubber composites filled with cereals straw modified with acetic and maleic anhydride: preparation and properties,” *J. Polym. Environ.*, vol. 26, no. 10, pp. 4141–4157, Oct. 2018.
- [152] K. A. Popoola, “Mechanical reinforcement of films from rubber latices by added polymer particles,” The Polytechnic of North London, 1988.
- [153] K. A. Iyer and J. M. Torkelson, “Green composites of polypropylene and eggshell: Effective biofiller size reduction and dispersion by single-step processing with solid-state shear pulverization,” *Compos. Sci. Technol.*, vol. 102, pp. 152–160, 2014.
- [154] M. Idicula, A. Boudenne, L. Umadevi, L. Ibos, Y. Candau, and S. Thomas,

- “Thermophysical properties of natural fibre reinforced polyester composites,” *Compos. Sci. Technol.*, vol. 66, no. 15, pp. 2719–2725, Dec. 2006.
- [155] E. Ligo, “US 3499851,” 04-Oct-1970.
- [156] S. B. Hassan, V. S. Aigbodion, and S. N. Patrick, “Tribology in industry development of polyester / eggshell particulate composites,” vol. 34, no. 4, pp. 217–225, 2012.
- [157] D. R. Lu, C. M. Xiao, and S. J. Xu, “Starch-based completely biodegradable polymer materials,” *Express Polym. Lett.*, vol. 3, no. 6, pp. 366–375, 2009.
- [158] A. Dufresne, S. Thomas, and L. A. Pothan, “Starch-based bionanocomposite:processing techniques,” in *Biopolymer Nanocomposites: Processing, Properties, and Applications*, John Wiley & Sons, 2013.
- [159] H. Harahap, A. Hartanto, K. Hadinatan, I. Surya, and B. Azahari, “Effect of aging on mechanical properties of natural rubber latex products filled with alkanolamide-modified cassava peel waste powder (CPWP),” *Adv. Mater. Res.*, vol. 1123, pp. 387–390, 2015.
- [160] O. O. Fabunmi, L. G. T. Jr., S. Panigrahi, and P. R. Chang, “Developing biodegradable plastics from starch,” no. January 2007, 2013.
- [161] A. B. Nair and R. Joseph, “Eco-friendly bio-composites using natural rubber (NR) matrices and natural fiber reinforcements,” *Chem. Manuf. Appl. Nat. Rubber*, pp. 249–283, Jan. 2014.
- [162] C. Vudjung *et al.*, “Effect of natural rubber contents on biodegradation and water absorption of Interpenetrating polymer network (IPN) hydrogel from natural rubber and cassava starch,” in *Energy Procedia*, 2014, vol. 56, no. C, pp. 255–263.
- [163] S. A. Riyajan, Y. Sasithornsonti, and P. Phinyocheep, “Green natural rubber-g-modified starch for controlling urea release,” *Carbohydr. Polym.*, vol. 89, no. 1, pp. 251–258, 2012.

- [164] M. A. Misman, A. R. Azura, and Y. S. Rohana, “The effect of sago starch filler dispersion preparation on the biodegradation properties of natural rubber latex films,” *J. Phys. Conf. Ser.*, vol. 1082, no. 1, p. 012100, Aug. 2018.
- [165] J. Thuraisingam, A. Gupta, and M. Subramaniam, “Natural rubber latex (NRL) and rice starch as an alternative binder in wood composite industry,” *Aust. J. Basic Appl. Sci.*, vol. 10, no. 17, pp. 101–106, 2016.
- [166] H. Angellier, S. Molina-Boisseau, and A. Dufresne, “Mechanical properties of waxy maize starch nanocrystal reinforced natural rubber,” *Macromolecules*, vol. 38, no. 22, pp. 9161–9170, 2005.
- [167] K. Anand, S. Varghese, T. Kurian, and S. Bose, “Effect of starch nanocrystals on natural rubber latex vulcanizate properties,” *Prog. Rubber, Plast. Recycl. Technol.*, vol. 34, no. 2, pp. 75–87, 2018.
- [168] K. R. Rajisha, H. J. Maria, L. A. Pothan, Z. Ahmad, and S. Thomas, “Preparation and characterization of potato starch nanocrystal reinforced natural rubber nanocomposites,” *Int. J. Biol. Macromol.*, vol. 67, pp. 147–153, 2014.
- [169] H. G. T. H. Jayatunga and C. K. Jayasuriya, “Development of a biodegradable polymer composite based on natural rubber and screw-pine leave particles for manufacturing gloves,” *J. Emerg. Trends Eng. Appl. Sci.*, vol. 7, no. 2, pp. 56–60, 2015.
- [170] H. Harahap, N. Hayat, and M. Lubis, “Preparation and application of nanocrystalline cellulose derived from sugarcane waste as filler modified alkanolamide on crosslink of natural rubber latex film,” vol. 1865, p. 40011, 2017.
- [171] S. Phomrak and M. Phisalaphong, “Reinforcement of natural rubber with bacterial cellulose via a latex aqueous microdispersion process,” *J. Nanomater.*, vol. 2017, pp. 1–9, Feb. 2017.
- [172] S. B. Roy, D. S. C. Shit, D. R. A. Sen Gupta, And D. P. R. Shukla, “A review

- on bio-composites: fabrication, properties and applications," *Int. J. Innov. Res. Sci. Eng. Technol.*, vol. 03, no. 10, pp. 16814–16824, 2014.
- [173] Ş. Yıldızhan, A. Çalık, M. Özcanlı, and H. Serin, "Bio-composite materials: a short review of recent trends, mechanical and chemical properties, and applications," *Eur. Mech. Sci.*, vol. 2, no. 3, pp. 83–91, 2018.
- [174] H. Honarkar and M. Barikani, "Applications of biopolymers I: chitosan," *Monatshefte für Chemie - Chem. Mon.*, vol. 140, no. 12, pp. 1403–1420, Dec. 2009.
- [175] L. I. Mahmood, "Preparation, characterization and applications of biocomposites consist of chitosan dispersed in epoxidized natural rubber," 2016.
- [176] J. Johns and V. Rao, "Characterization of natural rubber latex/chitosan blends," *Int. J. Polym. Anal. Charact.*, vol. 13, no. 4, pp. 280–291, 2008.
- [177] T. WIRACH, "Dynamic mechanical and dielectric properties of modified surface chitosan / natural rubber latex," vol. 43, no. 2, pp. 241–245, 2014.
- [178] P. Kulkarni and M. Dixit, "Sources of cellulose and their applications- a review," *Int. J. Drug Formul. Res.*, vol. 2, no. 6, pp. 19–38, 2011.
- [179] H. N. Mishra, "Novel technologies for food processing and shelf life extension." Department of Agricultural and Food Engineering Indian Institute of Technology, Kharagpur.
- [180] D. Lourdin, G. Della Valle, and P. Colonna, "Influence of amylose content on starch films and foams," *Carbohydr. Polym.*, vol. 27, no. 4, pp. 261–270, Jan. 1995.
- [181] J. Prachayawarakorn and W. Pomdage, "Effect of carrageenan on properties of biodegradable thermoplastic cassava starch/low-density polyethylene composites reinforced by cotton fibers," *Mater. Des.*, vol. 61, pp. 264–269, 2014.

- [182] Y. P. Wu, M. Q. Ji, Q. Qi, Y. Q. Wang, and L. Q. Zhang, “Preparation, structure, and properties of starch/rubber composites prepared by co-coagulating rubber latex and starch paste,” *Macromol. Rapid Commun.*, vol. 25, no. 4, pp. 565–570, 2004.
- [183] F. C. de Paula, C. B. C. de Paula, and J. Contiero, “Prospective biodegradable plastics from biomass conversion processes,” in *Biofuels - State of Development*, InTech, 2018.
- [184] G. G. Sudhanshu Joshi, Ujjawal Sharm, “Bio-plastic from waste newspaper,” *International J. Eng. Res. Technol.*, no. February, pp. 24–27, 2016.
- [185] R. Zhao, P. Torley, and P. J. Halley, “Emerging biodegradable materials: starch- and protein-based bio-nanocomposites,” *J. Mater. Sci.*, vol. 43, no. 9, pp. 3058–3071, 2008.
- [186] D. P. Chaudhary, S. Kumar, and S. Langyan, “Maize: nutrition dynamics and novel uses,” *Maize Nutr. Dyn. Nov. Uses*, vol. 9788132216, pp. 1–161, 2013.
- [187] D. Ignjatovic-Micic, J. Vancetovic, D. Trbovic, Z. Dumanovic, M. Kostadinovic, and S. Bozinovic, “Grain nutrient composition of maize (*Zea mays L.*) drought-tolerant populations,” *J. Agric. Food Chem.*, vol. 63, no. 4, pp. 1251–1260, 2015.
- [188] R. Jayasekara, I. Harding, I. Bowater, and G. Lonergan, “Biodegradability of a selected range of polymers and polymer blends and standard methods for assessment of biodegradation,” *J. Polym. Environ.*, vol. 13, no. 3, pp. 231–251, 2005.
- [189] J. M. Gould, S. H. Gordon, L. B. Dexter, and C. L. Swanson, “Biodegradation of starch-containing plastics,” in *Agricultural And Synthetic Polymers*, vol. 12, no. 3, 2012, pp. 65–75.
- [190] K. Muthukumarappan and G. J. Swamy, “Microstructure and its relationship with quality and storage stability of extruded products,” in *Food Microstructure and Its Relationship with Quality and Stability*, Elsevier Ltd,

- 2018, pp. 161–191.
- [191] M. Lacroix and K. D. Vu, “Edible coating and film materials: proteins,” in *Innovations in Food Packaging: Second Edition*, Laval Quebec: Elsevier Ltd, 2013, pp. 277–304.
- [192] Z. Lu, “Identifying dominant anaerobic microorganisms for degradation of benzene,” University of Saskatchewan, 2014.
- [193] B. Nzioki, “Biodegradable polymer blends and composites from proteins produced by animal co-product industry,” Clemson University, 2010.
- [194] A. Przepiórkowska, M. Prochon’, and M. Zaborski, “Biodegradable protein-containing elastomeric vulcanizates,” *Rubber Chem. Technol.*, vol. 78, no. 5, pp. 868–878, 2005.
- [195] T. Jiang, Q. Duan, J. Zhu, H. Liu, and L. Yu, “Starch-based biodegradable materials: challenges and opportunities,” *Adv. Ind. Eng. Polym. Res.*, 2019.
- [196] M. H. Nguyen, H. Jeong, and C. Yang, “A study on flow fields and performance of water wheel turbine using experimental and numerical analyses,” *Sci. China Technol. Sci.*, vol. 61, no. 3, pp. 464–474, 2018.
- [197] J. Czulak, A. Jakubiak-Marcinkowska, and A. Trochimczuk, “Polymer catalysts imprinted with metal ions as biomimics of metalloenzymes,” *Adv. Mater. Sci. Eng.*, vol. 2013, no. Figure 1, pp. 1–9, 2013.
- [198] V. S. Šelih, M. Strlič, J. Kolar, and B. Pihlar, “The role of transition metals in oxidative degradation of cellulose,” *Polym. Degrad. Stab.*, vol. 92, no. 8, pp. 1476–1481, 2007.
- [199] N. Nishat and A. Malik, “Biodegradable coordination polymer: polycondensation of glutaraldehyde and starch in complex formation with transition metals Mn(II), Co(II), Ni(II), Cu(II) and Zn(II),” *Arab. J. Chem.*, vol. 9, pp. S1824–S1832, 2016.
- [200] Y. Ohtake, “Degradation of vulcanised rubber products – problems and

- solutions (degradation by residual chlorine in tap water, metals and ozone due to deterioration in the global environment)," *Int. Polym. Sci. Technol.*, vol. 34, no. 4, pp. 57–67, 2018.
- [201] F. M. M. Suki, A. R. Azura, and B. Azahari, "Effect of ball milled and ultrasonic sago starch dispersion on sago starch filled natural rubber latex (SSNRL) films," *Procedia Chem.*, vol. 19, pp. 782–787, 2016.
- [202] Malaysian Rubber Producers' Research Association, *Natural rubber formulary / Malaysian Rubber Producers' Research Association*. 1980.
- [203] I. Jayathilaka, T. U. Ariyadasa, and S. M. Egodage, "Powdered corn grain and cornflour on properties of natural rubber latex vulcanizates: effect of filler loading," in *2018 Moratuwa Engineering Research Conference (MERCon)*, 2018, pp. 235–240.
- [204] K. Mumtahenah Siddiquee, M. Maksud Helali, M. Abdul Gafur, and S. Chakraborty, "Investigation of an optimum method of biodegradation process for jute polymer composites," *Am. J. Eng. Res.*, no. 01, pp. 2320–847, 2014.
- [205] H. P. S. Abdul Khalil and H. Ismail, "Effect of acetylation and coupling agent treatments upon biological degradation of plant fibre reinforced polyester composites," *Polym. Test.*, vol. 20, no. 1, pp. 65–75, 2000.
- [206] ASTM D5988-03, "Standard test method for determining aerobic biodegradation in soil of plastic materials or residual plastic materials after composting," *ASTM Int.*, pp. 1–6, 2012.
- [207] B. Nowak, S. Rusinowski, B. Chmielnicki, G. Kamińska-Bach, and K. Bortel, "Degradation of PVC/rPLA thick films in soil burial experiment," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 44, no. 5, 2016.
- [208] J. S. Knapp and K. C. A. Bromley-Challoner, *Recalcitrant organic compounds*. 2003.
- [209] A. Corti, M. Sudhakar, and E. Chiellini, "Assessment of the whole

- environmental degradation of oxo-biodegradable linear low density polyethylene (LLDPE) films designed for mulching applications,” *J. Polym. Environ.*, vol. 20, no. 4, pp. 1007–1018, 2012.
- [210] L. Than, S. W. Phang, and K. N. Ho, “Coagulant dipping time and temperature optimisation for latex glove uneven coating investigation,” *MATEC Web Conf.*, vol. 152, pp. 1–14, 2018.
- [211] H. D. Chirinos and S. M. L. Guedes, “Manufacture of gloves using RVNRL: parameters of the coagulant dipping process,” *Brazilian J. Chem. Eng.*, vol. 15, no. 4, pp. 334–342, 1998.
- [212] H. Ahn, T. L. Richard, T. D. Glanville, J. D. Harmon, and D. L. Reynolds, “Estimation of optimum moisture levels for biodegradation of compost bulking materials,” in *Agricultural and Biosystems Engineering*, 2005, pp. 2–15.
- [213] B. R., B. M., and A. O. M., “Acid- and neutro-detergent fiber and minor mineral contents in maize and its tortilla,” *Arch. Latinoam. Nutr.*, vol. 39, no. 3, pp. 382–91, Sep. 1989.
- [214] E. I. Yousif, M. G. E. Gadallah, and A. M. Sorour, “Physico-chemical and rheological properties of modified corn starches and its effect on noodle quality,” *Ann. Agric. Sci.*, vol. 57, no. 1, pp. 19–27, 2012.
- [215] E. G. Hassan, A. M. I. Mustafa, and A. A. Elfaki3, “Characterization and evaluation of starches from different sources,” *J. Agri-Food Appl. Sci.*, vol. 3, no. 2311–6730, pp. 101–109, 2015.
- [216] N. Hlabangana, G. Danha, and E. Muzenda, “Effect of ball and feed particle size distribution on the milling efficiency of a ball mill: An attainable region approach,” *South African J. Chem. Eng.*, vol. 25, pp. 79–84, 2018.
- [217] C. S. B. Martinez, “Novel renewable materials from natural rubber and agro-industrial residues,” The Ohio State University, 2016.

- [218] M. Ghasemlou *et al.*, “Physical, mechanical and barrier properties of corn starch films incorporated with plant essential oils,” *Carbohydr. Polym.*, vol. 98, no. 1, pp. 1117–1126, 2013.
- [219] A. A. Mohamed and P. Rayas-Duarte, “The effect of mixing and wheat protein/gluten on the gelatinization of wheat starch,” *Food Chem.*, vol. 81, no. 4, pp. 533–545, 2003.
- [220] B. Biduski *et al.*, “Starch hydrogels: The influence of the amylose content and gelatinization method,” *Int. J. Biol. Macromol.*, vol. 113, pp. 443–449, 2018.
- [221] P. J. M. Pelgrom, R. M. Boom, and M. A. I. Schutyser, “Method development to increase protein enrichment during dry fractionation of starch-rich legumes,” *Food Bioprocess Technol.*, vol. 8, no. 7, pp. 1495–1502, 2015.
- [222] C. S. Barrera and K. Cornish, “Processing and mechanical properties of natural rubber/waste-derived nano filler composites compared to macro and micro filler composites,” *Ind. Crops Prod.*, vol. 107, no. May, pp. 217–231, 2017.
- [223] Á. Bravo-Núñez, R. Garzón, C. M. Rosell, and M. Gómez, “Evaluation of starch-protein interactions as a function of pH,” *Foods*, vol. 8, no. 5, pp. 2–11, 2019.
- [224] X. D. Sun *et al.*, “Factors influencing gelation properties of corn germ proteins,” *J. Sci. Food Agric.*, vol. 97, no. 13, pp. 4445–4450, 2017.
- [225] A. F. Martins, L. L. Y. Visconte, R. H. Schuster, F. Boiler, and R. C. R. Nunes, “Ageing effect on dynamic and mechanical properties of NR/Cel II nanocomposites,” *KGK Kautschuk Gummi Kunststoffe*, vol. 57, no. 9, pp. 446–451, 2004.
- [226] P. Vanova, I. Hudec, and A. Koazeova, “Influence of corn starch on properties of rubber compounds,” *Influ. of corn starch Prop. of rubber Compd.* 283, vol. 3, pp. 283–285, 2013.

- [227] Y. Qin, H. Zhang, Y. Dai, H. Hou, and H. Dong, “Effect of alkali treatment on structure and properties,” *Materials (Basel.)*, vol. 12, pp. 1–13, 2019.
- [228] M. E. Carr, B. T. Hofreiter, and C. R. Russell, “Starch Xanthate-Polyethylenimine reaction mechanisms.,” *J Polym Sci Polym Chem Ed*, vol. 13, no. 6, pp. 1441–1456, 1975.
- [229] P. Li, Y. Wu, Y. Zhou, and Y. Zuo, “Preparation and characterization of resorcinol-dialdehyde starch-formaldehyde copolycondensation resin adhesive,” *Int. J. Biol. Macromol.*, vol. 127, pp. 12–17, 2019.
- [230] L. Chen *et al.*, “Enhancing the performance of starch-based wood adhesive by silane coupling agent(KH570),” *Int. J. Biol. Macromol.*, vol. 104, pp. 137–144, 2017.
- [231] M. Bocevska, I. Aldabas, D. Andreevska, and V. Ilieva, “Gelatinization behavior of grains and flour in relation to physico-chemical properties of milled rice (*oryza sativa l.*),” *J. Food Qual.*, vol. 32, no. 1, pp. 108–124, 2009.
- [232] H. Salmah, A. Romisuhani, and H. Akmal, “Properties of low-density polyethylene/palm kernel shell composites: Effect of polyethylene co-acrylic acid,” *J. Thermoplast. Compos. Mater.*, vol. 26, no. 1, pp. 3–15, 2013.
- [233] D. I. Munthoub and W. A. W. A. Rahman, “Tensile and water absorption properties of biodegradable composites derived from cassava skin/polyvinyl alcohol with glycerol as plasticizer,” *Sains Malaysiana*, vol. 40, no. 7, pp. 713–718, 2011.
- [234] G. Singh, N. Kaur, H. Bhunia, P. K. Bajpai, and U. K. Mandal, “Degradation behaviors of linear low-density polyethylene and poly(L-lactic acid) blends,” *J. Appl. Polym. Sci.*, vol. 116, no. 5, pp. 2658–2667, 2011.
- [235] S. K. Mary, P. K. Sasidharan Pillai, D. B. Amma, L. A. Pothen, and S. Thomas, “Aging and biodegradation of biocomposites,” in *Handbook of Biopolymer-Based Materials*, Weinheim, Germany: Wiley-VCH Verlag GmbH & Co. KGaA, 2013, pp. 777–799.

- [236] X. Liao, H. Zhang, and T. He, “Preparation of porous biodegradable polymer and its nanocomposites by supercritical CO₂ foaming for tissue engineering,” *J. Nanomater.*, vol. 2012, 2012.
- [237] A. L. Iordanskii, G. E. Zaikov, and A. A. Berlin, “Diffusion kinetics of hydrolysis of biodegradable polymers. Weight loss and control of the release of low molecular weight substances,” *Polym. Sci. Ser. D*, vol. 8, no. 3, pp. 211–218, 2015.
- [238] S. Kuciel, K. Mazur, and P. Jakubowska, “Novel biorenewable composites based on poly (3-hydroxybutyrate-co-3-hydroxyvalerate) with natural fillers,” *J. Polym. Environ.*, vol. 27, no. 4, pp. 803–815, 2019.
- [239] B. Jamilah, A. Mohamed, K. A. Abbas, R. Abdul Rahman, R. Karim, and D. M. Hashim, “Protein-starch interaction and their effect on thermal and rheological characteristics of a food system: A review,” *J. Food, Agric. Environ.*, vol. 7, no. 2, pp. 169–174, 2009.
- [240] M. K. Sangale, “A review on biodegradation of polythene: the microbial approach,” *J. Bioremediation Biodegrad.*, vol. 03, no. 10, pp. 2–9, 2012.
- [241] P. Panitchakarn, J. Wikranvanich, and M. Phisalaphong, “Synthesis and characterization of natural rubber/coal fly ash composites via latex aqueous microdispersion,” *J. Mater. Cycles Waste Manag.*, vol. 21, no. 1, pp. 134–144, 2019.
- [242] D. Tennakoon, “Study on the effect of filler combinations to the cost and quality of an industrial nitrile glove,” University of Sri Jayewa rdeneepura, Sri Lanka, 2015.
- [243] M. Masłowski, J. Miedzianowska, and K. Strzelec, “Natural rubber composites filled with crop residues as an alternative to vulcanizates with common fillers,” *Polymers (Basel)*, vol. 11, no. 6, 2019.