References

Abdessalem S.B, Youssef Ben Abdelkader, Sofiene Mokhtar, P, Saber Elmarzougui (2009). Influence of Elastane Consumption on Plated Plain Knitted Fabric Characteristics, Journal of Engineered Fibers and Fabrics, 4(4), 30-35

Abend, Gabriel. "The Meaning of Theory." Sociological Theory 26 (June 2008): 173–199; Swanson, Richard A. Theory Building in Applied Disciplines. San Francisco, CA: Berrett-Koehler Publishers 2013.

Almetwally, Alsaid Ahmed, Idrees, Hatim M.F., Hebeish, Ali Ali (2014, Predicting the tensile properties of cotton/spandex core-spun yarns using artificial neural network and linear regression models, The Journal of The Textile Institute,Col 105 issue 13, 1221-1229.

Asahi Kasei (2008), Dorlastan in circular knitting, Dorlastan product information technical report, Spandex Europe GmbH, Germany.

Asit Ghosh, Asif Ahmed Tonmoy, Saurov Saha (2020), Effect of Lycra percentage on the physical properties of single jersey weft knitted fabric, Journal of Textile Engineering & Fashion Technology, 6 (1), 29- 35

Bahadir M.C, Senem Kursun Bahadir, and Fatma Kalaoglu (2012), An Artificial Neural Network Model for Prediction of Bursting Strength of Knitted Fabrics, International Conference on Machine Learning and Computer Science (IMLCS'2012), 167-170.

Boudreau, M-C., Gefen D., & Straub, D. W. (2001). Validation in Information Systems Research: A State-of-the-Art Assessment. MIS Quarterly, 25(1), 1-16.

Cuden, A. P., Srdjak, M., Pelko, H., (2000), Optimization of the cotton/Lycra plain knitted Fabric parameters, International Journal of Polymeric Materials, 47, 633 – 648.

Elshakankery, M.H., & Almetwally, A.A. (2012). Physical and Stretch Properties of Woven Cotton Fabrics Containing Different Rates of Spandex.

Eltahan, Eman, (2016) Effect of Lycra Percentages and Loop Length on the Physical and Mechanical Properties of Single Jersey Knitted Fabrics, Journal of Composites

Eman Eltahan (2016), Effect of Lycra Percentages and Loop Length on the Physical and Mechanical Properties of Single Jersey Knitted Fabrics, Journal of Composites, Volume 2016,1-7

Hall, B., & Howard K. (2008). A synergistic approach: Conducting mixed methods research with typological and systemic design considerations. Journal of Mixed Methods Research, 2(3), 248-269.

Hamza ALIBI, Faten FAYALA, Abdelmajid JEMNI, Xianyi ZENG, A Neural Network System for Designing New Stretch Fabrics

Jaeger, R. G, & Halliday, T. R. (1998). On Confirmatory versus Exploratory Research. Herpetologica, 54, S64–S66.

Kothari, C. R., & Grag G. (2014). Methodology of the Research : methods and techniques (3rd ed.). New Delhi: New age International.

Kumar, R. (2005). Methodology of the Research: A Step By Step Guide for Beginners (2nd ed.). Australia: Pearson Education.

Kumar, V.; Sampath, V. R. Investigation on the Physical and Dimensional properties of Single Jersey Fabrics made from Cotton Sheath - Elastomeric Core Spun. FIBRES TEXT EAST EUR, 2013; 21(3): 73-75,

Ogulata N. S, Cenk Sahin,R. Tugrul Ogulata, Onur Balci (2006), The Prediction of Elongation and Recovery of Woven Bi-Stretch Fabric Using Artificial Neural Network and Linear Regression Models, FIBRES & TEXTILES in Eastern Europe April / June, Vol. 14, No. 2 (56)

Olena Kyzymchuk and Liudmyla Melnyk (2018), Stretch properties of elastic knitted fabric with pillar stitch, Journal of Engineered Fibers and Fabrics, 1- 10.

Qing CHEN, Pibo Ma, Haiwen Mao, Xuhong Miao, Gaoming Jiang (2017),The effect of knitting parameter and finishing on elastic property of PET/PBT warp knitted fabric, AUTEX Research Journal, Vol. 17, No 4, 350-360.

Saber Ben Abdessalem, Youssef Ben Abdelkader, Sofiene Mokhtar (2009), Saber Elmarzougui, Influence of Elastane Consumption on Plated Plain Knitted Fabric Characteristics, Journal of Engineered Fibers and Fabrics, Volume 4, Issue 4

Sadek R, A. M. El-Hossini, A. S. Eldeeb, A.A. Yassen (2012), Effect of Lycra Extension Percent on Single Jersey Knitted Fabric Properties, Journal of Engineered Fibers and Fabrics 7(2), 11- 16.

Mohsen Shanbeh, Hossein Hasani and Somayeh Akhavan Tabatabaei (2011), Modelling and Predicting the Breaking Strength and Mass Irregularity of Cotton Rotor-Spun Yarns Containing Cotton Fiber Recovered from Ginning Process by Using Artificial Neural Network Algorithm, Modelling and Simulation in Engineering, vol. 3, 1-8.

Srivastava, A., & Thomson S. B. (2009). Framework analysis: A qualitative methodology for applied policy research. Journal of Administration & Governance, 4(2), 72-79.

Van de Vijver, F. J. R. (2011). Cross-cultural Research Methods in Psychology. New York: Cambridge University.

Eltahan, Eman, (2016) Effect of Lycra Percentages and Loop Length on the Physical and Mechanical Properties of Single Jersey Knitted Fabrics, Journal of Composites,