

REFERENCE LIST

- [1] I.-C. Lin and T.-C. Liao, "A survey of blockchain security issues and challenges.," *IJ Network Security*, vol. 19, no. 5, pp. 653–659, 2017.
- [2] S. Nakamoto, "A peer-to-peer electronic cash system," *Bitcoin*.—URL: <https://bitcoin.org/bitcoin.pdf>, vol. 4, 2008.
- [3] M. Vukolić, "The quest for scalable blockchain fabric: Proof-of-work vs. bft replication," in *International workshop on open problems in network security*, Springer, 2015, pp. 112–125.
- [4] C. Cachin, "Architecture of the hyperledger blockchain fabric," in *Workshop on distributed cryptocurrencies and consensus ledgers*, Chicago, IL, vol. 310, 2016.
- [5] I. Bentov, C. Lee, A. Mizrahi, and M. Rosenfeld, "Proof of Activity : Extending Bitcoin's Proof of Work via Proof of Stake [Extended Abstract]," *ACM SIGMETRICS Performance Evaluation Review*, vol. 42, no. 3, pp. 34–37, 2014.
- [6] B. Clark, *Blockchain and ip law: A match made in crypto heaven?* 2018. [Online]. Available: https://www.wipo.int/wipo_magazine/en/2018/01/article_0005.html.
- [7] M. Sharples and J. Domingue, "The blockchain and kudos: A distributed system for educational record, reputation and reward," in *European conference on technology enhanced learning*, Springer, 2016, pp. 490–496.
- [8] S. Dean, *\$69 million for digital art? The NFT craze explained*, 2021. [Online]. Available: <https://www.latimes.com/business/technology/story/2021-03-11/nft-explainer-crypto-trading-collectible> (visited on 05/24/2021).
- [9] M. O'Dair, Z. Beaven, D. Neilson, R. Osborne, and P. Pacifico, "Music on the blockchain," 2016.
- [10] N. Kshetri, "Can blockchain strengthen the internet of things?" *IT professional*, vol. 19, no. 4, pp. 68–72, 2017.
- [11] A. Dorri, S. S. Kanhere, and R. Jurdak, "Towards an optimized blockchain for iot," in *2017 IEEE/ACM Second International Conference on Internet-of-Things Design and Implementation (IoTDI)*, IEEE, 2017, pp. 173–178.
- [12] M. Mettler, "Blockchain technology in healthcare: The revolution starts here," in *2016 IEEE 18th international conference on e-health networking, applications and services (Healthcom)*, IEEE, 2016, pp. 1–3.
- [13] C. Papadimitriou, "Algorithms, games, and the internet," in *Proceedings of the thirty-third annual ACM symposium on Theory of computing*, 2001, pp. 749–753.
- [14] K. Biswas and V. Muthukkumarasamy, "Securing smart cities using blockchain technology," in *IEEE International Conference on High Performance Computing and Communications*, IEEE Xplore, 2016, pp. 1392–1393.

- [15] J. Bonneau, A. Miller, J. Clark, A. Narayanan, J. A. Kroll, and E. W. Felten, “Sok: Research perspectives and challenges for bitcoin and cryptocurrencies,” in *2015 IEEE symposium on security and privacy*, IEEE, 2015, pp. 104–121.
- [16] R. Pass and E. Shi, “Fruitchains: A fair blockchain,” in *Proceedings of the ACM Symposium on Principles of Distributed Computing*, 2017, pp. 315–324.
- [17] I. Eyal and E. G. Sirer, “Majority is not enough: Bitcoin mining is vulnerable,” in *International conference on financial cryptography and data security*, Springer, 2014, pp. 436–454.
- [18] J. R. Douceur, “The sybil attack,” in *International workshop on peer-to-peer systems*, Springer, 2002, pp. 251–260.
- [19] M. Babaioff, S. Dobzinski, S. Oren, and A. Zohar, “On bitcoin and red balloons,” in *Proceedings of the 13th ACM conference on electronic commerce*, 2012, pp. 56–73.
- [20] L. Lamport, R. Shostak, and M. Pease, “The byzantine generals problem,” *ACM Transactions on Programming Languages and Systems*, vol. 4, no. 3, pp. 382–401, 1982.
- [21] M. Castro, B. Liskov, *et al.*, “Practical byzantine fault tolerance,” in *OSDI*, vol. 99, 1999, pp. 173–186.
- [22] M. J. Fischer, N. A. Lynch, and M. S. Paterson, “Impossibility of distributed consensus with one faulty process,” *Journal of the ACM (JACM)*, vol. 32, no. 2, pp. 374–382, 1985.
- [23] D. Schwartz, N. Youngs, A. Britto, *et al.*, “The ripple protocol consensus algorithm,” *Ripple Labs Inc White Paper*, vol. 5, no. 8, p. 151, 2014.
- [24] S. King and S. Nadal, “Ppcoin: Peer-to-peer crypto-currency with proof-of-stake,” *self-published paper, August*, vol. 19, p. 1, 2012.
- [25] J. Kwon, “Tendermint: Consensus without mining,” *Draft v. 0.6, fall*, vol. 1, no. 11, 2014.
- [26] J. K. Goeree and C. A. Holt, “Stochastic game theory: For playing games, not just for doing theory,” *Proceedings of the National Academy of sciences*, vol. 96, no. 19, pp. 10 564–10 567, 1999.
- [27] M. O. Jackson, “A brief introduction to the basics of game theory,” *Available at SSRN 1968579*, 2011.
- [28] M. Hossein Manshaei, Q. Zhu, T. Alpcan, T. Basar, and J.-P. Hubaux, “Game theory meets network security and privacy,” *ACM Computing Surveys*, 2011.
- [29] S. Roy, C. Ellis, S. Shiva, D. Dasgupta, V. Shandilya, and Q. Wu, “A survey of game theory as applied to network security,” in *2010 43rd Hawaii International Conference on System Sciences*, IEEE, 2010, pp. 1–10.
- [30] M. O. Jackson, K. Leyton-Brown, and Y. Shoham, *Game Theory Course: Strategic Reasoning*, 2013. (visited on 12/20/2018).

- [31] T. Moscibroda, S. Schmid, and R. Wattenhofer, “When selfish meets evil: Byzantine players in a virus inoculation game,” in *Proceedings of the twenty-fifth annual ACM symposium on Principles of distributed computing*, 2006, pp. 35–44.
- [32] C. Buragohain, D. Agrawal, and S. Suri, “A game theoretic framework for incentives in p2p systems,” in *Proceedings Third International Conference on Peer-to-Peer Computing (P2P2003)*, IEEE, 2003, pp. 48–56.
- [33] H. Varian, “System reliability and free riding,” in *Economics of information security*, Springer, 2004, pp. 1–15.
- [34] R. Gupta and A. K. Somani, “Game theory as a tool to strategize as well as predict nodes’ behavior in peer-to-peer networks,” in *11th International Conference on Parallel and Distributed Systems (ICPADS’05)*, IEEE, vol. 1, 2005, pp. 244–249.
- [35] J. Grossklags, N. Christin, and J. Chuang, “Secure or insure? a game-theoretic analysis of information security games,” in *Proceedings of the 17th international conference on World Wide Web*, 2008, pp. 209–218.
- [36] E. Koutsoupias and C. Papadimitriou, “Worst-case equilibria,” in *Annual Symposium on Theoretical Aspects of Computer Science*, Springer, 1999, pp. 404–413.
- [37] M. Nojournian and D. R. Stinson, “Socio-rational secret sharing as a new direction in rational cryptography,” in *International Conference on Decision and Game Theory for Security*, Springer, 2012, pp. 18–37.
- [38] M. J. Osborne and A. Rubinstein, *A course in game theory*. MIT press, 1994.
- [39] S. Hart and A. Mas-Colell, “A simple adaptive procedure leading to correlated equilibrium,” *Econometrica*, vol. 68, no. 5, pp. 1127–1150, 2000.
- [40] W. B. Arthur, “Inductive reasoning and bounded rationality,” *The American economic review*, vol. 84, no. 2, pp. 406–411, 1994.
- [41] M. Garofalo, “Modeling the ‘el farol bar problem’ in netlogo,” *PRELIMINARY DRAFT, Dexia Bank Belgium*, 2006.
- [42] U. Wilensky, “NetLogo,” *Center for Connected Learning and Computer Based Modeling, Northwestern University, Evanston, IL*, 1999. [Online]. Available: <http://ccl.northwestern.edu/netlogo/>.
- [43] P. Davidsson, “Multi agent based simulation: Beyond social simulation,” in *International workshop on multi-agent systems and agent-based simulation*, Springer, 2000, pp. 97–107.
- [44] M. Niazi and A. Hussain, “Agent-based tools for modeling and simulation of self-organization in peer-to-peer, ad hoc, and other complex networks,” *IEEE Communications Magazine*, vol. 47, no. 3, pp. 166–173, 2009.
- [45] U. Wilensky and W. Rand, “NetLogo El Farol model,” *Center for Connected Learning and Computer-Based Modeling, Northwestern Institute on Complex Systems, Northwestern University, Evanston, IL.*, 2007. [Online]. Available: <http://ccl.northwestern.edu/netlogo/models/ElFarol>.

- [46] —, *Introduction to Agent-Based Modeling: Modeling Natural, Social and Engineered Complex Systems with NetLogo*. Cambridge, MA. MIT Press, 2015.