

REFERENCE LIST

- Loukas, A., & Quick, M. C. (1996). Physically-based estimation of lag time for forested mountainous watersheds. *Hydrological Sciences*, 41(1).
- Svensson, C., Kundzewicz, W. Z., & Thomas . (2009). Trend detection in river flow series: 2. Flood and low-flow index series. *Hydrological C=Science*, 50(5), 15.
- Abdessamed, D., Abderrazak, B., & Kamila, B. (2018). Modelling rainfall runoff relations: Case study in Ain Sefra watershed, Ksour Mountains (SW Algeria). *Water and Land development*, 36(I-III), 11.
- (2016). *Annual Report, CEB*. Sri Lanka: Ceylon Electricity Board.
- CEB. (2018). *Long Term Generation Expansion Plan 2018-2037. Transmission And Generation Planning*. Transmission and Generation Planning. Ceylon Electricity Board.
- Drápela, K., & Drápelová, I. (n.d.). *Application of Mann-Kendall test and the Sen's slope estimates for trend detection in deposition data from Bílý Kříž (Beskydy Mts., the Czech Republic) 1997–2010*.
- Fiaz, H., Ghulam, N., & Waseem, B. M. (2015). Rainfall Trend Analysis By Using The Mann-Kendall Test & Sen's Slope Estimates: A Case Study Of District Chakwal Rain Gauge, Barani Area, Northern Punjab Province, Pakista. *Sci.Int.(Lahore)*, 27(4), 7.
- George, C., Bob, P., Paul, P., & Sheng, Y. (2002). The influence of autocorrelation on the ability to detect trend in hydrological series. *Hydrological Process*, 16, 23.
- Gericke, O. J., & Smithers, J. C. (2014). Review of methods used to estimate catchment response time for the purpose of peak discharge estimation. *Hydrological Science*, 59(11), 38.
- Hasana, M., & Croke, B. (2013). Filling gaps in daily rainfall data: a statistical approach. *20th International Congress on Modelling and Simulation*. Adelaide, Australia.

- Hua, Y. T., & Chi, Y. S. (2014). Uncertainty Assessment: Reservoir Inflow Forecasting with Ensemble Precipitation Forecasts and HEC-HMS. *Advance in Meteorology*.
- IPCC. (2014). *Climate Change 2014 (Impacts, Adaptation and Vulnerability - Part A: Global & Sectoral Aspects)*. IPCC.
- John, P., Bahram, G., & Ramesh, R. (2018). Reference Time of Concentration Estimation for Ungauged Catchments. *Earth Science Research*, 7(2), 22.
- Khaliq, M., Ouarda, T., Gachon, P., Sushama, L., & St-Hilaire, A. (2009). Identification of hydrological trends in the presence of serial and cross correlations: A review of selected methods and their application to annual flow regimes of Canadian rivers. *Journal of Hydrology*, 368, 14.
- Mann-Kendall Trend Test in R*. (n.d.). (Ghement Statistical Consulting Company Ltd) Retrieved from <http://www.ghement.ca/resources.html>
- Meshkat, M., & Klipsch, J. D. (2018). Modeling Interconnected Reservoirs with HEC-ResSim. *World Environmental and Water Resources Congress*.
- Ministry of Mahaweli Development and Environment, S. L. (2016). *Natioanl adaptation plan for climate change impacts in Sri Lanka 2016-2025*.
- Muleta, M. K. (2012, June). Model Performance Sensitivity to Objective Function during Automated Calibrations. *Journal of Hydrologic Engineering*, 17(6).
- Presti, R. L., Barca, E., & Passarella, G. (2010). A methodology for treating missing data applied to daily rainfall data in the Candelaro River Basin (Italy). *Environ Monit Assess* (2010), 160, 22.
- R Studio, Help*. (n.d.). Retrieved from Inc, R Studio.
- R.L.Anderson. (1942). Distribution of the Serial Correlation Coefficient. *Ann.Math.Stat*, 13(1), 13.
- Salwa Ramly, authorWardah Tahir. (2016). Application of HEC-GeoHMS and HEC-HMS as Rainfall–Runoff Model for Flood Simulation. *ISFRAM 2015*.

MARASHAH ALAM MALAYSIA: FACULTY OF CIVIL ENGINEERING UNIVERSITY TECHNOLOGY MARASHAH ALAM MALAYSIA.

Saphioğlu, K. (2015, 10 01). A new methodology for trend analysis: A case study in Burdur and Isparta, Turkey. *Fresenius Environmental Bulletin*, 24.

Sattari, M. T., Joudi, A. R., & Kusiak, A. (2016). Assessment of different methods for estimation of missing data in precipitation studies. *Hydrology Research*. Retrieved from https://www.researchgate.net/publication/308810621_Assessment_of_different_methods_for_estimation_of_missing_data_in_precipitation_studies/citation/download

Scotland's Soils . . (2013). (Scotland's Environment) Retrieved from <https://soils.environment.gov.scot/media/1065/2013-soil-classification.xlsx>

SCS Curve Number Method. (n.d.). (Purdue University, Collage of Engineering) Retrieved from <https://engineering.purdue.edu/mapserve/LTHIA7/documentation/scs.htm>

Stone, Reynold. (2014). rainfall-Runoff Analysis Using the Soil Conservation Service Curve Number Method. *University of the West Indies, St. Augustine*.

Thenmozhi, M., & Kottiswaran, S. (2016, April). ANALYSIS OF RAINFALL TREND USING MANN– KENDALL TEST AND THE SEN’S SLOPE ESTIMATOR IN UDUMALPET OF TIRUPUR DISTRICT IN TAMIL NADU. *International Journal of Agricultural Science and Research (IJASR)*, 6(2).

Visual Sample Plan (VSP). (n.d.). *Mann-Kendall Test For Monotonic Trend*. (Pacific North West National Laboratory) Retrieved from Visual Sample Plan (VSP): https://vsp.pnnl.gov/help/Vsample/Design_Trend_Mann_Kendall.htm

W.W.A.Shantha, & J.M.S.B. Jayasundara. (2005). Study on changes of rainfall in the Mahaweli upper watershed in Sri Lanka due to climatic changes and develop a correction model for global warming. *International Symposium on the Stabilisation of Greenhouse Gas Concentrations. Hadley Centre, Met Office, Exeter, UK*, 6.

Wijesekera, N., & Perera, L. (2016). Key Issues of Data and Data Checking for Hydrological Analyses - Case Study of Rainfall Data in the Attanagalu Oya Basin of Sri Lanka. *Engineer*, 45(No 02), 12.

WMO. (2008). *Guide to Hydrological Practices*, 01(WMO No 168).

WMO. (2017). WMO Guidelines on Generating a Defined Set of National Climate Monitoring Products. *WMO Guideline, WMO NO 1204*.

Zeng, Z., Tang, G., Hong, Y., & Zeng, C. (2017). Development of an NRCS curve number global dataset using the latest geospatial remote sensing data for worldwide hydrologic applications. *Remote Sensing Letters*, 08.