

9. REFERENCES

- [1] N. Nikzad–Khasmakhi, M. A. Balafar, and M. Reza Feizi–Derakhshi, “The state-of-the-art in expert recommendation systems,” *Eng. Appl. Artif. Intell.*, vol. 82, pp. 126–147, Jun. 2019, doi: 10.1016/j.engappai.2019.03.020.
- [2] K. Balog, Y. Fang, M. de Rijke, P. Serdyukov, and L. Si, “Expertise Retrieval,” *Found. Trends Inf. Retr.*, vol. 6, no. 2–3, pp. 127–256, Feb. 2012, doi: 10.1561/1500000024.
- [3] S. Lin, W. Hong, D. Wang, and T. Li, “A survey on expert finding techniques,” *J. Intell. Inf. Syst.*, vol. 49, no. 2, pp. 255–279, Oct. 2017, doi: 10.1007/s10844-016-0440-5.
- [4] O. Husain, N. Salim, R. A. Alias, S. Abdelsalam, and A. Hassan, “Expert Finding Systems: A Systematic Review,” *Appl. Sci.*, vol. 9, no. 20, Art. no. 20, Jan. 2019, doi: 10.3390/app9204250.
- [5] M. N. Uddin, T. H. Duong, K. Oh, and G.-S. Jo, “An Ontology Based Model for Experts Search and Ranking,” in *Intelligent Information and Database Systems*, Berlin, Heidelberg, 2011, pp. 150–160. doi: 10.1007/978-3-642-20042-7_16.
- [6] O. Alhabashneh, R. Iqbal, F. Doctor, and A. James, “Fuzzy rule based profiling approach for enterprise information seeking and retrieval,” *Inf. Sci.*, vol. 394–395, pp. 18–37, Jul. 2017, doi: 10.1016/j.ins.2016.12.040.
- [7] D. W. McDonald and M. S. Ackerman, “Expertise recommender: a flexible recommendation system and architecture,” in *Proceedings of the 2000 ACM conference on Computer supported cooperative work - CSCW '00*, Philadelphia, Pennsylvania, United States, 2000, pp. 231–240. doi: 10.1145/358916.358994.
- [8] D. Yimam and A. Kobsa, “DEMOIR: a hybrid architecture for expertise modeling and recommender systems,” in *Proceedings IEEE 9th International Workshops on Enabling Technologies: Infrastructure for Collaborative Enterprises (WET ICE 2000)*, Jun. 2000, pp. 67–74. doi: 10.1109/ENABL.2000.883706.
- [9] *Expert Finding Systems*.
- [10] K. Balog, L. Azzopardi, and M. de Rijke, “Formal models for expert finding in enterprise corpora,” in *Proceedings of the 29th annual international ACM SIGIR conference on Research and development in information retrieval*, New York, NY, USA, Aug. 2006, pp. 43–50. doi: 10.1145/1148170.1148181.
- [11] T. Reichling, M. Veith, and V. Wulf, “Expert Recommender: Designing for a Network Organization,” *Comput. Support. Coop. Work CSCW*, vol. 16, no. 4, pp. 431–465, Oct. 2007, doi: 10.1007/s10606-007-9055-2.

- [12] T. Reichling and V. Wulf, *Expert recommender systems in practice: Evaluating semi-automatic profile generation*. 2009, p. 68. doi: 10.1145/1518701.1518712.
- [13] M. Fazel-Zarandi and M. S. Fox, “Constructing expert profiles over time for skills management and expert finding,” in *Proceedings of the 11th International Conference on Knowledge Management and Knowledge Technologies*, New York, NY, USA, Sep. 2011, pp. 1–6. doi: 10.1145/2024288.2024295.
- [14] R. Schäfermeier and A. Paschke, “Using domain ontologies for finding experts in corporate wikis,” in *Proceedings of the 7th International Conference on Semantic Systems*, New York, NY, USA, Sep. 2011, pp. 63–70. doi: 10.1145/2063518.2063527.
- [15] T. Silva, Z. Guo, J. Ma, H. Jiang, and H. Chen, “A social network-empowered research analytics framework for project selection,” *Decis. Support Syst.*, vol. 55, no. 4, pp. 957–968, Nov. 2013, doi: 10.1016/j.dss.2013.01.005.
- [16] T. Silva, J. Ma, C. Yang, and H. Liang, “A profile-boosted research analytics framework to recommend journals for manuscripts,” *J. Assoc. Inf. Sci. Technol.*, vol. 66, no. 1, pp. 180–200, 2015, doi: 10.1002/asi.23150.
- [17] J. Sun, W. Xu, J. Ma, and J. Sun, “Leverage RAF to find domain experts on research social network services: A big data analytics methodology with MapReduce framework,” *Int. J. Prod. Econ.*, vol. 165, pp. 185–193, Jul. 2015, doi: 10.1016/j.ijpe.2014.12.038.
- [18] W. Zhu, F. Liu, Y. Chen, J. Yang, D. Xu, and D. Wang, “Research project evaluation and selection: an evidential reasoning rule-based method for aggregating peer review information with reliabilities,” *Scientometrics*, vol. 105, no. 3, pp. 1469–1490, Dec. 2015, doi: 10.1007/s11192-015-1770-8.
- [19] T. Silva and J. Ma, “Expert profiling for collaborative innovation: big data perspective,” *Inf. Discov. Deliv.*, vol. 45, no. 4, pp. 169–180, Jan. 2017, doi: 10.1108/IDD-03-2017-0021.
- [20] M. Zhang, J. Ma, Z. Liu, J. Sun, and T. Silva, “A Research Analytics Framework-Supported Recommendation Approach for Supervisor Selection,” *Br. J. Educ. Technol.*, vol. 47, no. 2, pp. 403–420, Mar. 2016, doi: 10.1111/bjet.12244.
- [21] C. Yang, J. Ma, T. Silva, X. Liu, and Z. Hua, “A Multilevel Information Mining Approach for Expert Recommendation in Online Scientific Communities,” *Comput. J.*, May 2014, doi: 10.1093/comjnl/bxu033.
- [22] T. Chen, J. Cai, H. Wang, and Y. Dong, “Instant expert hunting: building an answerer recommender system for a large scale Q&A website,” in *Proceedings of the 29th Annual ACM Symposium on Applied Computing*, New York, NY, USA, Mar. 2014, pp. 260–265. doi: 10.1145/2554850.2554915.

- [23] D. Liu, W. Xu, W. Du, and F. Wang, "How to Choose Appropriate Experts for Peer Review: An Intelligent Recommendation Method in a Big Data Context," *Data Sci. J.*, vol. 14, no. 0, Art. no. 0, May 2015, doi: 10.5334/dsj-2015-016.
- [24] D. T. Hoang, N. T. Nguyen, and D. Hwang, "A Group Recommender System for Selecting Experts to Review a Specific Problem," in *Computational Collective Intelligence*, Cham, 2018, pp. 270–280. doi: 10.1007/978-3-319-98443-8_25.
- [25] J. Xu and R. He, "Expert recommendation for trouble ticket routing," *Data Knowl. Eng.*, vol. 116, pp. 205–218, Jul. 2018, doi: 10.1016/j.datak.2018.06.004.
- [26] D. Kundu, R. K. Pal, and D. P. Mandal, "Topic sensitive hybrid expertise retrieval system in community question answering services," *Knowl.-Based Syst.*, vol. 211, p. 106535, Jan. 2021, doi: 10.1016/j.knosys.2020.106535.
- [27] A. Kadhim, "An Evaluation of Preprocessing Techniques for Text Classification," *Int. J. Comput. Sci. Inf. Secur.*, vol. 16, pp. 22–32, Jun. 2018.
- [28] D. Yogish, T. N. Manjunath, and R. S. Hegadi, "Review on Natural Language Processing Trends and Techniques Using NLTK," in *Recent Trends in Image Processing and Pattern Recognition*, Singapore, 2019, pp. 589–606. doi: 10.1007/978-981-13-9187-3_53.
- [29] M. Işik and H. Dağ, "The impact of text preprocessing on the prediction of review ratings," *Turk. J. Electr. Eng. Comput. Sci.*, vol. 28, no. 3, pp. 1405–1421, May 2020.
- [30] H.-H. Chen, A. G. Ororbia II, and C. L. Giles, "ExpertSeer: a Keyphrase Based Expert Recommender for Digital Libraries," *ArXiv151102058 Cs*, Nov. 2015, Accessed: Jun. 06, 2021. [Online]. Available: <http://arxiv.org/abs/1511.02058>
- [31] R. Alghamdi and K. Alfalqi, "A Survey of Topic Modeling in Text Mining," *Int. J. Adv. Comput. Sci. Appl. IJACSA*, vol. 6, no. 1, Art. no. 1, Dec. 2015, doi: 10.14569/IJACSA.2015.060121.
- [32] R. Albalawi, T. H. Yeap, and M. Benyoucef, "Using Topic Modeling Methods for Short-Text Data: A Comparative Analysis," *Front. Artif. Intell.*, vol. 3, 2020, Accessed: Feb. 23, 2022. [Online]. Available: <https://www.frontiersin.org/article/10.3389/frai.2020.00042>
- [33] H. Jelodar, Y. Wang, M. Rabbani, and S. Ayobi, "Natural Language Processing via LDA Topic Model in Recommendation Systems," *ArXiv190909551 Cs*, Sep. 2019, Accessed: Nov. 09, 2021. [Online]. Available: <http://arxiv.org/abs/1909.09551>
- [34] H. Jelodar *et al.*, "Latent Dirichlet allocation (LDA) and topic modeling: models, applications, a survey," *Multimed. Tools Appl.*, vol. 78, no. 11, pp. 15169–15211, Jun. 2019, doi: 10.1007/s11042-018-6894-4.

- [35] H. Jelodar *et al.*, “Recommendation system based on semantic scholar mining and topic modeling on conference publications,” *Soft Comput.*, vol. 25, no. 5, pp. 3675–3696, Mar. 2021, doi: 10.1007/s00500-020-05397-3.
- [36] S. Likhitha, B. S. Harish, and H. M. Keerthi Kumar, “A Detailed Survey on Topic Modeling for Document and Short Text Data,” *Int. J. Comput. Appl.*, vol. 178, pp. 975–8887, Aug. 2019, doi: 10.5120/ijca2019919265.
- [37] M. Rosen-Zvi, T. Griffiths, M. Steyvers, and P. Smyth, “The Author-Topic Model for Authors and Documents,” *ArXiv12074169 Cs Stat*, Jul. 2012, Accessed: Nov. 18, 2021. [Online]. Available: <http://arxiv.org/abs/1207.4169>
- [38] E. Peis, J. Morales-del-Castillo, and J. Delgado-López, “Semantic Recommender Systems. Analysis of the state of the topic,” *Hipertextnet Núm 6 Ed. En Anglès*, Jan. 2008.
- [39] M. I. Martín-Vicente, A. Gil-Solla, M. Ramos-Cabrer, J. J. Pazos-Arias, Y. Blanco-Fernández, and M. López-Nores, “A semantic approach to improve neighborhood formation in collaborative recommender systems,” *Expert Syst. Appl.*, vol. 41, no. 17, pp. 7776–7788, Dec. 2014, doi: 10.1016/j.eswa.2014.06.038.
- [40] J. M. Ruiz-Martínez, J. A. Miñarro-Giménez, and R. Martínez-Béjar, “An ontological model for managing professional expertise,” *Knowl. Manag. Res. Pract.*, vol. 14, no. 3, pp. 390–400, Aug. 2016, doi: 10.1057/kmpr.2015.3.
- [41] M. Nilashi, O. Ibrahim, and K. Bagherifard, “A recommender system based on collaborative filtering using ontology and dimensionality reduction techniques,” *Expert Syst. Appl.*, vol. 92, pp. 507–520, Feb. 2018, doi: 10.1016/j.eswa.2017.09.058.
- [42] R.-Q. Wang and F.-S. Kong, “Semantic-Enhanced Personalized Recommender System,” in *2007 International Conference on Machine Learning and Cybernetics*, Aug. 2007, vol. 7, pp. 4069–4074. doi: 10.1109/ICMLC.2007.4370858.
- [43] V. Codina and L. Ceccaroni, “A Recommendation System for the Semantic Web,” Jan. 2010, vol. 79, pp. 45–52. doi: 10.1007/978-3-642-14883-5_6.
- [44] A. Ameen and Head, “Knowledge based Recommendation System in Semantic Web-A Survey,” *Int. J. Comput. Appl.*, vol. 182 – No. 43, pp. 975–8887, Mar. 2019, doi: 10.5120/ijca2019918538.
- [45] L. Peška, T. M. Tashu, and T. Horváth, “Swarm intelligence techniques in recommender systems - A review of recent research,” *Swarm Evol. Comput.*, vol. 48, pp. 201–219, Aug. 2019, doi: 10.1016/j.swevo.2019.04.003.
- [46] S.-C. Chu, H.-C. Huang, J. F. Roddick, and J.-S. Pan, “Overview of Algorithms for Swarm Intelligence,” in *Computational Collective Intelligence. Technologies*

and Applications, Berlin, Heidelberg, 2011, pp. 28–41. doi: 10.1007/978-3-642-23935-9_3.

- [47] M. N. A. Wahab, S. Nefti-Meziani, and A. Atyabi, “A Comprehensive Review of Swarm Optimization Algorithms,” *PLOS ONE*, vol. 10, no. 5, p. e0122827, May 2015, doi: 10.1371/journal.pone.0122827.
- [48] M. A. Ahmad and J. Srivastava, “An Ant Colony Optimization Approach to Expert Identification in Social Networks,” in *Social Computing, Behavioral Modeling, and Prediction*, Boston, MA, 2008, pp. 120–128. doi: 10.1007/978-0-387-77672-9_14.
- [49] D. Karaboga, B. Gorkemli, C. Ozturk, and N. Karaboga, “A comprehensive survey: artificial bee colony (ABC) algorithm and applications,” *Artif. Intell. Rev.*, vol. 42, no. 1, pp. 21–57, Jun. 2014, doi: 10.1007/s10462-012-9328-0.
- [50] D. Karaboga and B. Basturk, “Artificial Bee Colony (ABC) Optimization Algorithm for Solving Constrained Optimization Problems,” in *Foundations of Fuzzy Logic and Soft Computing*, Berlin, Heidelberg, 2007, pp. 789–798. doi: 10.1007/978-3-540-72950-1_77.
- [51] D. Sethi and A. Singhal, “Comparative analysis of a recommender system based on ant colony optimization and artificial bee colony optimization algorithms,” in *2017 8th International Conference on Computing, Communication and Networking Technologies (ICCCNT)*, Jul. 2017, pp. 1–4. doi: 10.1109/ICCCNT.2017.8204106.
- [52] “Documentation — gensim.” https://radimrehurek.com/gensim/auto_examples/index.html#documentation (accessed Feb. 27, 2022).
- [53] “Jupyter Notebook Viewer.” https://nbviewer.org/github/rare-technologies/gensim/blob/develop/docs/notebooks/atmodel_tutorial.ipynb (accessed Jan. 03, 2022).
- [54] “[gensim] notebook.community.” https://notebook.community/gojomo/gensim/docs/notebooks/atmodel_prediction_tutorial (accessed Jan. 03, 2022).
- [55] M. T. Dharmawan, H. T. Sukmana, L. K. Wardhani, Y. Ichsani, and I. Subchi, “The Ontology of IT Service Management by Using ITILv.3 Framework: A Case Study for Incident Management,” in *2018 Third International Conference on Informatics and Computing (ICIC)*, Oct. 2018, pp. 1–5. doi: 10.1109/IAC.2018.8780478.
- [56] M.-C. Valiente, E. Garcia-Barriocanal, and M.-A. Sicilia, “Applying an ontology approach to IT service management for business-IT integration,” *Knowl.-Based Syst.*, vol. 28, pp. 76–87, Apr. 2012, doi: 10.1016/j.knosys.2011.12.003.

- [57] “A Hotel Recommender System for Tourists Using the Artificial Bee Colony Algorithm and Fuzzy TOPSIS Model: A Case Study of TripAdvisor.” <https://www.worldscientific.com/doi/epdf/10.1142/S0219622020500522> (accessed Jan. 20, 2022).
- [58] S. Forouzandeh, M. Rostami, and K. Berahmand, “A Hybrid Method for Recommendation Systems based on Tourism with an Evolutionary Algorithm and Topsis Model,” *Fuzzy Inf. Eng.*, vol. 0, no. 0, pp. 1–25, Jan. 2022, doi: 10.1080/16168658.2021.2019430.