

## 7 REFERENCES

- [1] Y Koren, R Bell, C Volinsky, Matrix factorization techniques for recommender systems. *Computer* 42 (8), 30-37.
- [2] G Takács, D Tikk, Alternating least squares for personalized ranking. *Proceedings of the sixth ACM conference on Recommender systems*, 83-90.
- [3] M. Jahrer and A. Töscher. Collaborative filtering ensemble for ranking. In *Proc. of KDD Cup Workshop at 17th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining, KDD '11, San Diego, CA, USA, 2011*.
- [4] Y. Hu, Y. Koren, and C. Volinsky. Collaborative filtering for implicit feedback datasets. In *Proc. of 8th IEEE Int. Conf. on Data Mining, ICDM '08, pages 263–272, Pisa, Italy, 2008*.
- [5] I. Pił'aszy, D. Zibriczky, and D. Tikk. Fast ALS-based matrix factorization for explicit and implicit feedback datasets. In *Proc. of the 4th ACM conference on Recommender Systems, RecSys '10, pages 71–78, Barcelona, Spain, 2010*.
- [6] Zeping Yu, Jianxun Lian, Ahmad Mahmoody, Gongshen Liu, Xing Xie. Adaptive User Modeling with Long and Short-Term Preferences for Personalized Recommendation. In *Proceedings of the 28th International Joint Conferences on Artificial Intelligence, IJCAI'19, Pages 4213-4219. AAAI Press, 2019*.
- [7] Yehuda Koren. Factorization meets the neighborhood: a multifaceted collaborative filtering model. In *Proceedings of the 14th ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 426–434. ACM, 2008.
- [8] Guorui Zhou, Xiaoqiang Zhu, Chenru Song, Ying Fan, Han Zhu, Xiao Ma, Yanghui Yan, Junqi Jin, Han Li, and Kun Gai. Deep interest network for click-through rate prediction. In *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery And Data Mining, KDD'18, pages 1059–1068, New York, NY, USA, 2018. ACM*.
- [9] Jing Li, Pengjie Ren, Zhumin Chen, ZhaochunRen, Tao Lian, and Jun Ma. Neural attentive session-based recommendation. In *Proceedings of the 2017 ACM on Conference on Information and Knowledge Management*, pages 1419–1428. ACM, 2017.
- [10] Chao-Yuan Wu, Amr Ahmed, Alex Beutel, Alexander J Smola, and How Jing. Recurrent recommender networks. In *Proceedings of the tenth ACM international conference on web search and data mining*, pages 495–503. ACM, 2017.

- [11] Qiang Liu, Shu Wu, Diyi Wang, Zhaokang Li, and Liang Wang. Context-aware sequential recommendation. In 2016 IEEE 16th International Conference on Data Mining (ICDM), pages 1053–1058. IEEE, 2016.
- [12] Yu Zhu, Hao Li, Yikang Liao, Beidou Wang, Ziyu Guan, Haifeng Liu, and Deng Cai. What to do next: Modeling user behaviors by time-lstm. In Proceedings of the 26th International Joint Conference on Artificial Intelligence, IJCAI’17, pages 3602–3608. AAAI Press, 2017.
- [13] Guorui Zhou, Na Mou, Ying Fan, Qi Pi, Weijie Bian, Chang Zhou, Xiaoqiang Zhu, and Kun Gai. Deep interest evolution network for click-through rate prediction. In ThirtyThird AAAI Conference on Artificial Intelligence, 2019.
- [14] Balázs Hidasi, Alexandros Karatzoglou, Linas Baltrunas, Domonkos Tikk. Session-based Recommendations with Recurrent Neural Networks. ICLR (Poster) 2016.
- [15] Rendle, S., Freudenthaler, C., Gantner, Z., and Schmidt-Thieme, L. BPR: Bayesian personalized ranking from implicit feedback. In UAI’09: 25th Conf. on Uncertainty in Artificial Intelligence, pp. 452–461, 2009. ISBN 978-0-9749039-5-8.
- [16]. Tang, Jiayi, and Ke Wang. Personalized top-n sequential recommendation via convolutional sequence embedding. Proceedings of the Eleventh ACM International Conference on Web Search and Data Mining. ACM, 2018.
- [17] Steven Rendle, Christoph Freudenthaler, and Lars Schmidt-Thieme. 2010. Factorizing personalized markov chains for next-basket recommendation. In International Conference on World Wide Web. ACM, 811–820.
- [18] R. He and J. McAuley. 2016. Fusing Similarity Models with Markov Chains for Sparse Sequential Recommendation. In International Conference on Data Mining. IEEE.
- [19] Yuan, F., Karatzoglou, A., Arapakis, I., Jose, J. M., & He, X. A Simple Convolutional Generative Network for Next Item Recommendation. WSDM, 2019.
- [20] Balázs Hidasi, Alexandros Karatzoglou, Linas Baltrunas, and Domonkos Tikk. 2015. Session-based recommendations with recurrent neural networks. arXiv preprint arXiv:1511.06939 (2015).
- [21] Rendle, S., Freudenthaler, C., Gantner, Z., & Schmidt-Thieme, L. (2009, June). BPR: Bayesian personalized ranking from implicit feedback.
- [22] Y. Hu, Y. Koren, and C. Volinsky. Collaborative filtering for implicit feedback datasets. In IEEE International Conference on Data Mining (ICDM 2008), pages 263–272, 2008.

- [23] R. Pan, Y. Zhou, B. Cao, N. N. Liu, R. M. Lukose, M. Scholz, and Q. Yang. One-class collaborative filtering. In IEEE International Conference on Data Mining (ICDM 2008), pages 502–511, 2008.
- [24] Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yongdong Zhang & Meng Wang, LightGCN: Simplifying and Powering Graph Convolution Network for Recommendation, 2020.
- [25] Rianne van den Berg, Thomas N. Kipf, and Max Welling. 2018. Graph Convolutional Matrix Completion. In KDD Workshop on Deep Learning Day.
- [26] Rex Ying, Ruining He, Kaifeng Chen, Pong Eksombatchai, William L. Hamilton, and Jure Leskovec. 2018. Graph Convolutional Neural Networks for Web-Scale Recommender Systems. In KDD (Data Science track). 974–983.
- [27] Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu, and Tat-Seng Chua. 2017. Neural Collaborative Filtering. In WWW. 173–182.
- [28] Travis Ebesu, Bin Shen, and Yi Fang. 2018. Collaborative Memory Network for Recommendation Systems. In SIGIR. 515–524.
- [29] Jheng-Hong Yang, Chih-Ming Chen, Chuan-Ju Wang, and Ming-Feng Tsai. 2018. HOP-rec: high-order proximity for implicit recommendation. In RecSys. 140–144.
- [30] Liang, Dawen, et al. "Variational autoencoders for collaborative filtering." Proceedings of the 2018 World Wide Web Conference. 2018.
- [31] Yifan Hu, Yehuda Koren, and Chris Volinsky. 2008. Collaborative filtering for implicit feedback datasets. In Data Mining, 2008. ICDM'08. Eighth IEEE International Conference on. 263–272.
- [32] Xia Ning and George Karypis. 2011. Slim: Sparse linear methods for top-n recommender systems. In Data Mining (ICDM), 2011 IEEE 11th International Conference on. 497–506.
- [33] Yao Wu, Christopher DuBois, Alice X. Zheng, and Martin Ester. 2016. Collaborative denoising auto-encoders for top-n recommender systems. In Proceedings of the Ninth ACM International Conference on Web Search and Data Mining. 153–162.
- [34] Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu, and Tat-Seng Chua. 2017. Neural collaborative filtering. In Proceedings of the 26th International Conference on World Wide Web. 173–182.
- [35] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl. Item-based collaborative filtering recommendation algorithms. In WWW, pages 285–295, 2001.

- [36] X. He, H. Zhang, M.-Y. Kan, and T.-S. Chua. Fast matrix factorization for online recommendation with implicit feedback. In SIGIR, pages 549–558, 2016.
- [37] R Salakhutdinov, A Mnih, G Hinton, Restricted Boltzmann machines for collaborative filtering, Proceedings of the 24th international conference on Machine learning, 791-798.
- [38] Wang, Hongwei, et al. "DKN: Deep Knowledge-Aware Network for News Recommendation." Proceedings of the 2018 World Wide Web Conference on World Wide Web. International World Wide Web Conferences Steering Committee, 2018.
- [39] Steffen Rendle. 2012. Factorization machines with libfm. ACM Transactions on Intelligent Systems and Technology (TIST) 3, 3 (2012), 57.
- [40] Jin Wang, Zhongyuan Wang, Dawei Zhang, and Jun Yan. 2017. Combining Knowledge with Deep Convolutional Neural Networks for Short Text Classification. In Proceedings of the International Joint Conference on Artificial Intelligence.
- [41] Po-Sen Huang, Xiaodong He, Jianfeng Gao, Li Deng, Alex Acero, and Larry Heck. 2013. Learning deep structured semantic models for web search using clickthrough data. In CIKM. ACM, 2333–2338.
- [42] Heng-Tze Cheng, Levent Koc, Jeremiah Harmsen, Tal Shaked, Tushar Chandra, Hrishikesh Aradhye, Glen Anderson, Greg Corrado, Wei Chai, Mustafa Ispir, et al. 2016. Wide & deep learning for recommender systems. In Proceedings of the 1st Workshop on Deep Learning for Recommender Systems. ACM, 7–10.
- [43] Huifeng Guo, Ruiming Tang, Yunming Ye, Zhenguo Li, and Xiuqiang He. 2017. DeepFM: A Factorization-Machine based Neural Network for CTR Prediction. In Proceedings of the 26<sup>th</sup> International Joint Conference on Artificial Intelligence.
- [44] Paul Covington, Jay Adams, and Emre Sargin. 2016. Deep neural networks for youtube recommendations. In Proceedings of the 10th ACM Conference on Recommender Systems. ACM, 191–198.
- [45] Hong-Jian Xue, Xin-Yu Dai, Jianbing Zhang, Shujian Huang, and Jiajun Chen. 2017. Deep Matrix Factorization Models for Recommender Systems. In Proceedings of the 26th International Joint Conference on Artificial Intelligence.
- [46] Guolin Ke, Qi Meng, Thomas Finley, Taifeng Wang, Wei Chen, Weidong Ma, Qiwei Ye, and Tie-Yan Liu. 2017. LightGBM: A highly efficient gradient boosting decision tree. In Advances in Neural Information Processing Systems. 3146–3154.
- [47] Mingxiao An, Fangzhao Wu, Chuhan Wu, Kun Zhang, Zheng Liu and Xing Xie: Neural News Recommendation with Long- and Short-term User Representations, ACL 2019.

- [48] Heng-Tze Cheng, Mustafa Ispir, Rohan Anil, Zakaria Haque, Lichan Hong, Vihan Jain, Xiaobing Liu, Hemal Shah, Levent Koc, Jeremiah Harmsen, Tal Shaked, Tushar Chandra, Hrishi Aradhye, Glen Anderson, Greg Corrado, and Wei Chai. 2016. Wide & deep learning for recommender systems. In DLRS, pages 7–10.
- [49] Yoon Kim. 2014. Convolutional neural networks for sentence classification. In EMNLP, pages 1746–1751.
- [50] Shumpei Okura, Yukihiro Tagami, Shingo Ono, and Akira Tajima. 2017. Embedding-based news recommendation for millions of users. In KDD, pages 1933–1942.
- [51] Chuhan Wu, Fangzhao Wu, Mingxiao An, Jianqiang Huang, Yongfeng Huang and Xing Xie: Neural News Recommendation with Attentive Multi-View Learning, IJCAI 2019.
- [52] Chuhan Wu, Fangzhao Wu, Mingxiao An, Jianqiang Huang, Yongfeng Huang and Xing Xie: NPA: Neural News Recommendation with Personalized Attention, KDD 2019, ADS track.
- [53] Pratik Jawanpuria, Arjun Balgovind, Anoop Kunchukuttan, Bamdev Mishra. Learning Multilingual Word Embeddings in Latent Metric Space: A Geometric Approach. Transaction of the Association for Computational Linguistics (TACL), Volume 7, p.107-120, 2019.
- [54] Xin Dong, Lei Yu, Zhonghuo Wu, Yuxia Sun, Lingfeng Yuan, Fangxi Zhang. A Hybrid Collaborative Filtering Model with Deep Structure for Recommender Systems. Proceedings of the Thirty-First AAAI Conference on Artificial Intelligence (AAAI-17), p.1309-1315, 2017.
- [55] Salakhutdinov, R., and Mnih, A. 2011. Probabilistic matrix factorization. In NIPS, volume 20, 1–8.
- [56] Singh, A. P., and Gordon, G. J. 2008. Relational learning via collective matrix factorization. In Proceedings of the 14th ACM SIGKDD international conference on Knowledge discovery and data mining, 650–658. ACM.
- [57] Wang, H.; Wang, N.; and Yeung, D.-Y. 2015. Collaborative deep learning for recommender systems. In Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 1235–1244. ACM.
- [58] Heng-Tze Cheng, Levent Koc, Jeremiah Harmsen, Tal Shaked, Tushar Chandra, Hrishi Aradhye, Glen Anderson, Greg Corrado, Wei Chai, Mustafa Ispir, Rohan Anil, Zakaria Haque, Lichan Hong, Vihan Jain, Xiaobing Liu, Hemal Shah, Wide & Deep Learning for Recommender Systems, Proceedings of the 1st workshop on deep learning for recommender systems, 7-10.

- [59] Asela Gunawardana and Guy Shani: A Survey of Accuracy Evaluation Metrics of Recommendation Tasks
- [60] Dimitris Paraschakis et al, "Comparative Evaluation of Top-N Recommenders in e-Commerce: An Industrial Perspective", IEEE ICMLA, 2015, Miami, FL, USA.
- [61] Lisa Li, et al, Hyperband: A Novel Bandit-Based Approach to Hyperparameter Optimization, The Journal of Machine Learning Research, Volume 18 Issue 1, pp 6765-6816, January 2017.
- [62] James Bergstrat et al, Algorithms for Hyper-Parameter Optimization, Procs 25th NIPS 2011.
- [63] D Leony, A Pardo, HA Parada, C Delgado Kloos, A Cloud-based Architecture for an Affective Recommender System of Learning Resources, Proceedings of the 1st International Workshop on Cloud Education, 2012.
- [64] Harini Suresh and John V Guttag. A framework for understanding unintended consequences of machine learning. 2019.
- [65] N Mehrabi, F Morstatter, N Saxena, K Lerman, A Galstyan, A survey on bias and fairness in machine learning, arXiv preprint arXiv:1908.09635.
- [66] Nazanin Alipourfard, Peter G Fennell, and Kristina Lerman. 2018. Can you Trust the Trend?: Discovering Simpson's Paradoxes in Social Data. In Proceedings of the Eleventh ACM International Conference on Web Search and Data Mining. ACM, 19–27.
- [67] Nazanin Alipourfard, Peter G Fennell, and Kristina Lerman. 2018. Using Simpson A-Zs Paradox to Discover Interesting Patterns in Behavioral Data. In Twelfth International AAI Conference on Web and Social Media.
- [68] H Abdollahpouri, R Burke, B Mobasher, Controlling popularity bias in learning-to-rank recommendation, RecSys '17: Proceedings of the Eleventh ACM Conference on Recommender Systems, August 2017, Pages 42–46.
- [69] Zhao X., Niu Z., Chen W. (2013) Opinion-Based Collaborative Filtering to Solve Popularity Bias in Recommender Systems. In: Decker H., Lhotská L., Link S., Basl J., Tjoa A.M. (eds) Database and Expert Systems Applications. DEXA 2013. Lecture Notes in Computer Science, vol 8056. Springer, Berlin, Heidelberg.
- [70] H Abdollahpouri, R Burke, B Mobasher, Managing Popularity Bias in Recommender Systems with Personalized Re-ranking, The 32nd International FLAIRS Conference in Cooperation with AAI.
- [71] S Khenissi, O Nasraoui, Modeling and counteracting exposure bias in recommender systems, arXiv preprint arXiv:2001.04832.

- [72] Tobias Schnabel, Adith Swaminathan, Ashudeep Singh, Navin Chandak, and Thorsten Joachims. 2016. Recommendations as Treatments: Debiasing Learning and Evaluation. CoRR abs/1602.05352 (2016). arXiv:1602.05352.
- [73] A Collins, D Tkaczyk, A Aizawa, J Beel, Position bias in recommender systems for digital libraries, International Conference on Information, 335-344.
- [74] S Krishnan, J Patel, MJ Franklin, K Goldberg, A methodology for learning, analyzing, and mitigating social influence bias in recommender systems, Proceedings of the 8th ACM Conference on Recommender systems, 137-144.
- [75] Roselli, Drew and Matthews, Jeanna and Talagala, Nisha, Managing bias in AI, Companion Proceedings of The 2019 World Wide Web Conference 539-544 2019.
- [76] Benedikt Schifferer, Chris Deotte and Even Oldridge, RecSys '20: Fourteenth ACM Conference on Recommender Systems September 2020 Pages 754–755.
- [77] <https://developers.google.com/machine-learning/recommendation/>.
- [78] <https://github.com/microsoft/recommenders/>
- [79] <https://www.fast.ai/2018/08/07/hbr-bias-algorithms/>
- [80] Multivariate time-series anomaly detection via graph attention network Multivariate time-series anomaly detection via graph attention network Hang Zhao, Yujing Wang, Juanyong Duan, Congrui Huang, Defu Cao, Yunhai Tong, Bixiong Xu, Jing Bai, Jie Tong, Qi Zhang 2020 IEEE International Conference on Data Mining (ICDM), 841-85 2020 IEEE International Conference on Data Mining (ICDM), 841-85.
- [81] Y. Su, Y. Zhao, C. Niu, R. Liu, W. Sun, and D. Pei, “Robust anomaly detection for multivariate time series through stochastic recurrent neural network,” in Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, 2019, pp. 2828–2837.
- [82] Hundman, V. Constantinou, C. Laporte, I. Colwell, and T. Soderstrom, “Detecting spacecraft anomalies using lstms and nonparametric dynamic thresholding,” in Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, 2018, pp. 387–395.
- [83] Y. Mirsky, T. Doitshman, Y. Elovici, and A. Shabtai, “Kitsune: an ensemble of autoencoders for online network intrusion detection,” arXiv preprint arXiv:1802.09089, 2018.
- [84] B. Zong, Q. Song, M. R. Min, W. Cheng, C. Lumezanu, D. Cho, and H. Chen, “Deep autoencoding gaussian mixture model for unsupervised anomaly detection,” in International Conference on Learning Representations, 2018.

- [85] D. Li, D. Chen, J. Goh, and S.-K. Ng, “Anomaly detection with generative adversarial networks for multivariate time series,” arXiv preprint arXiv:1809.04758, 2018.
- [86] D. Li, D. Chen, L. Shi, B. Jin, J. Goh, and S.-K. Ng, “Mad-gan: Multivariate anomaly detection for time series data with generative adversarial networks,” arXiv preprint arXiv:1901.04997, 2019.
- [87] D. Park, Y. Hoshi, and C. C. Kemp, “A multimodal anomaly detector for robot-assisted feeding using an lstm-based variational autoencoder,” *IEEE Robotics and Automation Letters*, vol. 3, no. 3, pp. 1544–1551, 2018.
- [88] Hansheng Ren, Bixiong Xu, Yujing Wang, Chao Yi, Congrui Huang, Xiaoyu Kou and Tony Xing, Mao Yang, Jie Tong, Qi Zhang. 2019. Time Series Anomaly Detection Service at Microsoft. In *The 25th ACM SIGKDD Conference on Knowledge Discovery and Data Mining (KDD '19)*, August 4–8, 2019, Anchorage, AK, USA. ACM, New York, NY, USA, 9 pages. <https://doi.org/10.1145/3292500.3330680>.
- [89] Rasheed, Peter Peng, Reda Alhajj, and Jon Rokne. 2009. Fourier transform based spatial outlier mining. In *International Conference on Intelligent Data Engineering and Automated Learning*. Springer, 317–324.
- [90] Owen Vallis, Jordan Hochenbaum, and Arun Kejariwal. 2014. A Novel Technique for Long-Term Anomaly Detection in the Cloud. In *6th USENIX Workshop on Hot Topics in Cloud Computing (HotCloud 14)*. USENIX Association, Philadelphia, PA.
- [91] <https://github.com/linkedin/luminol>
- [92] Haowen Xu, Wenxiao Chen, Nengwen Zhao, Zeyan Li, Jiahao Bu, Zhihan Li, Ying Liu, Youjian Zhao, Dan Pei, Yang Feng, et al. 2018. Unsupervised Anomaly Detection via Variational Auto-Encoder for Seasonal KPIs in Web Applications. In *Proceedings of the 2018 World Wide Web Conference on World Wide Web*. International World Wide Web Conferences Steering Committee, 187–196.
- [93] Alban Siffer, Pierre-Alain Fouque, Alexandre Termier, and Christine Largouet. 2017. Anomaly detection in streams with extreme value theory. In *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. ACM, 1067–1075.
- [94] <https://riverml.xyz/0.12.1/>
- [95] Q Guo, F Zhuang, C Qin, H Zhu, X Xie, H Xiong, Q He, A survey on knowledge graph-based recommender systems, *IEEE Transactions on Knowledge and Data Engineering*.



[96] Challenges and research opportunities in ecommerce search and recommendations, M Tsagkias, TH King, S Kallumadi, V Murdock, M de Rijke, ACM SIGIR Forum 54 (1), 1-23.

[97] Manos Tsagkias, Wouter Weerkamp, and Maarten de Rijke. News Comments: Exploring, Modeling, and Online Prediction. In ECIR, pages 191–203. Springer, 2010.