

## References

- [1] ETSI, “Intelligent transport systems (ITS); Access layer specification for intelligent transport system operating in the 5 GHz frequency band,” European Telecommunications Standards Institute (ETSI), European Standard telecommunications series (EN) 302 663, Jan. 2020, version 1.3.1.
- [2] L. Lusvarghi and M. L. Merani, “On the coexistence of aperiodic and periodic traffic in cellular vehicle-to-everything,” *IEEE Access*, vol. 8, pp. 207 076–207 088, Nov. 2020.
- [3] A. Bazzi, A. O. Berthet, C. Campolo, B. M. Masini, A. Molinaro, and A. Zanella, “On the design of sidelink for cellular V2X: A literature review and outlook for future,” *IEEE Access*, vol. 9, pp. 97 953–97 980, Jul. 2021.
- [4] M. A. Khan, S. Ghosh, S. A. Busari, K. M. S. Huq, T. Dagiuklas, S. Mumtaz, M. Iqbal, and J. Rodriguez, “Robust, resilient and reliable architecture for V2X communications,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 22, no. 7, pp. 4414–4430, Jun. 2021.
- [5] M. Muhammad and G. A. Safdar, “Survey on existing authentication issues for cellular-assisted V2X communication,” *Vehicular Communications*, vol. 12, pp. 50–65, Apr. 2018.
- [6] M. Hasan, S. Mohan, T. Shimizu, and H. Lu, “Securing vehicle-to-everything (V2X) communication platforms,” *IEEE Transactions on Intelligent Vehicles*, vol. 5, no. 4, pp. 693–713, Dec. 2020.
- [7] A. Costandoiu and M. Leba, “Convergence of V2X communication systems and next generation networks,” *IOP Conference Series: Materials Science and Engineering*, vol. 477, p. 012052, Feb. 2019.
- [8] V. Maglogiannis, D. Naudts, S. Hadiwardoyo, D. van den Akker, J. Marquez-Barja, and I. Moerman, “Experimental V2X evaluation for C-V2X and ITS-G5 technologies in a real-life highway environment,” *IEEE Transactions on Network and Service Management*, pp. 1–1, Nov. 2021.
- [9] J.-K. Bae, M.-C. Park, E.-J. Yang, and D.-W. Seo, “Implementation and performance evaluation for DSRC-based vehicular communication system,” *IEEE Access*, vol. 9, pp. 6878–6887, Dec. 2021.

## REFERENCES

---

- [10] Z. H. Mir, J. Toutouh, F. Filali, and Y.-B. Ko, “Enabling DSRC and c-v2x integrated hybrid vehicular networks: Architecture and protocol,” *IEEE Access*, vol. 8, pp. 180 909–180 927, Oct. 2020.
- [11] G. Bianchi, “Performance analysis of the IEEE 802.11 distributed coordination function,” *IEEE Journal on Selected Areas in Communications*, vol. 18, no. 3, pp. 535–547, Mar. 2000.
- [12] S. Eichler, “Performance evaluation of the IEEE 802.11p WAVE communication standard,” in *Proc. IEEE Vehicular Technology Conference*, Baltimore, MD, USA, Oct. 2007, pp. 2199–2203.
- [13] A. Jafari, S. Al-Khayatt, and A. Dogman, “Performance evaluation of IEEE 802.11p for vehicular communication networks,” in *Proc. International Symposium on Communication Systems, Networks Digital Signal Processing*, Poznan, Poland, Jul. 2012, pp. 1–5.
- [14] K. Bilstrup, E. Uhlemann, E. G. Strom, and U. Bilstrup, “Evaluation of the IEEE 802.11p MAC method for vehicle-to-vehicle communication,” in *Proc. IEEE Vehicular Technology Conference*, Calgary, AB, Canada, Sep. 2008, pp. 1–5.
- [15] S. Cao and V. C. Lee, “An accurate and complete performance modeling of the IEEE 802.11p MAC sublayer for VANET,” *Computer Communications*, vol. 149, pp. 107–120, Jan. 2020.
- [16] A. K. Gizzini, M. Chafii, A. Nimir, and G. Fettweis, “Deep learning based channel estimation schemes for IEEE 802.11p standard,” *IEEE Access*, vol. 8, pp. 113 751–113 765, Jun. 2020.
- [17] A. A. Almohammed and V. Shepelev, “Saturation throughput analysis of steganography in the IEEE 802.11p protocol in the presence of non-ideal transmission channel,” *IEEE Access*, vol. 9, pp. 14 459–14 469, Jan. 2021.
- [18] IEEE, “IEEE standard for information technology— local and metropolitan area networks— specific requirements— part 11: Wireless LAN medium access control (MAC) and physical layer (PHY) specifications amendment 6: Wireless access in vehicular environments,” *IEEE Std 802.11p-2010*, pp. 1–51, Jul. 2010.
- [19] ———, “IEEE standard for information technology—telecommunications and information exchange between systems local and metropolitan area networks—specific requirements part 11: Wireless LAN medium access control (MAC) and physical layer (PHY) specifications,” *IEEE Std 802.11-2012*, pp. 1–2793, Mar. 2012.

- [20] ——, “IEEE standard for information technology—telecommunications and information exchange between systems local and metropolitan area networks—specific requirements - part 11: Wireless LAN medium access control (MAC) and physical layer (PHY) specifications,” *IEEE Std 802.11-2016*, pp. 1–3534, Dec. 2016.
- [21] S. Chen, J. Hu, Y. Shi, L. Zhao, and W. Li, “A vision of C-V2X: Technologies, field testing, and challenges with chinese development,” *IEEE Internet of Things Journal*, vol. 7, no. 5, pp. 3872–3881, Feb. 2020.
- [22] F. Eckermann, M. Kahlert, and C. Wietfeld, “Performance analysis of C-V2X Mode 4 communication introducing an open-source C-V2X simulator,” in *Proc. IEEE Vehicular Technology Conference*, Honolulu, USA, Nov. 2019, pp. 1–5.
- [23] A. Nabil, K. Kaur, C. Dietrich, and V. Marojevic, “Performance analysis of sensing-based semi-persistent scheduling in C-V2X networks,” in *Proc. IEEE Vehicular Technology Conference*, Chicago, IL, USA, Aug. 2018, pp. 1–5.
- [24] K. Z. Ghafoor, M. Guizani, L. Kong, H. S. Maghdid, and K. F. Jasim, “Enabling efficient coexistence of DSRC and C-V2X in vehicular networks,” *IEEE Wireless Communications*, vol. 27, no. 2, pp. 134–140, Apr. 2020.
- [25] M. Emara, M. C. Philippou, and D. Sabella, “MEC-assisted end-to-end latency evaluations for C-V2X communications,” in *Proc. European Conference on Networks and Communications*, Ljubljana, Slovenia, Jun. 2018, pp. 1–9.
- [26] V. V. Chetlur and H. S. Dhillon, “Coverage and rate analysis of downlink cellular vehicle-to-everything (C-V2X) communication,” *IEEE Transactions on Wireless Communications*, vol. 19, no. 3, pp. 1738–1753, Mar. 2020.
- [27] W. Qi, B. Landfeldt, Q. Song, L. Guo, and A. Jamalipour, “Traffic differentiated clustering routing in DSRC and C-V2X hybrid vehicular networks,” *IEEE Transactions on Vehicular Technology*, vol. 69, no. 7, pp. 7723–7734, Jul. 2020.
- [28] Q. Chen, H. Jiang, and G. Yu, “Service oriented resource management in spatial reuse-based C-V2X networks,” *IEEE Wireless Communications Letters*, vol. 9, no. 1, pp. 91–94, Jan. 2020.
- [29] F. A. Schiegg, N. Brahmi, and I. Llatser, “Analytical performance evaluation of the collective perception service in C-V2X Mode 4 networks,” in *Proc. IEEE Intelligent Transportation Systems Conference*, Auckland, New Zealand, Oct. 2019, pp. 181–188.

## REFERENCES

---

- [30] 3GPP, “Evolved universal terrestrial radio access (E-UTRA); Physical layer procedures,” 3rd Generation Partnership Project (3GPP), Technical Specification (TS) 36.213, Apr. 2017, version 14.2.0.
- [31] ——, “Evolved universal terrestrial radio access (E-UTRA); Medium access control (MAC) protocol specification,” 3rd Generation Partnership Project (3GPP), Technical Specification (TS) 36.321, Jul. 2017, version 14.3.0.
- [32] ETSI, “Intelligent transport systems (ITS); Vehicular communications; geonetworking; part 4: Geographical addressing and forwarding for point-to-point and point-to-multipoint communications; sub-part 2: Media-dependent functionalities for ITS-G5,” European Telecommunications Standards Institute (ETSI), Technical Specification (TS) 102 636-4-2, Oct. 2013, version 1.1.1.
- [33] Z. Li, M. A. Uusitalo, H. Shariatmadari, and B. Singh, “5G URLLC: Design challenges and system concepts,” in *Proc. International Symposium on Wireless Communication Systems*, Lisbon, Portuga, Aug. 2018, pp. 1–6.
- [34] P. Popovski, K. F. Trillingsgaard, O. Simeone, and G. Durisi, “5G wireless network slicing for eMBB, URLLC, and mMTC: A communication-theoretic view,” *IEEE Access*, vol. 6, pp. 55 765–55 779, Sep. 2018.
- [35] A. Anand, G. de Veciana, and S. Shakkottai, “Joint scheduling of URLLC and eMBB traffic in 5G wireless networks,” *IEEE/ACM Transactions on Networking*, vol. 28, no. 2, pp. 477–490, Feb. 2020.
- [36] M. Alsenwi, N. H. Tran, M. Bennis, A. Kumar Bairagi, and C. S. Hong, “eMBB-URLLC resource slicing: A risk-sensitive approach,” *IEEE Communications Letters*, vol. 23, no. 4, pp. 740–743, Feb. 2019.
- [37] P. Popovski, C. Stefanovic, J. J. Nielsen, E. de Carvalho, M. Angjelichinoski, K. F. Trillingsgaard, and A.-S. Bana, “Wireless access in ultra-reliable low-latency communication (URLLC),” *IEEE Transactions on Communications*, vol. 67, no. 8, pp. 5783–5801, May 2019.
- [38] A. Anand and G. de Veciana, “Resource allocation and HARQ optimization for URLLC traffic in 5G wireless networks,” *IEEE Journal on Selected Areas in Communications*, vol. 36, no. 11, pp. 2411–2421, Oct. 2018.
- [39] B. Chang, L. Zhang, L. Li, G. Zhao, and Z. Chen, “Optimizing resource allocation in URLLC for real-time wireless control systems,” *IEEE Transactions on Vehicular Technology*, vol. 68, no. 9, pp. 8916–8927, Jul. 2019.
- [40] A. Azari, M. Ozger, and C. Cavdar, “Risk-aware resource allocation for URLLC: Challenges and strategies with machine learning,” *IEEE Communications Magazine*, vol. 57, no. 3, pp. 42–48, Mar. 2019.

- [41] T. N. Weerasinghe, I. A. M. Balapuwaduge, and F. Y. Li, "Preamble reservation based access for grouped mMTC devices with URLLC requirements," in *Proc. IEEE International Conference on Communications*, Shanghai, China, May 2019, pp. 1–6.
- [42] F. Ganhão, L. Bernardo, R. Dinis, R. Oliveira, and P. Pinto, "Uplink performance evaluation of packet combining ARQ for MPR prefix-assisted DS-CDMA," *IEEE Transactions on Communications*, vol. 63, no. 7, pp. 2685–2697, Jul. 2015.
- [43] I. Inan, F. Keceli, and E. Ayanoglu, "Analysis of the 802.11e enhanced distributed channel access function," *IEEE Transactions on Communications*, vol. 57, no. 6, pp. 1753–1764, Jun. 2009.
- [44] L. Guntupalli and F. Y. Li, "DTMC modeling for performance evaluation of DW-MAC in wireless sensor networks," in *Proc. IEEE Wireless Communications and Networking Conference*, Doha, Qatar, Apr. 2016, pp. 1–6.
- [45] L. Guntupalli, F. Y. Li, and J. Martinez-Bauset, "Event-triggered sleeping for synchronous DC MAC IN WSNs: Mechanism and DTMC modeling," in *Proc. IEEE Global Communications Conference*, Washington, DC, USA, Dec. 2016, pp. 1–6.
- [46] L. Guntupalli, J. Martinez-Bauset, and F. Y. Li, "Cooperative or non-cooperative transmission in synchronous DC WSNs: A DTMC-based approach," in *Proc. IEEE International Conference on Communications*, Paris, France, May 2017, pp. 1–6.
- [47] G. P. Wijesiri and F. Y. Li, "Frame based equipment medium access in LTE-U: Mechanism enhancements and DTMC modeling," in *Proc. IEEE Global Communications Conference*, Singapore, Dec. 2017, pp. 1–6.
- [48] I. A. M. Balapuwaduge and F. Y. Li, "Hidden markov model based machine learning for mMTC device cell association in 5G networks," in *Proc. IEEE International Conference on Communications*, Shanghai, China, May 2019, pp. 1–6.
- [49] S. S. Gokhale and K. S. Trivedi, "Analytical models for architecture-based software reliability prediction: A unification framework," *IEEE Transactions on Reliability*, vol. 55, no. 4, pp. 578–590, Nov. 2006.
- [50] L. Guntupalli, M. Gidlund, and F. Y. Li, "An on-demand energy requesting scheme for wireless energy harvesting powered IoT networks," *IEEE Internet of Things Journal*, vol. 5, no. 4, pp. 2868–2879, Jun. 2018.
- [51] Z. Tao and S. Panwar, "Throughput and delay analysis for the IEEE 802.11e enhanced distributed channel access," *IEEE Transactions on Communications*, vol. 54, no. 4, pp. 596–603, Apr. 2006.

## REFERENCES

---

- [52] H. Wu, X. Wang, Q. Zhang, and X. Shen, “IEEE 802.11e enhanced distributed channel access (EDCA) throughput analysis,” in *Proc. IEEE International Conference on Communications*, Istanbul, Turkey, vol. 1, Jun. 2006, pp. 223–228.
- [53] Y. Ge, J. C. Hou, and S. Choi, “An analytic study of tuning systems parameters in IEEE 802.11e enhanced distributed channel access,” *Computer Networks*, vol. 51, no. 8, pp. 1955–1980, Jun. 2007.
- [54] C.-l. Huang and W. Liao, “Throughput and delay performance of IEEE 802.11e enhanced distributed channel access (EDCA) under saturation condition,” *IEEE Transactions on Wireless Communications*, vol. 6, no. 1, pp. 136–145, Feb. 2007.
- [55] I. Inan, F. Keceli, and E. Ayanoglu, “Saturation throughput analysis of the 802.11e enhanced distributed channel access function,” in *Proc. IEEE International Conference on Communications*, Glasgow, UK, Jun. 2007, pp. 409–414.
- [56] ——, “Modeling the 802.11e enhanced distributed channel access function,” in *Proc. IEEE Global Telecommunications Conference*, Washington, DC, USA, Nov. 2007, pp. 2546–2551.
- [57] G. Naik, B. Choudhury, and J. Park, “IEEE 802.11bd 5G NR V2X: Evolution of radio access technologies for V2X communications,” *IEEE Access*, vol. 7, pp. 70 169–70 184, May 2019.
- [58] A. Bazzi, G. Cecchini, M. Menarini, B. M. Masini, and A. Zanella, “Survey and perspectives of vehicular Wi-Fi versus sidelink cellular-V2X in the 5G era,” *Future Internet*, vol. 11, no. 6, p. 122, May 2019.
- [59] J. R. Gallardo, D. Makrakis, and H. T. Mouftah, “Performance analysis of the EDCA medium access mechanism over the control channel of an IEEE 802.11p WAVE vehicular network,” in *Proc. IEEE International Conference on Communications*, Dresden, Germany, Jun. 2009, pp. 1–6.
- [60] J. Zheng and Q. Wu, “Performance modeling and analysis of the IEEE 802.11p EDCA mechanism for VANET,” *IEEE Transactions on Vehicular Technology*, vol. 65, no. 4, pp. 2673–2687, Apr. 2016.
- [61] ETSI, “Intelligent transport systems (ITS); Vehicular communications; Geonetworking; part 3: Network architecture,” European Telecommunications Standards Institute (ETSI), Technical Specification (TS) 102 636-3, Mar. 2010, version 1.1.1.
- [62] C. Belagal Math, H. Li, S. Heemstra de Groot, and I. G. Niemegeers, “V2X application-reliability analysis of data-rate and message-rate congestion control algorithms,” *IEEE Communications Letters*, vol. 21, no. 6, pp. 1285–1288, Jun. 2017.

- [63] I. Ismath, T. Samarasinghe, D. Dias, M. Wimalarathna, W. Rasanga, N. Jayaweera, and Y. Nugera, “Emergency vehicle traversal using DSRC/WAVE based vehicular communication,” in *Proc. IEEE Intelligent Vehicles Symposium*, Paris, France, Jun. 2019, pp. 1981–1986.
- [64] S. Pallewatta, P. S. Lakmali, S. Wijewardana, P. Ranathunga, T. Samarasinghe, and D. Dias, “802.11p: Insights from the MAC and physical layers for a cooperative car following application,” in *Intelligent Transport Systems – From Research and Development to the Market Uptake*, T. Kováčiková, L. Buzna, G. Pourhashem, G. Lugano, Y. Cornet, and N. Lugano, Eds. Cham: Springer International Publishing, Jul. 2018, pp. 226–236.
- [65] S. S. Husain, A. Kunz, A. Prasad, E. Pateromichelakis, and K. Samdanis, “Ultra-high reliable 5G V2X communications,” *IEEE Communications Standards Magazine*, vol. 3, no. 2, pp. 46–52, Sep. 2019.
- [66] K. Ganesan, J. Lohr, P. B. Mallick, A. Kunz, and R. Kuchibhotla, “NR sidelink design overview for advanced V2X service,” *IEEE Internet of Things Magazine*, vol. 3, no. 1, pp. 26–30, Apr. 2020.
- [67] ETSI, “Intelligent transport systems (ITS); vehicular communications; Basic Set of Applications; Definitions,” European Telecommunications Standards Institute (ETSI), Technical Report (TR) 102 638, Jun. 2009, version 1.1.1.
- [68] R. Molina-Masegosa and J. Gozalvez, “LTE-V for sidelink 5G V2X vehicular communications: A new 5G technology for short-range vehicle-to-everything communications,” *IEEE Vehicular Technology Magazine*, vol. 12, no. 4, pp. 30–39, Dec. 2017.
- [69] J. Norris, *Markov Chains*. Cambridge University Press, 1998.
- [70] Durham University. (2016). Probability II: MATH 2647. [Online]. Available: <https://maths.durham.ac.uk/stats/courses/ProbMC2H>
- [71] Z. Tong, H. Lu, M. Haenggi, and C. Poellabauer, “A stochastic geometry approach to the modeling of DSRC for vehicular safety communication,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 17, no. 5, p. 1448–1458, Feb. 2016.
- [72] J. Tian and L. Xu, “An analysis model of IEEE 802.11p with difference services,” *Journal of Physics*, vol. 910, no. 1, p. 012068, Oct. 2017.
- [73] Y. Y. Nasrallah, I. Al-Anbagi, and H. T. Mouftah, “A realistic analytical model of IEEE 802.11p for wireless access in vehicular networks,” in *Proc. International Conference on Connected Vehicles and Expo*, Vienna, Austria, Nov. 2014, pp. 1029–1034.

## REFERENCES

---

- [74] R. Molina-Masegosa, J. Gozalvez, and M. Sepulcre, “Configuration of the C-V2X Mode 4 sidelink PC5 interface for vehicular communication,” in *Proc. International Conference on Mobile Ad-Hoc and Sensor Networks*, Shenyang, China, Dec. 2018, pp. 43–48.
- [75] M. Gonzalez-Martín, M. Sepulcre, R. Molina-Masegosa, and J. Gozalvez, “Analytical models of the performance of C-V2X Mode 4 vehicular communications,” *IEEE Transactions on Vehicular Technology*, vol. 68, no. 2, pp. 1155–1166, Feb. 2019.
- [76] R. Molina-Masegosa, J. Gozalvez, and M. Sepulcre, “Comparison of IEEE 802.11p and LTE-V2X: An evaluation with periodic and aperiodic messages of constant and variable size,” *IEEE Access*, vol. 8, pp. 121 526–121 548, 2020.
- [77] A. Bazzi, C. Campolo, A. Molinaro, A. O. Berthet, B. M. Masini, and A. Zanella, “On wireless blind spots in the C-V2X sidelink,” *IEEE Transactions on Vehicular Technology*, vol. 69, no. 8, pp. 9239–9243, Aug. 2020.
- [78] F. Romeo, C. Campolo, A. Molinaro, and A. O. Berthet, “DENM repetitions to enhance reliability of the autonomous mode in NR V2X sidelink,” in *Proc. IEEE Vehicular Technology Conference*, Antwerp, Belgium, May 2020, pp. 1–5.
- [79] A. F. M. Shahen Shah, H. Ilhan, and U. Tureli, “Modeling and performance analysis of the IEEE 802.11p MAC for VANETs,” in *Proc. International Conference on Telecommunications and Signal Processing*, Budapest, Hungary, Jul. 2019, pp. 393–396.
- [80] F. Kaabi, P. Cataldi, F. Filali, and C. Bonnet, “Performance analysis of IEEE 802.11p control channel,” in *Proc. International Conference on Mobile Ad-hoc and Sensor Networks*, Hangzhou, China, Dec. 2010, pp. 211–214.
- [81] C. Han, M. Dianati, R. Tafazolli, R. Kernchen, and X. Shen, “Analytical study of the IEEE 802.11p MAC sublayer in vehicular networks,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 13, no. 2, pp. 873–886, Jun. 2012.
- [82] L. F. Abanto-Leon, A. Koppelaar, and S. H. de Groot, “Enhanced C-V2X Mode 4 subchannel selection,” in *Proc. IEEE Vehicular Technology Conference*, Chicago, USA, Aug. 2018, pp. 1–5.
- [83] A. Haider and S.-H. Hwang, “Adaptive transmit power control algorithm for sensing-based semi-persistent scheduling in C-V2X Mode 4 communication,” *Electronics*, vol. 8, no. 8, Jul. 2019.
- [84] ETSI, “Intelligent transport systems (ITS); vehicular communications; basic set of applications; part 2: Specification of cooperative awareness basic

- service,” European Telecommunications Standards Institute (ETSI), Technical Specification (TS) 102 637-2, Mar. 2011, version 1.2.1.
- [85] ——, “Intelligent transport systems (ITS); vehicular communications; basic set of applications; part 3: Specification of decentralized environmental notification basic service,” European Telecommunications Standards Institute (ETSI), Technical Specification (TS) 102 637-3, Sep. 2010, version 1.1.1.
- [86] 3GPP, “Evolved universal terrestrial radio access (E-UTRA) and evolved universal terrestrial radio access network (E-UTRAN); Overall description; stage 2,” 3rd Generation Partnership Project (3GPP), Technical Specification (TS) 36.300, Dec. 2016, version 14.1.0.
- [87] M. Wang et al., “Comparison of LTE and DSRC-based connectivity for intelligent transportation systems,” in *Proc. IEEE Vehicular Technology Conference*, Sydney, Australia, Jun. 2017, pp. 1–5.
- [88] T. V. Nguyen et al., “A comparison of cellular vehicle-to-everything and dedicated short range communication,” in *Proc. IEEE Vehicular Networking Conference*, Torino, Italy, Nov. 2017, pp. 101–108.
- [89] A. Bazzi, B. M. Masini, A. Zanella, and I. Thibault, “On the performance of IEEE 802.11p and LTE-V2V for the cooperative awareness of connected vehicles,” *IEEE Transactions on Vehicular Technology*, vol. 66, no. 11, pp. 10 419–10 432, Nov. 2017.
- [90] V. Vukadinovic et al., “3GPP C-V2X and IEEE 802.11p for vehicle-to-vehicle communications in highway platooning scenarios,” *Ad Hoc Networks*, vol. 74, pp. 17–29, May 2018.
- [91] J. Thota, N. F. Abdullah, A. Doufexi, and S. Armour, “Performance of car to car safety broadcast using cellular V2V and IEEE 802.11p,” in *Proc. IEEE Vehicular Technology Conference*, Porto, Portugal, Jun. 2018, pp. 1–5.
- [92] W. Anwar, K. Kulkarni, T. R. Augustin, N. Franchi, and G. Fettweis, “PHY abstraction techniques for IEEE 802.11p and LTE-V2V: Applications and analysis,” in *Proc. IEEE Globecom Workshops*, Abu Dhabi, UAE, Dec. 2018, pp. 1–7.
- [93] G. Cecchini, A. Bazzi, B. M. Masini, and A. Zanella, “Performance comparison between IEEE 802.11p and LTE-V2V in-coverage and out-of-coverage for cooperative awareness,” in *Proc. IEEE Vehicular Networking Conference*, Torino, Italy, Nov. 2017, pp. 109–114.
- [94] S. Kuehlmorgen, P. Schmager, A. Festag, and G. Fettweis, “Simulation-based evaluation of ETSI ITS-G5 and Cellular-VCS in a real-world road traffic scenario,” in *Proc. IEEE Vehicular Technology Conference*, Chicago, USA, Aug. 2018, pp. 1–6.

## REFERENCES

---

- [95] Y. Jeon, S. Kuk, and H. Kim, “Reducing message collisions in sensing-based semi-persistent scheduling (SPS) by using reselection lookaheads in cellular V2X,” *Sensors*, vol. 18, no. 12, p. 4388, Dec. 2018.
- [96] G. P. Wijesiri, J. Haapola, and T. Samarasinghe, “A Markov perspective on C-V2X Mode 4,” in *Proc. IEEE Vehicular Technology Conference*, Hawaii, USA, Sep. 2019, pp. 1–6.
- [97] C. D. Manning, P. Raghavan, and H. Schütze, *Introduction to Information Retrieval*. Cambridge University Press, 2008.
- [98] N. Bouchemal, R. Naja, and S. Tohma, “Traffic modeling and performance evaluation in vehicle to infrastructure 802.11p network,” *Ad Hoc Networks*, pp. 82–99, Jan. 2014.
- [99] J. Santa, F. Pereñíguez, A. Moragón, and A. F. Skarmeta, “Vehicle-to-infrastructure messaging proposal based on CAM/DENM specifications,” in *Proc. IFIP Wireless Days*, Valencia, Spain, Nov. 2013, pp. 1–7.
- [100] D. Martín-Sacristán et al., “Evaluation of LTE-advanced connectivity options for the provisioning of V2X services,” in *Proc. IEEE Wireless Communications and Networking Conference*, Barcelona, Spain, Apr. 2018, pp. 1–6.
- [101] G. P. Wijesiri, J. Haapola, and T. Samarasinghe, “A discrete-time Markov chain based comparison of the MAC layer performance of C-V2X Mode 4 and IEEE 802.11p,” *IEEE Transactions on Communications*, vol. 69, no. 4, pp. 2505–2517, Apr. 2021.
- [102] G. P. Wijesiri, J. Haapola, and T. Samarasinghe, “The effect of multiple access categories on the MAC layer performance of IEEE 802.11p,” in *Proc. IEEE Global Communication Conference*, Taipei, Taiwan, Dec. 2020.
- [103] A. Alsuhaime, “NS3 example project,” Nov. 2020. [Online]. Available: <https://github.com/addola/NS3-HelperScripts/tree/master/examples/WaveTest>.
- [104] H. Z. B. Sun, “IEEE 802.11-18/0861r9: 802.11 NGV proposed PAR,” presented at the *IEEE 802.11 NGV Meeting*, Nov. 2019.
- [105] Vodafone, “RP-181480: New SID: Study on NR V2X,” in *Proc. 3GPP Plenary Meeting*, San Diego, CA, USA, vol. 80, Jun. 2018, p. 1–10.
- [106] 3GPP, “Study on enhancement of 3GPP support for 5G V2X services,” 3rd Generation Partnership Project, Technical Report (TR) 22.886, Dec. 2018, version 16.2.0.