

REFERENCES

- [1] “bebionic hand,” access: 2019-09-14. [Online]. Available: <https://www.ottobockus.com/prosthetics/upper-limb-prosthetics/solution-overview/bebionic-hand/>
- [2] “Össur. life without limitations,” access: 2020-03-12. [Online]. Available: <https://www.ossur.com/en-us/prosthetics/arms>
- [3] M. Kazamel and P. P. Warren, “History of electromyography and nerve conduction studies: A tribute to the founding fathers,” *Journal of Clinical Neuroscience*, vol. 43, pp. 54–60, 2017.
- [4] R. Reiter, “Eine neue elektrokunsthand,” *Grenzgebiete der Medizin*, vol. 1, no. 4, pp. 133–135, 1948.
- [5] G. Schlesinger, “Der mechanische aufbau der künstlichen glieder,” in *Er-satzglieder und Arbeitshilfen*. Springer, 1919, pp. 321–661.
- [6] L. J. Hargrove, K. Englehart, and B. Hudgins, “A comparison of surface and intramuscular myoelectric signal classification,” *IEEE transactions on biomedical engineering*, vol. 54, no. 5, pp. 847–853, 2007.
- [7] K. Englehart, B. Hudgin, and P. A. Parker, “A wavelet-based continuous classification scheme for multifunction myoelectric control,” *IEEE Transactions on Biomedical Engineering*, vol. 48, no. 3, pp. 302–311, 2001.
- [8] R. N. Khushaba, S. Kodagoda, M. Takruri, and G. Dissanayake, “Toward improved control of prosthetic fingers using surface electromyogram (emg)

- signals,” *Expert Systems with Applications*, vol. 39, no. 12, pp. 10 731–10 738, 2012.
- [9] J. DeGol, A. Akhtar, B. Manja, and T. Bretl, “Automatic grasp selection using a camera in a hand prosthesis,” in *2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. IEEE, 2016, pp. 431–434.
- [10] J. Redmon, S. Divvala, R. B. Girshick, and A. Farhadi, “You only look once: Unified, real-time object detection,” *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 779–788, 2016.
- [11] L. Weng, “Object Detection Part 4: Fast Detection Models,” Dec. 2018. [Online]. Available: <https://lilianweng.github.io/2018/12/27/object-detection-part-4.html>
- [12] S. M. Khan, A. A. Khan, and O. Farooq, “Selection of features and classifiers for emg/eeg based upper limb assistive devices-a review,” *IEEE reviews in biomedical engineering*, 2019.
- [13] C. L. McDonald, S. Westcott-McCoy, M. R. Weaver, J. Haagsma, and D. Kartin, “Global prevalence of traumatic non-fatal limb amputation,” *Prosthetics and orthotics international*, 2020, pMID: 33274665.
- [14] L. S. M. Tintle, L. M. F. Baechler, C. G. P. Nanos III, L. J. A. Forsberg, and M. B. K. Potter, “Traumatic and trauma-related amputations: Part ii: Upper extremity and future directions,” *JBJS*, vol. 92, no. 18, pp. 2934–2945, 2010.
- [15] N. Jiang, S. Dosen, K.-R. Muller, and D. Farina, “Myoelectric control of artificial limbs—is there a need to change focus? [in the spotlight],” *IEEE Signal Processing Magazine*, vol. 29, no. 5, pp. 152–150, 2012.
- [16] W. Dahlheim, “Pressluft hand für kreigsbeschädigte industriearbeiter z. komprimierte und flüssige gase,” *German Patent*, 1915.

- [17] K. Fukunaga, *Introduction to statistical pattern recognition*. Elsevier, 2013.
- [18] Y. Jiang, C. Chen, X. Zhang, W. Zhou, C. Chen, and S. Lemos, “Eeg-based hand motion pattern recognition using deep learning network algorithms,” in *Proceedings of the 2020 9th International Conference on Computing and Pattern Recognition*, 2020, pp. 73–79.
- [19] M.-K. Liu, Y.-T. Lin, Z.-W. Qiu, C.-K. Kuo, and C.-K. Wu, “Hand gesture recognition by a mmg-based wearable device,” *IEEE Sensors Journal*, vol. 20, no. 24, pp. 14 703–14 712, 2020.
- [20] P. Kaczmarek, T. Mankowski, and J. Tomczynski, “Towards sensor position-invariant hand gesture recognition using a mechanomyographic interface,” *2017 Signal Processing: Algorithms, Architectures, Arrangements, and Applications (SPA)*, pp. 53–58, 2017.
- [21] G. Li, A. E. Schultz, and T. A. Kuiken, “Quantifying pattern recognition—based myoelectric control of multifunctional transradial prostheses,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 18, no. 2, pp. 185–192, 2010.
- [22] A. Waris, I. Niazi, M. Jamil, K. Englehart, W. Jensen, and E. Kamavuako, “Multiday evaluation of techniques for emg-based classification of hand motions,” *IEEE Journal of Biomedical and Health Informatics*, vol. 23, pp. 1526–1534, 2019.
- [23] J. He, D. Zhang, N. Jiang, X. Sheng, D. Farina, and X. Zhu, “User adaptation in long-term, open-loop myoelectric training: implications for emg pattern recognition in prosthesis control.” *Journal of neural engineering*, vol. 12 4, p. 046005, 2015.
- [24] E. Scheme, K. Biron, and K. Englehart, “Improving myoelectric pattern recognition positional robustness using advanced training protocols,” *2011 Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, pp. 4828–4831, 2011.

- [25] C. Cipriani, R. Sassu, M. Controzzi, and M. Carrozza, “Influence of the weight actions of the hand prosthesis on the performance of pattern recognition based myoelectric control: Preliminary study,” *2011 Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, pp. 1620–1623, 2011.
- [26] M. Simão, N. Mendes, O. Gibaru, and P. Neto, “A review on electromyography decoding and pattern recognition for human-machine interaction,” *IEEE Access*, vol. 7, pp. 39 564–39 582, 2019.
- [27] N. Parajuli, N. Sreenivasan, P. Bifulco, M. Cesarelli, S. Savino, V. Niola, D. Esposito, T. J. Hamilton, G. R. Naik, U. Gunawardana *et al.*, “Real-time emg based pattern recognition control for hand prostheses: a review on existing methods, challenges and future implementation,” *Sensors*, vol. 19, no. 20, p. 4596, 2019.
- [28] D. Madusanka, L. Wijayasingha, R. Gopura, Y. Amarasinghe, and G. Mann, “A review on hybrid myoelectric control systems for upper limb prosthesis,” in *2015 Moratuwa Engineering Research Conference (MER-Con)*. IEEE, 2015, pp. 136–141.
- [29] M. Štrbac and M. Marković, “Stereovision system for estimation of the grasp type for electrotherapy,” *Serbian Journal of Electrical Engineering*, vol. 8, no. 1, pp. 17–25, 2011.
- [30] o. Klisić, M. Kostić, S. Došen, and D. B. Popović, “Control of prehension for the transradial prosthesis: natural-like image recognition system,” *Journal of Automatic Control*, vol. 19, no. 1, pp. 27–31, 2009.
- [31] S. Došen, C. Cipriani, M. Kostić, M. Controzzi, M. C. Carrozza, and D. B. Popović, “Cognitive vision system for control of dexterous prosthetic hands: experimental evaluation,” *Journal of neuroengineering and rehabilitation*, vol. 7, no. 1, p. 42, 2010.

- [32] S. Došen and D. B. Popović, “Transradial prosthesis: artificial vision for control of prehension,” *Artificial organs*, vol. 35, no. 1, pp. 37–48, 2011.
- [33] Q.-C. Mao, H.-M. Sun, Y.-B. Liu, and R.-S. Jia, “Mini-yolov3: real-time object detector for embedded applications,” *IEEE Access*, vol. 7, pp. 133 529–133 538, 2019.
- [34] D. T. Andrade, A. Ishikawa, A. D. Munoz, and E. Rohmer, “A hybrid approach for the actuation of upper limb prostheses based on computer vision,” in *2017 Latin American Robotics Symposium (LARS) and 2017 Brazilian Symposium on Robotics (SBR)*. IEEE, 2017, pp. 1–6.
- [35] J. Fajardo, V. Ferman, A. Muñoz, D. Andrade, A. R. Neto, and E. Rohmer, “User-prosthesis interface for upper limb prosthesis based on object classification,” in *2018 Latin American Robotic Symposium, 2018 Brazilian Symposium on Robotics (SBR) and 2018 Workshop on Robotics in Education (WRE)*. IEEE, 2018, pp. 390–395.
- [36] C. Shi, D. Yang, J. Zhao, and H. Liu, “Computer vision-based grasp pattern recognition with application to myoelectric control of dexterous hand prosthesis,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 28, pp. 2090–2099, 2020.
- [37] J. Doyon, A. M. Owen, M. Petrides, V. Sziklas, and A. C. Evans, “Functional anatomy of visuomotor skill learning in human subjects examined with positron emission tomography,” *European Journal of Neuroscience*, vol. 8, no. 4, pp. 637–648, 1996.
- [38] M. K. Rand, M. Lemay, L. M. Squire, Y. P. Shimansky, and G. E. Stelmach, “Role of vision in aperture closure control during reach-to-grasp movements,” *Experimental Brain Research*, vol. 181, no. 3, pp. 447–460, 2007.
- [39] S. Jackson, G. Jackson, and J. Rosicky, “Are non-relevant objects represented in working memory? the effect of non-target objects on reach and

- grasp kinematics,” *Experimental Brain Research*, vol. 102, no. 3, pp. 519–530, 1995.
- [40] M. Garber, “The perfect, 3,000-year-old toe: A brief history of prosthetic limbs,” 2013, accessed: 2020-02-23. [Online]. Available: <https://www.theatlantic.com/technology/archive/2013/11/the-perfect-3-000-year-old-toe-a-brief-history-of-prosthetic-limbs/281653/>
- [41] “Artificial arm with four tool attachments, england, 1945-1955 — science museum group collection,” accessed: 2020-02-23. [Online]. Available: <https://collection.sciencemuseumgroup.org.uk/objects/co479542/artificial-arm-with-four-tool-attachments-england-1945-1955-artificial-arm>
- [42] “Hanger-simpson wooden hand with all fingers articular, 1948,” accessed: 2020-02-25. [Online]. Available: <https://collection.sciencemuseumgroup.org.uk/objects/co477906/hanger-simpson-wooden-hand-with-all-fingers-articu-prosthetic-hand>
- [43] R. H. Meier, D. J. Atkins *et al.*, *Functional restoration of adults and children with upper extremity amputation*. Demos Medical Pub., 2004.
- [44] D. Masson, G. Grove, J. Morley, and M. Morris, *Macmillan’s Magazine*. Macmillan and Company, 1861, vol. 3.
- [45] K. J. Zuo and J. L. Olson, “The evolution of functional hand replacement: From iron prostheses to hand transplantation,” *Plastic Surgery*, vol. 22, no. 1, pp. 44–51, 2014.
- [46] M. LeBlanc, “Current evaluation of hydraulics to replace the cable force transmission system for body-powered upper-limb prostheses,” *Assistive Technology*, vol. 2, no. 3, pp. 101–108, 1990.
- [47] S. Alderson, “The electric arm,” in *Human Limbs and Their Substitutes*, P. William, P. Klopsteg, and Ed, Eds. McGraw-Hill, 1954, ch. 13.

- [48] A. Heather and T. A. Smith, “Helping hand, a hydraulically operated mechanical hand,” *Orthopedic and Prosthetic Appliance Journal*, vol. 14, 1960.
- [49] D. Lewis, “Hydraulics for prosthetic devices,” *Orthotics and Prosthetics*, vol. 22, pp. 23–28, 1968.
- [50] “Co2 gas-powered artificial arms, roehampton, england, 1963,” accessed: 2020-02-24. [Online]. Available: <https://collection.sciencemuseumgroup.org.uk/objects/co476753/co2-gas-powered-artificial-arms-roehampton-england-1963-artificial-arm>
- [51] “Pair of co2 powered upper limbs for a 10 year old,” accessed: 2020-02-24. [Online]. Available: <https://collection.sciencemuseumgroup.org.uk/objects/co476750/pair-of-co2-powered-upper-limbs-for-a-10-year-old-prosthetic-arm>
- [52] “Artificial hand prosthetic device powered by carbo,” accessed: 2020-02-24. [Online]. Available: <https://collection.sciencemuseumgroup.org.uk/objects/co203089/artificial-hand-prosthetic-device-powered-by-carbo>
- [53] H. Piper, *Elektrophysiologie menschlicher muskeln*. Springer-Verlag, 2013.
- [54] E. H. Du Bois-Reymond, *Gesammelte Abhandlungen zur allgemeinen Muskel-und Nervenphysik*. Veit, 1877, vol. 2.
- [55] H. C. Ørsted and K. L. Rahbek, *Experimenta circa effectum conflictus electrici in acum magneticam: med oversættelse til dansk fra Hesperus bind III pag. 312-21, udgivet af Knud Lyhne Rahbek, 1820*. Københavns Universitets Fond til Tilvejebringelse af Læremidler, 1970.
- [56] E. D. Adrian and D. W. Bronk, “The discharge of impulses in motor nerve fibres: Part ii. the frequency of discharge in reflex and voluntary contractions,” *The Journal of physiology*, vol. 67, no. 2, pp. 9–151, 1929.

- [57] F. Buchthal and T. Péterfi, “Die potentialdifferenzen einzelner lebender muskelfasern im ruhezustand und während der kontraktion,” *Pflüger’s Archiv für die gesamte Physiologie des Menschen und der Tiere*, vol. 234, no. 1, pp. 527–543, 1934.
- [58] F. J. Bonner Jr and A. B. Devleschoward, “Aaem minimonograph# 45: the early development of electromyography,” *Muscle & Nerve: Official Journal of the American Association of Electrodiagnostic Medicine*, vol. 18, no. 8, pp. 825–833, 1995.
- [59] N. Berger and C. R. Huppert, “The use of electrical and mechanical muscular forces for the control of an electrical prosthesis.” *The American journal of occupational therapy: official publication of the American Occupational Therapy Association*, vol. 6, no. 3, p. 110, 1952.
- [60] C. Battye, A. Nightingale, and J. Whillis, “The use of myo-electric currents in the operation of prostheses,” *The Journal of bone and joint surgery. British volume*, vol. 37, no. 3, pp. 506–510, 1955.
- [61] A. Kobrinskii, S. Bolkhovitin, L. Voskoboinikowa, D. Ioffe, E. Polyan, B. Popov, Y. Slavutski, A. Sysin, and Y. Yakobson, “Problems of bio-electric control, automatic and remote control,” in *Proceedings of 1st IFAC International Congress, Moscow*, 1960, pp. 619–623.
- [62] E. Wilms and L. Nader, “Die technik der vaduzer hand,” *Orthopädie Technik*, vol. 2, no. 7, p. 7, 1951.
- [63] A. Bottomley, “Myo-electric control of powered prostheses,” *The Journal of bone and joint surgery. British volume*, vol. 47, no. 3, pp. 411–415, 1965.
- [64] M. Rikich, “The belgrade hand prosthesis.” *The Basic Problems of Prehension, Movement and Control Artificial Limbs*, vol. 183, no. sJ, pp. 60–67, 1969.

- [65] P. Herberts and I. Petersen, “Possibilities for control of powered devices by myoelectric signals.” *Scandinavian journal of rehabilitation medicine*, vol. 2, no. 4, pp. 164–170, 1970.
- [66] R. W. Mann, “Cybernetic limb prosthesis: The alza distinguished lecture,” *Annals of Biomedical Engineering*, vol. 9, no. 1, pp. 1–43, 1981.
- [67] D. Graupe, J. Magnussen, and A. Beex, “A microprocessor system for multifunctional control of upper-limb prostheses via myoelectric signal identification,” *IEEE Transactions on automatic control*, vol. 23, no. 4, pp. 538–544, 1978.
- [68] G. N. Saridis and T. P. Gootee, “Emg pattern analysis and classification for a prosthetic arm,” *IEEE Transactions on Biomedical Engineering*, vol. 6, pp. 403–412, 1982.
- [69] C. J. Perera, I. Naotunna, C. Sadaruwan, R. A. R. C. Gopura, and T. D. Lalitharatne, “Ssvep based bmi for a meal assistance robot,” in *2016 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*. IEEE, 2016, pp. 002 295–002 300.
- [70] M. A. Oskoei and H. Hu, “Myoelectric control systems—a survey,” *Biomedical signal processing and control*, vol. 2, no. 4, pp. 275–294, 2007.
- [71] J. Lara, N. Paskaranandavadivel, and L. K. Cheng, “Hd-emg electrode count and feature selection influence on pattern-based movement classification accuracy,” in *2020 42nd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC)*. IEEE, 2020, pp. 4787–4790.
- [72] B. Yu, X. Zhang, L. Wu, X. Chen, and X. Chen, “A novel postprocessing method for robust myoelectric pattern-recognition control through movement pattern transition detection,” *IEEE Transactions on Human-Machine Systems*, vol. 50, pp. 32–41, 2020.

- [73] G. D. Gargiulo, P. Bifulco, M. Cesarelli, A. Fratini, and M. Romano, “Problems in assessment of novel biopotential front-end with dry electrode: A brief review,” *Machines*, vol. 2, no. 1, pp. 87–98, 2014.
- [74] H. J. Hermens, B. Freriks, C. Disselhorst-Klug, and G. Rau, “Development of recommendations for semg sensors and sensor placement procedures,” *Journal of electromyography and Kinesiology*, vol. 10, no. 5, pp. 361–374, 2000.
- [75] R. L. Drake, W. Vogl, A. W. M. Mitchell, and H. Gray, *Gray’s anatomy for students*. Philadelphia: Elsevier/Churchill Livingstone, 2005.
- [76] D. Zhang, X. Zhao, J. Han, and Y. Zhao, “A comparative study on pca and lda based emg pattern recognition for anthropomorphic robotic hand,” in *2014 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 2014, pp. 4850–4855.
- [77] G. Hägg and E. Milerad, “Forearm extensor and flexor muscle exertion during simulated gripping work—an electromyographic study,” *Clinical biomechanics*, vol. 12, no. 1, pp. 39–43, 1997.
- [78] I. Batzianoulis, N. E. Krausz, A. M. Simon, L. Hargrove, and A. Billard, “Decoding the grasping intention from electromyography during reaching motions,” *Journal of neuroengineering and rehabilitation*, vol. 15, no. 1, p. 57, 2018.
- [79] S. Pancholi and A. Joshi, “Improved classification scheme using fused wavelet packet transform based features for intelligent myoelectric prostheses,” *IEEE Transactions on Industrial Electronics*, vol. 67, pp. 8517–8525, 2020.
- [80] I. Batzianoulis, S. El-Khoury, E. Pirondini, M. Coscia, S. Micera, and A. Billard, “Emg-based decoding of grasp gestures in reaching-to-grasping motions,” *Robotics and Autonomous Systems*, vol. 91, pp. 59–70, 2017.

- [81] A. yuan Zhang, Q. Li, N. Gao, L. Wang, and Y. Wu, "Influence of different feature selection methods on emg pattern recognition," *2019 IEEE International Conference on Mechatronics and Automation (ICMA)*, pp. 880–885, 2019.
- [82] S. Ma, B. Lv, C. Lin, X. Sheng, and X. Zhu, "Emg signal filtering based on variational mode decomposition and sub-band thresholding," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, pp. 47–58, 2021.
- [83] A. Phinyomark, E. Campbell, and E. Scheme, "Surface electromyography (emg) signal processing, classification, and practical considerations," 2020, pp. 3–29.
- [84] R. H. Chowdhury, M. B. Reaz, M. A. B. M. Ali, A. A. Bakar, K. Chellappan, and T. G. Chang, "Surface electromyography signal processing and classification techniques," *Sensors*, vol. 13, no. 9, pp. 12 431–12 466, 2013.
- [85] A. Phinyomark, P. Phukpattaranont, and C. Limsakul, "Feature reduction and selection for emg signal classification," *Expert systems with applications*, vol. 39, no. 8, pp. 7420–7431, 2012.
- [86] A. Phinyomark, R. N Khushaba, and E. Scheme, "Feature extraction and selection for myoelectric control based on wearable emg sensors," *Sensors*, vol. 18, no. 5, p. 1615, 2018.
- [87] H. Chen, Y. Zhang, Z. Zhang, Y. Fang, H. Liu, and C. Yao, "Exploring the relation between emg sampling frequency and hand motion recognition accuracy," in *2017 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*. IEEE, 2017, pp. 1139–1144.
- [88] G. Li, Y. Li, L. Yu, and Y. Geng, "Conditioning and sampling issues of emg signals in motion recognition of multifunctional myoelectric prostheses," *Annals of biomedical engineering*, vol. 39, no. 6, pp. 1779–1787, 2011.

- [89] R. Menon, G. D. Caterina, H. Lakany, L. Petropoulakis, B. Conway, and J. Soraghan, “Study on interaction between temporal and spatial information in classification of emg signals for myoelectric prostheses,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, pp. 1832–1842, 2017.
- [90] D. Farina and R. Merletti, “Comparison of algorithms for estimation of emg variables during voluntary isometric contractions,” *Journal of Electromyography and Kinesiology*, vol. 10, no. 5, pp. 337–349, 2000.
- [91] K. Englehart and B. Hudgins, “A robust, real-time control scheme for multifunction myoelectric control,” *IEEE transactions on biomedical engineering*, vol. 50, no. 7, pp. 848–854, 2003.
- [92] J. Liu, “Adaptive myoelectric pattern recognition toward improved multifunctional prosthesis control,” *Medical engineering & physics*, vol. 37, no. 4, pp. 424–430, 2015.
- [93] B. Hudgins, P. Parker, and R. N. Scott, “A new strategy for multifunction myoelectric control,” *IEEE Transactions on Biomedical Engineering*, vol. 40, no. 1, pp. 82–94, 1993.
- [94] S.-H. Park and S.-P. Lee, “Emg pattern recognition based on artificial intelligence techniques,” *IEEE transactions on Rehabilitation Engineering*, vol. 6, no. 4, pp. 400–405, 1998.
- [95] M. Tavakolan, Z. G. Xiao, J. Webb, and C. Menon, “Emg processing for classification of hand gestures and regression of wrist torque,” in *2012 4th IEEE RAS & EMBS International Conference on Biomedical Robotics and Biomechatronics (BioRob)*. IEEE, 2012, pp. 1770–1775.
- [96] A. H. Al-Timemy, G. Bugmann, J. Escudero, and N. Outram, “Classification of finger movements for the dexterous hand prosthesis control with surface electromyography,” *IEEE journal of biomedical and health informatics*, vol. 17, no. 3, pp. 608–618, 2013.

- [97] J. Liu, “Feature dimensionality reduction for myoelectric pattern recognition: A comparison study of feature selection and feature projection methods,” *Medical engineering & physics*, vol. 36, no. 12, pp. 1716–1720, 2014.
- [98] A. Turlapaty and B. Gokaraju, “Feature analysis for classification of physical actions using surface emg data,” *IEEE Sensors Journal*, vol. 19, pp. 12 196–12 204, 2019.
- [99] A. M. Martínez and A. C. Kak, “Pca versus lda,” *IEEE transactions on pattern analysis and machine intelligence*, vol. 23, no. 2, pp. 228–233, 2001.
- [100] J. Too, A. R. Abdullah, N. Mohd Saad, and W. Tee, “Emg feature selection and classification using a pbest-guide binary particle swarm optimization,” *Computation*, vol. 7, no. 1, p. 12, 2019.
- [101] C. Meeker, S. Park, L. Bishop, J. Stein, and M. Ciocarlie, “Emg pattern classification to control a hand orthosis for functional grasp assistance after stroke,” in *2017 international conference on rehabilitation robotics (ICORR)*. IEEE, 2017, pp. 1203–1210.
- [102] S. Ahmad, A. Ishak, and S. Ali, “Review of electromyographic control systems based on pattern recognition,” in *5th Kuala Lumpur International Conference on Biomedical Engineering 2011*. Springer, 2011, pp. 556–559.
- [103] L. Pan, D. Zhang, J. Liu, X. Sheng, and X. Zhu, “Continuous estimation of finger joint angles under different static wrist motions from surface emg signals,” *Biomedical Signal Processing and Control*, vol. 14, pp. 265–271, 2014.
- [104] S. Pancholi and A. M. Joshi, “Electromyography-based hand gesture recognition system for upper limb amputees,” *IEEE Sensors Letters*, vol. 3, no. 3, pp. 1–4, 2019.
- [105] B. Saeed, M. Z. ur Rehman, S. O. Gilani, F. Amin, A. Waris, M. Jamil, and M. Shafique, “Leveraging ann and lda classifiers for characterizing differ-

- ent hand movements using emg signals,” *Arabian Journal for Science and Engineering*, vol. 46, pp. 1761–1769, 2020.
- [106] D. C. Dening, F. G. Gray, and R. M. Haralick, “Prosthesis control using a nearest neighbor electromyographic pattern classifier,” *IEEE Transactions on Biomedical Engineering*, no. 6, pp. 356–360, 1983.
- [107] C. I. Christodoulou, P. A. Kaplanis, V. Murray, M. S. Pattichis, C. S. Pattichis, and T. Kyriakides, “Multi-scale am–fm analysis for the classification of surface electromyographic signals,” *Biomedical Signal Processing and Control*, vol. 7, no. 3, pp. 265–269, 2012.
- [108] R. J. Oweis, R. Rihani, and A. Alkhawaja, “Ann-based emg classification for myoelectric control,” *International Journal of Medical Engineering and Informatics*, vol. 6, no. 4, pp. 365–380, 2014.
- [109] B. Karlik, M. O. Tokhi, and M. Alci, “A fuzzy clustering neural network architecture for multifunction upper-limb prosthesis,” *IEEE Transactions on Biomedical Engineering*, vol. 50, no. 11, pp. 1255–1261, 2003.
- [110] A. D. Chan and K. B. Englehart, “Continuous myoelectric control for powered prostheses using hidden markov models,” *IEEE Transactions on Biomedical Engineering*, vol. 52, no. 1, pp. 121–124, 2004.
- [111] X. Zhai, B. Jelfs, R. H. Chan, and C. Tin, “Self-recalibrating surface emg pattern recognition for neuroprosthesis control based on convolutional neural network,” *Frontiers in neuroscience*, vol. 11, p. 379, 2017.
- [112] F. Riillo, L. R. Quitadamo, F. Cavrini, E. Gruppioni, C. A. Pinto, N. C. Pastò, L. Sbernini, L. Albero, and G. Saggio, “Optimization of emg-based hand gesture recognition: Supervised vs. unsupervised data preprocessing on healthy subjects and transradial amputees,” *Biomedical Signal Processing and Control*, vol. 14, pp. 117–125, 2014.

- [113] M. Zardoshti-Kermani, B. C. Wheeler, K. Badie, and R. M. Hashemi, “Emg feature evaluation for movement control of upper extremity prostheses,” *IEEE Transactions on Rehabilitation Engineering*, vol. 3, no. 4, pp. 324–333, 1995.
- [114] A. Ameri, M. Akhaee, E. Scheme, and K. Englehart, “A deep transfer learning approach to reducing the effect of electrode shift in emg pattern recognition-based control,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 28, pp. 370–379, 2020.
- [115] D. Huang and B. Chen, “Surface emg decoding for hand gestures based on spectrogram and cnn-lstm,” *2019 2nd China Symposium on Cognitive Computing and Hybrid Intelligence (CCHI)*, pp. 123–126, 2019.
- [116] M. Atzori, M. Cognolato, and H. Müller, “Deep learning with convolutional neural networks applied to electromyography data: A resource for the classification of movements for prosthetic hands,” *Frontiers in Neurorobotics*, vol. 10, 2016.
- [117] T. R. Farrell *et al.*, “A comparison of the effects of electrode implantation and targeting on pattern classification accuracy for prosthesis control,” *IEEE Transactions on Biomedical Engineering*, vol. 55, no. 9, pp. 2198–2211, 2008.
- [118] M. Gandolla, S. Ferrante, G. Ferrigno, D. Baldassini, F. Molteni, E. Guanziroli, M. Cotti Cottini, C. Seneci, and A. Pedrocchi, “Artificial neural network emg classifier for functional hand grasp movements prediction,” *Journal of International Medical Research*, vol. 45, no. 6, pp. 1831–1847, 2017.
- [119] M. Jochumsen, A. Waris, and E. N. Kamavuako, “The effect of arm position on classification of hand gestures with intramuscular emg,” *Biomedical Signal Processing and Control*, vol. 43, pp. 1–8, 2018.

- [120] G. Kanitz, C. Cipriani, and B. B. Edin, “Classification of transient myoelectric signals for the control of multi-grasp hand prostheses,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 26, no. 9, pp. 1756–1764, 2018.
- [121] E. Mastinu, J. Ahlberg, E. Lendaro, L. Hermansson, B. Håkansson, and M. Ortiz-Catalan, “An alternative myoelectric pattern recognition approach for the control of hand prostheses: A case study of use in daily life by a dysmelia subject,” *IEEE journal of translational engineering in health and medicine*, vol. 6, pp. 1–12, 2018.
- [122] K. Xu, W. Guo, L. Hua, X. Sheng, and X. Zhu, “A prosthetic arm based on emg pattern recognition,” in *2016 IEEE International Conference on Robotics and Biomimetics (ROBIO)*. IEEE, 2016, pp. 1179–1184.
- [123] A. M. Simon, L. J. Hargrove, B. A. Lock, and T. A. Kuiken, “A decision-based velocity ramp for minimizing the effect of misclassifications during real-time pattern recognition control,” *IEEE Transactions on Biomedical Engineering*, vol. 58, no. 8, pp. 2360–2368, 2011.
- [124] Y. Huang, K. B. Englehart, B. Hudgins, and A. D. Chan, “A gaussian mixture model based classification scheme for myoelectric control of powered upper limb prostheses,” *IEEE Transactions on Biomedical Engineering*, vol. 52, no. 11, pp. 1801–1811, 2005.
- [125] E. J. Scheme, K. B. Englehart, and B. S. Hudgins, “Selective classification for improved robustness of myoelectric control under nonideal conditions,” *IEEE Transactions on Biomedical Engineering*, vol. 58, no. 6, pp. 1698–1705, 2011.
- [126] A. H. Al-Timemy, R. Khushaba, and J. Escudero, “A comparison of post-processing techniques on the performance of emg based pattern recognition system for the transradial amputees,” *2016 3rd Middle East Conference on Biomedical Engineering (MECBME)*, pp. 46–49, 2016.

- [127] S. Ren, K. He, R. B. Girshick, and J. Sun, “Faster R-CNN: towards real-time object detection with region proposal networks,” *CoRR*, vol. abs/1506.01497, 2015. [Online]. Available: <http://arxiv.org/abs/1506.01497>
- [128] C.-Y. Fu, W. Liu, A. Ranga, A. Tyagi, and A. C. Berg, “Dssd: Deconvolutional single shot detector,” *arXiv preprint arXiv:1701.06659*, 2017.
- [129] Z. Shen, Z. Liu, J. Li, Y.-G. Jiang, Y. Chen, and X. Xue, “Dsod: Learning deeply supervised object detectors from scratch,” in *Proceedings of the IEEE international conference on computer vision*, 2017, pp. 1919–1927.
- [130] Z.-Q. Zhao, P. Zheng, S.-t. Xu, and X. Wu, “Object detection with deep learning: A review,” *IEEE transactions on neural networks and learning systems*, vol. 30, no. 11, pp. 3212–3232, 2019.
- [131] S. Jafari and R. Jarvis, “Eye-to-hand coordination: a coarse-calibrated approach,” in *Australasian Conf on Robotics and Automation*, 2004.
- [132] K. Ramnath, “A framework for robotic vision-based grasping task,” *Project report, The Robotics Institute, Carnegie Mellon University*, 2004.
- [133] M. Gardner, R. Woodward, R. Vaidyanathan, E. Bürdet, and B. C. Khoo, “An unobtrusive vision system to reduce the cognitive burden of hand prosthesis control,” in *2014 13th International Conference on Control Automation Robotics & Vision (ICARCV)*. IEEE, 2014, pp. 1279–1284.
- [134] C. Copot, A. Burlacu, and C. Lazar, “Image moments based visual control algorithm for servoing systems,” in *2009 IEEE 5th International Conference on Intelligent Computer Communication and Processing*. IEEE, 2009, pp. 157–160.
- [135] Y. He, R. Kubozono, O. Fukuda, N. Yamaguchi, and H. Okumura, “Vision-based assistance for myoelectric hand control,” *IEEE Access*, vol. 8, pp. 201 956–201 965, 2020.

- [136] Y. He, R. Shima, O. Fukuda, N. Bu, N. Yamaguchi, and H. Okumura, “Development of distributed control system for vision-based myoelectric prosthetic hand,” *IEEE Access*, vol. 7, pp. 54 542–54 549, 2019.
- [137] J. L. Betthausen, C. Hunt, L. Osborn, M. Masters, G. Levay, R. Kaliki, and N. Thakor, “Limb position tolerant pattern recognition for myoelectric prosthesis control with adaptive sparse representations from extreme learning,” *IEEE Transactions on Biomedical Engineering*, vol. 65, pp. 770–778, 2018.
- [138] J. P. Ioannidis, “Why most published research findings are false,” *PLoS medicine*, vol. 2, no. 8, p. e124, 2005.
- [139] S. Betti, G. Zani, S. Guerra, U. Castiello, and L. Sartori, “Reach-to-grasp movements: a multimodal techniques study,” *Frontiers in psychology*, vol. 9, p. 990, 2018.
- [140] M. K. Rand, Y. Shimansky, A. B. Hossain, and G. E. Stelmach, “Quantitative model of transport-aperture coordination during reach-to-grasp movements,” *Experimental brain research*, vol. 188, no. 2, pp. 263–274, 2008.
- [141] J. Z. Zheng, S. De La Rosa, and A. M. Dollar, “An investigation of grasp type and frequency in daily household and machine shop tasks,” in *2011 IEEE International Conference on Robotics and Automation*. IEEE, 2011, pp. 4169–4175.
- [142] A. Ghasemi and S. Zahediasl, “Normality tests for statistical analysis: a guide for non-statisticians,” *International journal of endocrinology and metabolism*, vol. 10, no. 2, p. 486, 2012.
- [143] D. G. Altman and J. M. Bland, “Statistics notes: the normal distribution,” *Bmj*, vol. 310, no. 6975, p. 298, 1995.
- [144] A. C. Elliott and W. A. Woodward, *Statistical analysis quick reference guidebook: With SPSS examples*. Sage, 2007.

- [145] O. W. Samuel, M. G. Asogbon, Y. Geng, A. H. Al-Timemy, S. Pirbhulal, N. Ji, S. Chen, P. Fang, and G. Li, “Intelligent emg pattern recognition control method for upper-limb multifunctional prostheses: advances, current challenges, and future prospects,” *IEEE Access*, vol. 7, pp. 10 150–10 165, 2019.
- [146] N. Nazmi, M. A. Abdul Rahman, S.-I. Yamamoto, S. A. Ahmad, H. Zamzuri, and S. A. Mazlan, “A review of classification techniques of emg signals during isotonic and isometric contractions,” *Sensors*, vol. 16, no. 8, p. 1304, 2016.
- [147] S. Solorio-Fernández, J. A. Carrasco-Ochoa, and J. F. Martínez-Trinidad, “A review of unsupervised feature selection methods,” *Artificial Intelligence Review*, vol. 53, no. 2, pp. 907–948, 2020.
- [148] F. Song, Z. Guo, and D. Mei, “Feature selection using principal component analysis,” in *2010 international conference on system science, engineering design and manufacturing informatization*, vol. 1. IEEE, 2010, pp. 27–30.
- [149] G. Zhang and M. Y. Hu, “Neural network forecasting of the british pound/us dollar exchange rate,” *Omega*, vol. 26, no. 4, pp. 495–506, 1998.
- [150] R. Reed and R. J. MarksII, *Neural smithing: supervised learning in feed-forward artificial neural networks*. Mit Press, 1999.
- [151] Y. Bengio, “Practical recommendations for gradient-based training of deep architectures,” in *Neural networks: Tricks of the trade*. Springer, 2012, pp. 437–478.
- [152] M. A. Osborne, “Bayesian gaussian processes for sequential prediction, optimisation and quadrature,” Ph.D. dissertation, Oxford University, UK, 2010.

- [153] P. Domingos and M. Pazzani, “Beyond independence: Conditions for the optimality of the simple bayesian classifier,” in *Proc. 13th Intl. Conf. Machine Learning*. Citeseer, 1996, pp. 105–112.