

References

- [1] Yoshida, Y., Hirao, T., Iwata, T., Nagata, M. and Matsumoto, Y. (2011). *Transfer learning for multiple-domain sentiment analysis — identifying domain dependent/independent word polarity.* [online] Dl.acm.org. Available at: <https://dl.acm.org/citation.cfm?id=2900627> [Accessed 25 Jan. 2019].
- [2] Pan, S. J. and Yang, Q. (2010). A survey on transfer learning. *IEEE Transactions on Knowledge and Data Engineering*, 22(10):1345–1359
- [3] Pan, Sinno Jialin, Xiaochuan Ni, Jian-Tao Sun, Qiang Yang, and Zheng Chen. Cross-domain sentiment classification via spectral feature alignment. in Proceedings of International Conference on World Wide Web (WWW-2010). 2010.
- [4] B. Pang and L. Lee. Opinion mining and sentiment analysis. *Foundations and Trends in Information Retrieval*, 2(1-2):1–135, 2008.
- [5] B. Pang, L. Lee, and S. Vaithyanathan. Thumbs up? Sentiment classification using machine learning techniques. In *Proceedings of the Conference on Empirical Methods in Natural Language Processing*, pages 79–86, 2002.
- [6] Roark and M. Bacchiani. 2003. Supervised and unsupervised PCFG adaptation to novel domains. In NAACL-HLT, pages 126–133.
- [7] Daum  III and D. Marcu. 2006. Domain adaptation for statistical classifiers. *Journal of Artificial Intelligence Research*, 26(1):101–126.
- [8] R.K. Ando and T. Zhang. 2005. A framework for learning predictive structures from multiple tasks and unlabeled data. *The Journal of Machine Learning Research*, 6:1817–1853.
- [9] J. Blitzer, M. Dredze, and F. Pereira. 2007. Biographies, bollywood, boom-boxes and blenders: Domain adaptation for sentiment classification. In *ACL*, page 440–447.
- [10] John Blitzer, Ryan McDonald, and Fernando Pereira. 2006. Domain adaptation with structural correspondence learning. In *Empirical Methods in Natural Language Processing (EMNLP)*.
- [11] H. Daum . 2007. Frustratingly easy domain adaptation. In *ACL*, pages 256–263.

- [12] W. Dai, Y. Chen, G.R. Xue, Q. Yang, and Y. Yu. 2008. Translated learning: Transfer learning across different feature spaces. In NIPS, pages 353–360.
- [13] N. Bel, C. Koster, and M. Villegas. Cross-lingual text categorization. In ECDL, 2003.
- [14] W. Dai, O. Jin, G.R. Xue, Q. Yang, and Y. Yu. 2009. Eigentransfer: a unified framework for transfer learning. In ICML, pages 193–200.
- [15] S. Thrun and L. Pratt, Eds., Learning to learn. Norwell, MA, USA: Kluwer Academic Publishers, 1998.
- [16] Q. Wu, S. Tan, and X. Cheng. 2009. Graph ranking for sentiment transfer. In ACL-IJCNLP, pages 317–320.
- [17] Q. Wu, S. Tan, X. Cheng, and M. Duan. 2010. MIEA: a Mutual Iterative Enhancement Approach for Cross-Domain Sentiment Classification. In COLING, page 1327-1335.
- [18] C.W. Seah, I. Tsang, Y.S. Ong, and K.K. Lee. 2010. Predictive Distribution Matching SVM for Multi-domain Learning. In ECML-PKDD, pages 231–247.
- [19] Guerra, P., Veloso, A., Meira Jr., W., Almeida, V.: From bias to opinion: A transfer-learning approach to real-time sentiment analysis. In: Proceedings of the 17th ACM SIGKDD Conference on Knowledge Discovery and Data Mining, KDD (2011).
- [20] Q. You, J. Luo, H. Jin, J. Yang, Robust image sentiment analysis using progressively trained and domain transferred deep networks, arXivpreprint arXiv:1509.06041.
- [21] Xavier Glorot, Antoine Bordes, and Yoshua Bengio. Domain adaptation for large-scale sentiment classification: A deep learning approach. In ICML, 513–520, 2011.
- [22] Chinchung Chang and Chinjen Lin. 2001. LIBSVM: a library for support vector machines. <http://www.csie.ntu.edu.tw/~cjlin/libsvm>.
- [23] Thorsten Joachims. 1999. Transductive inference for text classification using support vector machines. In Proceedings of ICML.
- [24] Bruzzone, L., Marconcini, M.: Domain adaptation problems: A dasvm classification technique and a circular validation strategy. IEEE Trans. on PAMI 32(5), 770–787 (2010).

- [25] Belkin, M., Niyogi, P., Sindhwani, V.: Manifold regularization: A geometric framework for learning from labeled and unlabeled examples. *JMLR* 12, 2399–2434 (2006).
- [26] S. Deerwester, S. T. Dumais, G. W. Furnas, T. K. Landauer, R. Harshman. Indexing by latent semantic analysis. *Journal of the American Society for Information Science*, 41:391–407, 1990.
- [27] Danushka Bollegala, David Weir, and John Carroll. 2011. Using multiple sources to construct a sentiment sensitive thesaurus for cross-domain sentiment classification. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies*, pages 132–141, Portland, Oregon. ACL.
- [28] Rajesh, M., and J. M. Gnanasekar. "Annoyed Realm Outlook Taxonomy Using Twin Transfer Learning" *International Journal of Pure and Applied Mathematics*, 116.21 (2017) 547-558.
- [29] Alam, F.; Ofli, F.; and Imran, M. 2018. Crisismmmd: Multimodal twitter datasets from natural disasters. In *Twelfth International AAAI Conference on Web and Social Media*.
- [30] Neha Singh, Nirmalya Roy, Aryya Gangopadhyay. “Localized Flood DetectionWith Minimal Labeled Social Media Data Using Transfer Learning”.
- [31] Meysam Asgari-Chenaghlu, Mohammad-Reza Feizi-Derakhshi, Leili farzinvash, Mohammad-Ali Balafar, Cina Motamed. TopicBERT: A Transformer transfer learning based memory-graph approach for multimodal streaming social media topic detection
- [32] Senevirathne, L., Demotte, P., Karunanayake, B., Udyogi, M. and Ranathunga, S., 2021. *Sentiment Analysis of Sinhala News Comments using Sentence-State LSTM Networks*. [online] Ieeexplore.ieee.org. Available at: <<https://ieeexplore.ieee.org/iel7/9179991/9185188/09185327.pdf>> [Accessed 6 April 2021].
- [33] Isuru Udara Liyanage. 2018. Sentiment Analysis of Sinhala News Comments. (2018). Unpublished.
- [34] Nishantha Medagoda. 2016. Sentiment Analysis on Morphologically Rich Languages: An Artificial Neural Network (ANN) Approach. In *Artificial Neural Network Modelling*. Springer, 377–393.
- [35] Nishantha Medagoda. 2017. Framework for Sentiment Classification for Morphologically Rich Languages: A Case Study for Sinhala. Ph.D. Dissertation. Auckland University of Technology

- [36] PDT Chathuranga, SAS Lorensuhewa, and MAL Kalyani. 2019. Sinhala Sentiment Analysis using Corpus based Sentiment Lexicon. In International Conference on Advances in ICT for Emerging Regions (ICTer), Vol. 1. 7.
- [37] Nafissa Yussupova, Diana Bogdanova. 2012. Applying of Sentiment Analysis for Texts in Russian Based on Machine Learning Approach.
- [38] Muhammad Haroon Shakeel, Safi Faizullah, Turki Alghamidi , Imdadullah Khan. 2019. Language Independent Sentiment Analysis.
- [39] Joshi, Aditya, A. R. Balamurali, and Pushpak Bhattacharyya. "A fall-back strategy for sentiment analysis in hindi: a case study."Proceedings of the 8th ICON (2010).
- [40] Bakliwal, Akshat, Piyush Arora, and Vasudeva Varma. "Hindi subjective lexicon: A lexical resource for hindi polarity classification." In Proceedings of the Eight International Conference on Language Resources and Evaluation (LREC), pp. 1189-1196. 2012
- [41] Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. Neural machine translation by jointly learning to align and translate. arXiv preprint arXiv:1409.0473, 2014.
- [42] Enkhbold Bataa , Joshua Wu . 2019. “An Investigation of Transfer Learning-Based Sentiment Analysis in Japanese
- [43] Marco Pota, Mirko Ventura, Rosario Catelli, and Massimo Esposito. 2020. An Effective BERT-Based Pipeline for Twitter Sentiment Analysis: A Case Study in Italian
- [44] Abrhalei Frezghi Tela, 2020. Sentiment Analysis for Low-Resource Language: The Case of Tigrinya
- [45] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. arXiv preprint arXiv:1810.04805, 2018.
- [46] <http://mccormickml.com/2019/07/22/BERT-fine-tuning/>

- [47] Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach.
- [48] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In Advances in Neural Information Processing Systems, volume 30. Curran Associates, Inc
- [49] Feng, F., Yang, Y., Cer, D., Arivazhagan, N., and Wang, W. (2020). Language-agnostic bert sentence embedding. A
- [50] Quoc Thai Nguyen, Thoai Linh Nguyen, Ngoc Hoang Luong, and Quoc Hung Ngo. Fine-Tuning BERT for Sentiment Analysis of Vietnamese Reviews, 2020 - ieeexplore.ieee.org
- [51] Soroush Karimi, Fatemeh Sadat Shahrabadi. 2019. Sentiment analysis using BERT (pre-training language representations) and Deep Learning on Persian texts.
- [52] Alduailej, A., Alothaim, A. AraXLNet: pre-trained language model for sentiment analysis of Arabic. J Big Data 9, 72 (2022). <https://doi.org/10.1186/s40537-022-00625-z>
- [53] Tsuruoka Y. Deep learning and natural language processing. Brain Nerve 2022;71:45–55
- [54] <https://github.com/ysenarath/sinling>
- [55] Matej Ulčar and Marko Robnik-Sikonja. High quality elmo embeddings for seven less-resourced languages. In Proceedings of The 12th Language Resources and Evaluation Conference, pages 4731–4738, Marseille, France, May 2020. European Language Resources Association.