

LIST OF PUBLICATIONS

- (01). Development of a conductive polymer based novel 1-DOF tactile sensor with cylindrical arch spring structure using 3D printing technology, **Sampath, W.H.P.**; De Silva, A.H.T.E.; Sameera, N.H.L.; Udayanga, T.D.I.; Amarasinghe, Y.W.R.; Weragoda, V.S.C.; Mitani, A.; *Sensors* 19 (2), 318
- (02). Design and development of a novel 3D printed 1-DOF tactile sensor with conductive polymer based sensing element, De Silva, A.H.T.E.; **Sampath, W.H.P.**; Sameera, N.H.L.; Udayanga, T.D.I.; Amarasinghe, Y.W.R.; Weragoda, V.S.C.; Mitani, A.; *2016 IEEE SENSORS*, 1-3
- (03). Design and development of a conductive polymer based 3D-printed tactile sensor with square type spring structure, **Sampath, W.H.P.**; De Silva, A.H.T.E.; Roshan, T.A.U.; Amarasinghe, Y.W.R.; *2018 International Conference on Artificial ALife and Robotics(ICAROB 2018)*, 562-565
- (04). Development of a Novel Telecare System, Integrated with Plantar Pressure Measurement System, De Silva, A.H.T.E.; **Sampath, W.H.P.**; Sameera, N.H.L.; Amarasinghe, Y.W.R.; Mitani, A.; *Informatics in Medicine Unlocked*

REFERENCES

- [1] Yousef Al-Handarish, Olatunji Mumini Omisore, Tobore Igbe, Shipeng Han, Hui Li, Wenjing Du, Jinjie Zhang, and Lei Wang. A Survey of Tactile-Sensing Systems and Their Applications in Biomedical Engineering. *Advances in Materials Science and Engineering*, 2020:1–17, January 2020.
- [2] Gagan Kaur, Raju Adhikari, Peter Cass, Mark Bown, and Pathiraja Gunatillake. Electrically conductive polymers and composites for biomedical applications. *RSC Advances*, 5(47):37553–37567, April 2015.
- [3] Marc O. Ernst and Heinrich H. Bülthoff. Merging the senses into a robust percept. *Trends in Cognitive Sciences*, 8(4):162–169, April 2004.
- [4] M.I. Tiwana, S.J. Redmond, and N.H. Lovell. A review of tactile sensing technologies with applications in biomedical engineering. *Sensors and Actuators A: Physical*, 179:17–31, June 2012.
- [5] A.M. Almassri, W.Z. Wan Hasan, S.A. Ahmad, A.J. Ishak, A.M. Ghazali, D.N. Talib, and C. Wada. Pressure Sensor: State of the Art, Design, and Application for Robotic Hand. *Journal of Sensors*, 2015:1–12, 2015.
- [6] M.R. Cutkosky, R.D. Howe, and W.R. Provancher. Force and tactile sensors. In B. Siciliano and O. Khatib, editors, *Springer Handbook of Robotics*, pages 455–476. Springer Berlin Heidelberg, 2008.
- [7] M.H. Lee and H.R. Nicholls. Review Article Tactile sensing for mechatronics—a state of the art survey. *Mechatronics*, 9(1):1–31, February 1999.
- [8] M.H. Lee. Tactile Sensing: New Directions, New Challenges. *The International Journal of Robotics Research*, 19(7):636–643, July 2000.

- [9] N. Wettels, V.J. Santos, R.S. Johansson, and G.E. Loeb. Biomimetic Tactile Sensor Array. *Advanced Robotics*, 22(8):829–849, January 2008.
- [10] J.E. Sanders, R.A. Miller, D.N. Berglund, and S.G. Zachariah. A modular six-directional force sensor for prosthetic assessment: a technical note. *Journal of Rehabilitation Research and Development*, 34(2):195–202, April 1997.
- [11] C. Liu, Y. Fujimoto, and Y. Tanaka. Flexible Impact Force Sensor. *Journal of Sensor Technology*, 04(02):66–80, 2014.
- [12] J. Gerardo and S. Lanceros-Mendez, editors. *Sensors: Focus on Tactile Force and Stress Sensors*. InTech, December 2008.
- [13] Liang Zou, Chang Ge, Z. Wang, Edmond Cretu, and Xiaoou Li. Novel Tactile Sensor Technology and Smart Tactile Sensing Systems: A Review. *Sensors*, 17(11):2653, November 2017.
- [14] Pressure Sensor Catalog, PPS, 2016. [Online]. Available: <https://pressureprofile.com/catalog-2/>. [Accessed on 04-Dec-2016].
- [15] R.S. Fearing. Tactile Sensing Mechanisms. *The International Journal of Robotics Research*, 9(3):3–23, June 1990.
- [16] “Peratech — What is QTC”, Peratech Holdco Limited, 2016. [Online]. Available: <https://www.peratech.com/what-is-qtc.html>. [Accessed on 04-Dec-2016].
- [17] J.G. da Silva, A.A. de Carvalho, and D.D. da Silva. A strain gauge tactile sensor for finger-mounted applications. *IEEE Transactions on Instrumentation and Measurement*, 51(1):18–22, February 2002.
- [18] “INASTOMER (Pressure Conductive Sensor) | INABA RUBBER”, Inaba—rubber.co.jp, 2010. [Online]. Available: http://www.inaba-rubber.co.jp/en/b_products/inastomer/index.html. [Accessed on 04-Dec-2016].
- [19] Zengxi Pan and Zhenqi Zhu. Flexible full-body tactile sensor of low cost and minimal output connections for service robot. *Industrial Robot: An International Journal*, 32(6):485–491, December 2005.

- [20] “FlexiForce Load/Force Sensors and Systems”, Tekscan, 2016. [Online]. Available: <https://www.tekscan.com/flexiforce-load-force-sensors-and-systems>. [Accessed on 04-Dec-2018].
- [21] P. Dario, D. De Rossi, C. Domenici, and R. Francesconi. Ferroelectric polymer tactile sensors with anthropomorphic features. In *Proceedings. 1984 IEEE International Conference on Robotics and Automation*, volume 1, pages 332–340, Atlanta, GA, USA, 1984. IEEE.
- [22] R.D. Howe and M.R. Cutkosky. Dynamic tactile sensing: perception of fine surface features with stress rate sensing. *IEEE Transactions on Robotics and Automation*, 9(2):140–151, April 1993.
- [23] A. Persichetti, F. Vecchi, and M.C. Carrozza. Optoelectronic-Based Flexible Contact Sensor for Prosthetic Hand Application. In *2007 IEEE 10th International Conference on Rehabilitation Robotics*, pages 415–420, Noordwijk, Netherlands, June 2007. IEEE.
- [24] M.R. Wolffenbuttel and P.P.L. Regtien. Polysilicon bridges for the realization of tactile sensors. *Sensors and Actuators A: Physical*, 26(1-3):257–264, March 1991.
- [25] Z. Chu, P.M. Sarro, and S. Middelhoek. Silicon three-axial tactile sensor. *Sensors and Actuators A: Physical*, 54(1-3):505–510, June 1996.
- [26] H.K. Lee, S.I. Chang, and E. Yoon. A Flexible Polymer Tactile Sensor: Fabrication and Modular Expandability for Large Area Deployment. *J. Microelectromech. Syst.*, 15(6):1681–1686, December 2006.
- [27] M.Y. Cheng, C.L. Lin, Y.T. Lai, and Y.J. Yang. A Polymer-Based Capacitive Sensing Array for Normal and Shear Force Measurement. *Sensors*, 10(11):10211–10225, November 2010.
- [28] C. Ge and E. Cretu. MEMS transducers low-cost fabrication using SU-8 in a sacrificial layer-free process. *J. Micromech. Microeng.*, 27(4):045002, April 2017.

- [29] S.C.B. Mannsfeld, B.C.K. Tee, R.M. Stoltenberg, C.V.H. Chen, S. Barman, B.V.O. Muir, A.N. Sokolov, C. Reese, and Z. Bao. Highly sensitive flexible pressure sensors with microstructured rubber dielectric layers. *Nature Mater*, 9(10):859–864, October 2010.
- [30] M. Shikida, T. Shimizu, K. Sato, and K. Itoigawa. Active tactile sensor for detecting contact force and hardness of an object. *Sensors and Actuators A: Physical*, 103(1-2):213–218, January 2003.
- [31] Y Hasegawa, M. Shikida, T. Shimizu, T. Miyaji, H. Sasaki, K. Sato, and K. Itoigawa. Amicromachined active tactile sensor for hardness detection. *Sensors and Actuators A: Physical*, 114(2-3):141–146, September 2004.
- [32] T. Frank, L. Doering, G. Heinrich, N. Thronicke, C. Löbner, St. Völlmeke, A. Steinke, and S. Reich. Silicon cantilevers with piezoresistive measuring bridge for tactile line measurement. *Microsyst Technol*, 20(4-5):927–931, April 2014.
- [33] Y. Luo, Q. Xiao, and B. Li. A Stretchable Pressure-Sensitive Array Based on Polymer Matrix. *Sensors*, 17(7):1571, July 2017.
- [34] S.H. Park, S.Y. Kim, J.H. Kim, and I. Kang. Carbon nano artificial neuron system for flexible tactile sensing. In *2013 10th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*, pages 728–729, Jeju, Korea (South), October 2013. IEEE.
- [35] Y. Huang, M. Wang, H. Qiu, B. Xiang, and Y. Zhang. Research and Preparation Method of Flexible Tactile Sensor Material. In J. Gerardo and S. Lanceros-Mendez, editors, *Sensors: Focus on Tactile Force and Stress Sensors*. InTech, December 2008.
- [36] D. Damjanovic. Ferroelectric, dielectric and piezoelectric properties of ferroelectric thin films and ceramics. *Reports on Progress in Physics*, 61(9):1267–1324, sep 1998.

- [37] R. Bao, C. Wang, L. Dong, R. Yu, K. Zhao, Z.L. Wang, and C. Pan. Flexible and controllable piezo-phototronic pressure mapping sensor matrix by zno nw/p-polymer led array. *Advanced Functional Materials*, 25(19):2884–2891, 2015.
- [38] Sadao Omata and Yoshikazu Terunuma. New tactile sensor like the human hand and its applications. *Sensors and Actuators A: Physical*, 35(1):9 – 15, 1992.
- [39] G. M. Krishna and K. Rajanna. Tactile sensor based on piezoelectric resonance. *IEEE Sensors Journal*, 4(5):691–697, Oct 2004.
- [40] M. A. Qasaimeh*, S. Sokhanvar, J. Dargahi, and M. Kahrizi. Pvdf-based micro-fabricated tactile sensor for minimally invasive surgery. *Journal of Microelectromechanical Systems*, 18(1):195–207, 2009.
- [41] C. Li, P. Wu, S. Lee, A. Gorton, M. J. Schulz, and C. H. Ahn. Flexible dome and bump shape piezoelectric tactile sensors using pvdf-trfe copolymer. *Journal of Microelectromechanical Systems*, 17(2):334–341, April 2008.
- [42] B. Choi, H.R. Choi, and S. Kang. Development of tactile sensor for detecting contact force and slip. In *2005 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pages 2638–2643, Edmonton, Alta., Canada, 2005. IEEE.
- [43] B. Choi, S. Lee, H. Choi, and S. Kang. Development of Anthropomorphic Robot Hand with Tactile Sensor : SKKU Hand II. In *2006 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pages 3779–3784, Beijing, China, October 2006. IEEE.
- [44] N. Wettels, J.A. Fishel, and G.E. Loeb. Multimodal Tactile Sensor. In R. Balasubramanian and V.J. Santos, editors, *The Human Hand as an Inspiration for Robot Hand Development*, volume 95, pages 405–429. Springer International Publishing, Cham, 2014.
- [45] D. Tan, Q. Wang, R. Song, X. Yao, and Y. Gu. Optical fiber based slide tactile sensor for underwater robots. *Journal of Marine Science and Application*, 7(2):122–126, June 2008.

- [46] J. Zhang, W. Liu, L. Gao, Y. Zhang, and W. Tang. Design, Analysis and Experiment of a Tactile Force Sensor for Underwater Dexterous Hand Intelligent Grasping. *Sensors*, 18(8):2427, July 2018.
- [47] T.D.I. Udayanga, D.A.M.R. Fernando, H.L.P.L. Chathuranga, Y.W.R. Amarasinghe, and D.V. Dao. Development of a Quantum Tunneling Composite based 1-DOF Tactile Sensor. *International Journal of Advanced Information Science and Technology*, 4(8):99–104, August 2015.
- [48] T.D.I. Udayanga, D.A.M.R. Fernando, H.L.P.L. Chaturanga, B.A.D.J.C.K. Basnayake, and Y.W.R. Amarasinghe. Design and Development of Quantum Tunneling Composite based Tactile Sensors. *Proceedings of International Conference on Artificial Life and Robotics*, 23:570–573, February 2018.
- [49] T. Mei, W.J. Li, Y. Ge, Y. Chen, L. Ni, and M.H. Chan. An integrated MEMS three-dimensional tactile sensor with large force range. *Sensors and Actuators A: Physical*, 80(2):155–162, March 2000.
- [50] J.H. Shan, T. Mei, L. Sun, D.Y. Kong, Z.Y. Zhang hu, L. Ni, M Meng, and J.R. Chu. The design and fabrication of a flexible three-dimensional force sensor skin. In *2005 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pages 1818–1823, Edmonton, Alta., Canada, 2005. IEEE.
- [51] T. Someya, T. Sekitani, S. Iba, Y. Kato, H. Kawaguchi, and T. Sakurai. A large-area, flexible pressure sensor matrix with organic field-effect transistors for artificial skin applications. *Proceedings of the National Academy of Sciences*, 101(27):9966–9970, July 2004.
- [52] T. Nezakati, A. Seifalian, A. Tan, and A.M. Seifalian. Conductive Polymers: Opportunities and Challenges in Biomedical Applications. *Chemical Reviews*, 118(14):6766–6843, July 2018.
- [53] W. Luheng, D. Tianhuai, and W. Peng. Influence of carbon black concentration on piezoresistivity for carbon-black-filled silicone rubber composite. *Carbon*, 47(14):3151–3157, November 2009.

- [54] T.H. Speeter. A Tactile Sensing System for Robotic Manipulation. *The International Journal of Robotics Research*, 9(6):25–36, December 1990.
- [55] M.Y. Cheng, C.M. Tsao, and Y.J. Yang. An anthropomorphic robotic skin using highly twistable tactile sensing array. In *2010 5th IEEE Conference on Industrial Electronics and Applications*, pages 650–655, Taichung, Taiwan, June 2010. IEEE.
- [56] A.H.T.E. De Silva, W.H.P. Sampath, N.H.L. Sameera, Y.W.R. Amarasinghe, and A. Mitani. Development of a wearable tele-monitoring system with IoT for bio-medical applications. In *2016 IEEE 5th Global Conference on Consumer Electronics*, pages 1–2, Kyoto, Japan, October 2016. IEEE.
- [57] A.H.T.E. De Silva, W.H.P. Sampath, N.H.L. Sameera, Y.W.R. Amarasinghe, and A. Mitani. Development of a novel telecare system, integrated with plantar pressure measurement system. *Informatics in Medicine Unlocked*, 12:98–105, 2018.
- [58] “a Step-by-Step Guide to Compression Moulding Rubber Machinery — Rubber Asia”, Rubber Asia, 2015. [Online]. Available: <https://rubberasia.com/2015/07/29/a-step-by-step-guide-to-compression-moulding-rubber-machinery/>. [Accessed on 04-Dec-2018].
- [59] M. Ohmukai, Y. Kami, and R. Matsuura. Electrode for Force Sensor of Conductive Rubber. *Journal of Sensor Technology*, 02(03):127–131, 2012.
- [60] J. Castellanos-Ramos, R. Navas-González, H. Macicior, T. Sikora, E. Ochoteco, and F. Vidal-Verdú. Tactile sensors based on conductive polymers. *Microsystem Technologies*, 16(5):765–776, May 2010.
- [61] Stratasys® ABSplus, Matweb.com,, 2019. [Online]. Available: http://www.matweb.com/search/datasheet_print.aspx?matguid=14193b776a7b4c1ca6d4ecf86497204b. [Accessed on 20-Feb-2019].

- [62] Stratasys® ABS, Matweb.com,, 2019. [Online]. Available: http://www.matweb.com/search/datasheet_print.aspx?matguid=e415f92d1e7047a08b86836459822929. [Accessed on 20-Feb-2019].
- [63] “PLA low-cost renewable plastic material for Stratasys 3D Printers”, Javelin 3D Solutions, 2019. [Online]. Available: <https://www.javelin-tech.com/3d/stratasys-materials/pla/>. [Accessed on 20-Feb-2019].
- [64] “ABSplus-P430 is a production-grade thermoplastic for Stratasys 3D Printer”, Javelin 3D Solutions, 2019. [Online]. Available: <https://www.javelin-tech.com/3d/stratasys-materials/absplus-p430/>. [Accessed on 20-Feb-2019].
- [65] A. Avci, S. Bosch, M. Marin-Perianu, R. Marin-Perianu, and P. Havinga. Activity Recognition Using Inertial Sensing for Healthcare, Wellbeing and Sports Applications: A Survey. In *23th International Conference on Architecture of Computing Systems 2010*, pages 1–10, February 2010.
- [66] P.J. Xu, H. Zhang, and X.M. Tao. Textile-structured electrodes for electrocardiogram. *Textile Progress*, 40(4):183–213, December 2008.
- [67] M. Ishijima. Cardiopulmonary monitoring by textile electrodes without subject-awareness of being monitored. *Medical & Biological Engineering & Computing*, 35(6):685–690, November 1997.
- [68] R. Paradiso, G. Loriga, and N. Taccini. A Wearable Health Care System Based on Knitted Integrated Sensors. *IEEE Transactions on Information Technology in Biomedicine*, 9(3):337–344, September 2005.
- [69] S. Choi and Z. Jiang. A novel wearable sensor device with conductive fabric and PVDF film for monitoring cardiorespiratory signals. *Sensors and Actuators A: Physical*, 128(2):317–326, April 2006.
- [70] S.M. Lobodzinski and M.M. Laks. Biopotential fiber sensor. *Journal of Electrocardiology*, 39(4):S41–S46, October 2006.

- [71] J. W. Zheng, Z. B. Zhang, T. H. Wu, and Y. Zhang. A wearable mobihealth care system supporting real-time diagnosis and alarm. *Medical & Biological Engineering & Computing*, 45(9):877–885, September 2007.
- [72] S. Jang, J. Cho, K. Jeong, and G. Cho. Exploring Possibilities of ECG Electrodes for Bio-monitoring Smartwear with Cu Sputtered Fabrics. In *Proceedings of the 12th International Conference on Human-computer Interaction: Interaction Platforms and Techniques*, HCI’07, pages 1130–1137, Berlin, Heidelberg, 2007. Springer-Verlag. event-place: Beijing, China.
- [73] M.A. Mestrovic, R.J.N. Helmer, L. Kyrtzis, and D. Kumar. Preliminary study of dry knitted fabric electrodes for physiological monitoring. In *2007 3rd International Conference on Intelligent Sensors, Sensor Networks and Information*, pages 601–606, Melbourne, Australia, 2007. IEEE.
- [74] E.P. Scilingo, A. Gemignani, R. Paradiso, N. Taccini, B. Ghelarducci, and D. DeRossi. Performance Evaluation of Sensing Fabrics for Monitoring Physiological and Biomechanical Variables. *IEEE Transactions on Information Technology in Biomedicine*, 9(3):345–352, September 2005.
- [75] C. Shen, T. Kao, C. Huang, and J. Lee. Wearable Band Using a Fabric-Based Sensor for Exercise ECG Monitoring. In *2006 10th IEEE International Symposium on Wearable Computers*, pages 143–144, Montreux, Switzerland, October 2006. IEEE.
- [76] Adafruit industries, “Stainless Medium Conductive Thread - 3 ply - 18 meter/60 ft”, Adafruit.com, 2019. [Online]. Available: <https://www.adafruit.com/product/641>. [Accessed on 15-Mar-2019].
- [77] W. Grover. Interdigitated Array Electrode Sensors: Their Design, Efficiency, and Applications. *University of Tennessee Honors Thesis Projects*, May 1999.
- [78] Taina Pola and Jukka Vanhala. Textile Electrodes in ECG Measurement. In *2007 3rd International Conference on Intelligent Sensors, Sensor Networks and Information*, pages 635–639, Melbourne, Australia, 2007. IEEE.

[79] OPPO Medical Inc., 2018. [Online]. Available:
<http://www.oppomedical.com/index.aspx>. [Accessed on 16-Mar-2019].