

7. REFERENCES

- [1] A. Subramanya, “Image compression technique,” *IEEE Potentials*, vol. 20, no. 1, pp. 19–23, 2001, doi: 10.1109/45.913206.
- [2] T. Bandara and R. Siyambalapitiya, “Deep Autoencoder-Based Image Compression using Multi-Layer Perceptrons,” vol. 9, p. 1, Mar. 2020, doi: 10.35940/ijscce.E3357.039620.
- [3] M. Mrak, S. Grgic, and M. Grgic, *Picture quality measures in image compression systems*, vol. 1. 2003. doi: 10.1109/EURCON.2003.1248017.
- [4] N. Zou *et al.*, “L²C – Learning to Learn to Compress,” in *2020 IEEE 22nd International Workshop on Multimedia Signal Processing (MMSP)*, 2020, pp. 1–6. doi: 10.1109/MMSP48831.2020.9287069.
- [5] P. Plagwitz, F. Hannig, M. Ströbel, C. Strohmeyer, and J. Teich, “A Safari through FPGA-based Neural Network Compilation and Design Automation Flows,” in *2021 IEEE 29th Annual International Symposium on Field-Programmable Custom Computing Machines (FCCM)*, 2021, pp. 10–19. doi: 10.1109/FCCM51124.2021.00010.
- [6] O. Rippel and L. Bourdev, “Real-Time Adaptive Image Compression.” 2017.
- [7] Majid Rabbani; Paul W. Jones, *Digital Image Compression Techniques*. Washington: The International Society for Optical Engineering, 1991. doi: 10.15623/ijret.2014.0310044.
- [8] M. Testolina, E. Upenik, and T. Ebrahimi, “Comprehensive assessment of image compression algorithms,” in *Proc.SPIE*, Aug. 2020. doi: 10.1117/12.2569255.

- [9] M. Singh, S. Kumar, S. Chouhan, and M. Shrivastava, "Various Image Compression Techniques: Lossy and Lossless," *Int J Comput Appl*, vol. 142, pp. 23–26, May 2016, doi: 10.5120/ijca2016909829.
- [10] C. Taskin and S. K. Sarikoz, "An Overview of Image Compression Approaches," in *2008 The Third International Conference on Digital Telecommunications (icdt 2008)*, 2008, pp. 174–179. doi: 10.1109/ICDT.2008.38.
- [11] A. Raid, W. Khedr, M. El-dosuky, and W. Ahmed, "Jpeg Image Compression Using Discrete Cosine Transform - A Survey," *International Journal of Computer Science & Engineering Survey*, vol. 5, May 2014, doi: 10.5121/ijcses.2014.5204.
- [12] G. K. Wallace, "The JPEG still picture compression standard," *IEEE Transactions on Consumer Electronics*, vol. 38, no. 1, pp. xviii–xxxiv, 1992, doi: 10.1109/30.125072.
- [13] M. Abu zaher and J. Al Azzeh, "JPEG Based Compression Algorithm," *International Journal of Engineering and Applied Sciences (IJEAS)*, vol. 4, pp. 95–97, Apr. 2017.
- [14] L. Moccagatta and H. Chen, "MPEG-4 visual texture coding: more than just compression," in *1999 Digest of Technical Papers. International Conference on Consumer Electronics (Cat. No.99CH36277)*, 1999, pp. 302–303. doi: 10.1109/ICCE.1999.785275.
- [15] M. J. Weinberger, G. Seroussi, and G. Sapiro, "The LOCO-I lossless image compression algorithm: principles and standardization into JPEG-LS," *IEEE Transactions on Image Processing*, vol. 9, no. 8, pp. 1309–1324, 2000, doi: 10.1109/83.855427.

- [16] A. Skodras, C. Christopoulos, and T. Ebrahimi, “The JPEG 2000 still image compression standard,” *IEEE Signal Process Mag*, vol. 18, no. 5, pp. 36–58, 2001, doi: 10.1109/79.952804.
- [17] F. Dufaux, G. J. Sullivan, and T. Ebrahimi, “The JPEG XR image coding standard [Standards in a Nutshell],” *IEEE Signal Process Mag*, vol. 26, no. 6, pp. 195–204, 2009, doi: 10.1109/MSP.2009.934187.
- [18] A. Artusi *et al.*, “Overview and evaluation of the JPEG XT HDR image compression standard,” *J Real Time Image Process*, vol. 16, no. 2, pp. 413–428, 2019, doi: 10.1007/s11554-015-0547-x.
- [19] J. Sneyers and P. Wuille, “FLIF: Free lossless image format based on MANIAC compression,” in *2016 IEEE International Conference on Image Processing (ICIP)*, 2016, pp. 66–70. doi: 10.1109/ICIP.2016.7532320.
- [20] V. Jetti and R. K. Karsh, “Image Compression Based on DCT and Adaptive Grid Scanning BT - Proceeding of Fifth International Conference on Microelectronics, Computing and Communication Systems,” V. Nath and J. K. Mandal, Eds., Singapore: Springer Singapore, 2021, pp. 91–102.
- [21] S. Yuan and J. Hu, “Research on image compression technology based on Huffman coding,” *J Vis Commun Image Represent*, vol. 59, pp. 33–38, 2019, doi: <https://doi.org/10.1016/j.jvcir.2018.12.043>.
- [22] X. Liu, P. An, Y. Chen, and X. Huang, “An improved lossless image compression algorithm based on Huffman coding,” *Multimed Tools Appl*, 2021, doi: 10.1007/s11042-021-11017-5.
- [23] R. D. Dony and S. Haykin, “Neural network approaches to image compression,” *Proceedings of the IEEE*, vol. 83, no. 2, pp. 288–303, 1995, doi: 10.1109/5.364461.

- [24] H. G. E. and S. R. R., “Reducing the Dimensionality of Data with Neural Networks,” *Science (1979)*, vol. 313, no. 5786, pp. 504–507, Jul. 2006, doi: 10.1126/science.1127647.
- [25] L. Theis, W. Shi, A. Cunningham, and F. Huszár, “Lossy Image Compression with Compressive Autoencoders,” Mar. 2017.
- [26] M. U. A. Ayoobkhan, E. Chikkannan, K. Ramakrishnan, and S. B. Balasubramanian, “Prediction-Based Lossless Image Compression BT - Proceedings of the International Conference on ISMAC in Computational Vision and Bio-Engineering 2018 (ISMAC-CVB),” D. Pandian, X. Fernando, Z. Baig, and F. Shi, Eds., Cham: Springer International Publishing, 2019, pp. 1749–1761.
- [27] Md. A. Kabir and M. R. Mondal, “Edge-Based and Prediction-Based Transformations for Lossless Image Compression,” *Journal of Imaging*, vol. 4, no. 5. 2018. doi: 10.3390/jimaging4050064.
- [28] F. Mentzer, E. Agustsson, M. Tschannen, R. Timofte, and L. Van Gool, *Practical Full Resolution Learned Lossless Image Compression*. 2018.
- [29] J. Li, B. Li, J. Xu, R. Xiong, and W. Gao, “Fully Connected Network-Based Intra Prediction for Image Coding,” *IEEE Transactions on Image Processing*, vol. 27, no. 7, pp. 3236–3247, 2018, doi: 10.1109/TIP.2018.2817044.
- [30] I. Schiopu, Y. Liu, and A. Munteanu, “CNN-based Prediction for Lossless Coding of Photographic Images,” in *2018 Picture Coding Symposium (PCS)*, 2018, pp. 16–20. doi: 10.1109/PCS.2018.8456311.
- [31] X. Wu and N. Memon, “CALIC-a context based adaptive lossless image codec,” in *1996 IEEE International Conference on Acoustics, Speech, and Signal Processing Conference Proceedings*, 1996, pp. 1890–1893 vol. 4. doi: 10.1109/ICASSP.1996.544819.

- [32] I. Schiopu and A. Munteanu, "Deep-Learning-Based Lossless Image Coding," *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 30, no. 7, pp. 1829–1842, 2020, doi: 10.1109/TCSVT.2019.2909821.
- [33] H. Rhee, Y. I. Jang, S. Kim, and N. I. Cho, "Lossless Image Compression by Joint Prediction of Pixel and Context Using Duplex Neural Networks," *IEEE Access*, vol. 9, pp. 86632–86645, 2021, doi: 10.1109/ACCESS.2021.3088936.
- [34] W. Kurdthongmee, "A novel hardware-oriented Kohonen SOM image compression algorithm and its FPGA implementation," *Journal of Systems Architecture*, vol. 54, no. 10, pp. 983–994, 2008, doi: <https://doi.org/10.1016/j.sysarc.2008.04.007>.
- [35] S. S. Swami and A. O. Mulani, "An efficient FPGA implementation of discrete wavelet transform for image compression," in *2017 International Conference on Energy, Communication, Data Analytics and Soft Computing (ICECDS)*, 2017, pp. 3385–3389. doi: 10.1109/ICECDS.2017.8390088.
- [36] J. Hu, X. Xu, X. Pan, and L. Liu, "Optimization and Implementation of Image Compression Algorithm Based on Neural Network," in *Proceedings of the 2016 6th International Conference on Applied Science, Engineering and Technology*, Atlantis Press, pp. 130–136. doi: <https://doi.org/10.2991/icaset-16.2016.26>.
- [37] W. Zhao, Z. Jia, X. Wei, and H. Wang, "An FPGA Implementation of a Convolutional Auto-Encoder," *Applied Sciences*, vol. 8, no. 4, 2018, doi: 10.3390/app8040504.
- [38] C. Wang, L. Gong, Q. Yu, X. Li, Y. Xie, and X. Zhou, "DLAU: A Scalable Deep Learning Accelerator Unit on FPGA," *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, vol. 36, no. 3, pp. 513–517, 2017, doi: 10.1109/TCAD.2016.2587683.

- [39] T. Chen *et al.*, “{TVM}: An Automated End-to-End Optimizing Compiler for Deep Learning,” in *13th {USENIX} Symposium on Operating Systems Design and Implementation ({OSDI} 18)*, Carlsbad, CA: {USENIX} Association, Oct. 2018, pp. 578–594. [Online]. Available: <https://www.usenix.org/conference/osdi18/presentation/chen>
- [40] T. Moreau, T. Chen, Z. Jiang, L. Ceze, C. Guestrin, and A. Krishnamurthy, “VTA: An Open Hardware-Software Stack for Deep Learning.” 2018.
- [41] B. Hanin and D. Rolnick, “How to Start Training: The Effect of Initialization and Architecture,” Mar. 2018.
- [42] Nayuki, “Reference arithmetic coding,” <https://www.nayuki.io/page/reference-arithmetic-coding>.
- [43] “VTA: An Open, Customizable Deep Learning Acceleration Stack.” <https://tvm.apache.org/2018/07/12/vta-release-announcement.html> (accessed Nov. 20, 2021).
- [44] “PYNQ-Z1: Python Productivity for Zynq-7000 ARM/FPGA SoC.” <https://digilent.com/shop/pynq-z1-python-productivity-for-zynq-7000-arm-fpga-soc/> (accessed Nov. 01, 2021).
- [45] Xilinx and Inc. CAST, “JPEG-LS-D: Lossless & Near-Lossless JPEG-LS Decoder,” <https://www.xilinx.com/products/intellectual-property/1-ysk5ju.html#overview>.
- [46] Xilinx and Inc. CAST, “JPEG E-S: Baseline JPEG Encoder,” <https://www.xilinx.com/products/intellectual-property/1-ghe7w6.html#overview>.